



# Heavy Engineering Research Levy Act Amendment Order 2021

Patsy Reddy, Governor-General

## Order in Council

At Wellington this 5th day of July 2021

Present:

Her Excellency the Governor-General in Council

This order is made under section 4(4) of the Heavy Engineering Research Levy Act 1978 on the advice and with the consent of the Executive Council.

### Contents

	Page
1 Title	1
2 Commencement	2
3 Principal Act	2
4 Schedules 2 and 3 replaced	2
<b>Schedule</b>	<b>3</b>
<b>Schedules 2 and 3 replaced</b>	

### Order

#### 1 Title

This order is the Heavy Engineering Research Levy Act Amendment Order 2021.

**2 Commencement**

This order comes into force on 26 August 2021.

**3 Principal Act**

This order amends the Heavy Engineering Research Levy Act 1978.

**4 Schedules 2 and 3 replaced**

Replace Schedules 2 and 3 with the Schedules 2 and 3 set out in the Schedule of this order.

**Schedule**  
**Schedules 2 and 3 replaced**

cl 4

**Schedule 2**

**Levied items in respect of which rate of levy not to exceed \$20 for each tonne**

s 4

Tariff item number	Statistical key code	Description of goods
72.08		<b>Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, hot-rolled, not clad, plated or coated:</b>
		– Not in coils, not further worked than hot-rolled, with patterns in relief:
7208.40.10		– – Of a width exceeding 1.95 m and of a thickness exceeding 4.75 mm
	01F	. . . Of a thickness of 4.75 mm or more but not exceeding 10 mm
	09A	. . . Of a thickness exceeding 10 mm
7208.40.90		– – Other
	01K	. . . Of a thickness exceeding 10 mm
	09E	. . . Of a thickness of 4.75 mm or more but not exceeding 10 mm
		– Other, not in coils, not further worked than hot-rolled:
		– – Of a thickness exceeding 10 mm:
7208.51.10	00F	– – Rolled on four faces or in a closed box pass, of a width not exceeding 1,250 mm, without patterns in relief and having a minimum yield point of other than 355 MPa
		– – Other:
7208.51.50	00H	– – Of a width exceeding 1.95 m
7208.51.90	00K	– – Other
		– – Of a thickness of 4.75 mm or more but not exceeding 10 mm:
7208.52.10	00L	– – Rolled on four faces or in a closed box pass, of a width not exceeding 1,250 mm, without patterns in relief and having a minimum yield point of other than 355 MPa
		– – Other:

Tariff item number	Statistical key code	Description of goods
7208.52.50	00B	- - - - Of a width exceeding 1.95 m
7208.52.90	00D	- - - - Other
		- Other:
7208.90.02		- - 3 mm or more in thickness:
		- - - Of a width exceeding 1.95 m and of a thickness exceeding 4.75 mm
7208.90.05	09G	. . . . Other
		- - - Other
		. . . . Other:
		. . . . Exceeding 4.75 mm in thickness
<b>72.10</b>	11H	<b>Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, clad, plated or coated:</b>
7210.20.00		- Plated or coated with lead, including terne-plate
		. . Other:
		. . . Exceeding 4.75 mm in thickness
	11B	. . . Exceeding 4.75 mm in thickness
		- Electrolytically plated or coated with zinc:
		- - Exceeding 1.6 mm in thickness:
		- - - Other
7210.30.20		. . . Exceeding 4.75 mm in thickness
	01K	- Otherwise plated or coated with zinc:
		- - Other:
		- - - Exceeding 1.9 mm in thickness:
		- - - - Worked
7210.49.01		. . . . Exceeding 4.75 mm in thickness, not in coils
	01K	- - - Other:
		- - - - Other
7210.49.19		. . . . Containing in the plating or coating, not less than 50% and not more than 80% zinc by weight, alloyed with aluminium:
		. . . . . Painted, laquered or similarly coated:
		. . . . . Of a thickness of 4.75 mm or more
	19J	

Tariff item number	Statistical key code	Description of goods
	29F	. . . . . Plastic laminated: . . . . . Of a thickness of 4.75 mm or more . . . . . Other:
	39C	. . . . . Of a thickness of 4.75 mm or more . . . . . Containing in the plating or coating, more than 80% zinc by weight, alloyed with aluminium: . . . . . Painted, laquered or similarly coated:
	49L	. . . . . Of a thickness of 4.75 mm or more . . . . . Plastic laminated:
	59H	. . . . . Of a thickness of 4.75 mm or more . . . . . Other:
	69E	. . . . . Of a thickness of 4.75 mm or more . . . . . Other:
	79B	. . . . . Painted, laquered or similarly coated: . . . . . Of a thickness of 4.75 mm or more . . . . . Other:
	89K	. . . . . Of a thickness of 4.75 mm or more - Plated or coated with chromium oxides or with chromium and chromium oxides . . . . . Other:
7210.50.00	11C	. . . . . Exceeding 4.75 mm in thickness - Plated or coated with aluminium: - - Plated or coated with aluminium-zinc alloys: - - - Containing, in the plating or coating, not less than 95% aluminium by weight . . . . . Worked: . . . . . Exceeding 4.75 mm in thickness . . . . . Other:
7210.61.10	01K	. . . . . Other: . . . . . Exceeding 4.75 mm in thickness . . . . . Other:
	21D	. . . . . Exceeding 4.75 mm in thickness - - - Other:

Tariff item number	Statistical key code	Description of goods
7210.61.20	01E	– – – – Worked . . . . Exceeding 4.75 mm in thickness, not in coils – – – – Other:
7210.61.90	01C	– – – – Other . . . . Exceeding 4.75 mm in thickness – – Other:
7210.69.10		– – Containing, in the plating or coating, not less than 95% aluminium by weight . . . . Worked:
	01F	. . . . Exceeding 4.75 mm in thickness . . . . Other:
	21L	. . . . Other: . . . . Exceeding 4.75 mm in thickness – – Other:
7210.69.20	01A	– – – – Worked . . . . Exceeding 4.75 mm in thickness, not in coils – – – – Other:
7210.69.90	01K	– – – – Other . . . . Exceeding 4.75 mm in thickness – Painted, varnished or coated with plastics: – – Worked
7210.70.01	01K	. . . . Exceeding 4.75 mm in thickness, not in coils – – Other:
7210.70.19	01F	– – – – Other . . . . Exceeding 4.75 mm in thickness – – Other:
7210.90.01	01G	– – Worked . . . . Exceeding 4.75 mm in thickness, not in coils – – Other:

Tariff item number	Statistical key code	Description of goods
7210.90.19	01C	- - - Other . . . Exceeding 4.75 mm in thickness
<b>72.11</b>		<b>Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, not clad, plated or coated:</b>
7211.13.00		- Not further worked than hot-rolled: - Rolled on four faces or in a closed box pass, of a width exceeding 150 mm and a thickness of not less than 4 mm, not in coils and without patterns in relief
7211.14.90	05F	. . . Over 500 mm in width, exceeding 4.75 mm in thickness - Other, of a thickness of 4.75 mm or more: - - - Other
	01G	. . . Over 500 mm in width
<b>72.12</b>		<b>Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, clad, plated or coated:</b>
7212.20.30	01H	- Electrolytically plated or coated with zinc: - - - Other: - - - Exceeding 1.6 mm in thickness: - - - - - Other . . . . Exceeding 4.75 mm in thickness - Otherwise plated or coated with zinc: - - - Other: - - - Exceeding 1.9 mm in thickness: - - - - - Worked . . . . Exceeding 4.75 mm in thickness, not in coils - - - - - Other . . . . Other: . . . . Exceeding 4.75 mm in thickness, not in coils - Painted, varnished or coated with plastics: - - - Other: - - - - - Worked . . . . Exceeding 4.75 mm in thickness
7212.30.11	01G	
7212.30.19	41G	
7212.40.11	01L	

Tariff item number	Statistical key code	Description of goods
7212.40.19	-- --	Other
	. . . .	Other:
11J	. . . .	Exceeding 4.75 mm in thickness
	--	Otherwise plated or coated:
7212.50.18	-- --	Other
	. . . .	Other:
11F	. . . .	Exceeding 4.75 mm in thickness
	--	Clad:
7212.60.18	-- --	Other
	. . . .	Other:
11K	. . . .	Exceeding 4.75 mm in thickness
<b>72.16</b>		<b>Angles, shapes and sections of iron or non-alloy steel:</b>
	--	U, I or H sections, not further worked than hot-rolled, hot-drawn or extruded of a height of 80 mm or more:
	--	U sections:
7216.31.01	-- --	102 mm × 51 mm × 10.4 kg/m
7216.31.09	-- --	Other
7216.32.00	--	I sections:
01G	. . . .	Less than 40 kg/m
09B	. . . .	Other
	--	H sections:
01A	. . . .	Less than 40 kg/m
09G	. . . .	Other
	--	L or T sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of 80 mm or more:
7216.40.01	-- --	Equal angled L sections, 80 mm × 80 mm by 5 mm to 13 mm in thickness
7216.40.09	-- --	Other
7216.50.00	--	Other angles, shapes and sections, not further worked than hot-rolled, hot-drawn or extruded
	. . . .	Of a height of 80 mm or more:
	. . . .	Less than 40 kg/m
01E	. . . .	Less than 40 kg/m



Tariff item number	Statistical key code	Description of goods
	09L	. . . Other
		– Angles, shapes and sections, not further worked than cold-formed or cold-finished:
7216.61.00		– Obtained from flat-rolled products
		. . . Of a height of 80 mm or more:
	01C	. . . Angles and tees
	05F	. . . Channels, girders, beams and joists
	09J	. . . Other
		– Other
7216.69.00		. . . Of a height of 80 mm or more:
	01K	. . . Angles and tees
	05B	. . . Channels, girders, beams and joists
	09E	. . . Other
		– Other:
7216.91.00		– Cold-formed or cold-finished from flat-rolled products
		. . . Worked:
	01D	. . . Of a height of 80 mm or more
		. . . Other:
		. . . Of a height of 80 mm or more:
	11A	. . . Galvanised
	15D	. . . Other
		– Other
7216.99.00		. . . Worked:
	01L	. . . Of a height of 80 mm or more
		. . . Other:
		. . . Of a height of 80 mm or more:
	11H	. . . Galvanised
	15L	. . . Other

Tariff item number	Statistical key code	Description of goods
<b>72.25</b>		<b>Flat-rolled products of other alloy steel, of a width of 600 mm or more:</b>
7225.40.19		– Other, not further worked than hot rolled, not in coils:
		– – Other
	10B	. . . Exceeding 4.75 mm in thickness
		– Other:
7225.91.10		– – Electrolytically plated or coated with zinc:
		– – – Galvanised
		. . . Other:
	13B	. . . . Exceeding 4.75 mm in thickness, not in coils
		– – – Other
		. . . Other:
		. . . . Worked:
	21G	. . . . . Exceeding 4.75 mm in thickness, not in coils
		. . . . . Other:
	29B	. . . . . Exceeding 4.75 mm in thickness, not in coils
		– – – – – Otherwise plated or coated with zinc:
		– – – – – Galvanised
		. . . . . Other:
	13G	. . . . . Exceeding 4.75 mm in thickness, not in coils
		– – – – – Other
		. . . . . Other:
		. . . . . Worked:
	21A	. . . . . Exceeding 4.75 mm in thickness, not in coils
		. . . . . Other:
	29G	. . . . . Exceeding 4.75 mm in thickness, not in coils
		– – – – – Other:
		– – – – – Galvanised
		. . . . . Other:
7225.99.10		

Tariff item number	Statistical key code	Description of goods
7225.99.90	13J	. . . . . Exceeding 4.75 mm in thickness, not in coils
		– – – – – Other
21C		. . . . . Other:
		. . . . . Worked:
29J		. . . . . Exceeding 4.75 mm in thickness, not in coils
		. . . . . Other:
72.26		. . . . . Exceeding 4.75 mm in thickness, not in coils
		<b>Flat-rolled products of other alloy steel, of a width of less than 600 mm:</b>
7226.91.00		– Other:
		– – Not further worked than hot-rolled
7226.99.01	11J	. . . . . Other:
		. . . . . Over 500 mm in width, of a thickness exceeding 4.75 mm
7226.99.18		– – Other:
		– – Galvanised or worked
10C		. . . . . Electrolytically plated or coated with zinc:
		. . . . . Over 500 mm in width, of a thickness exceeding 4.75 mm, not in coils
15D		. . . . . Otherwise plated or coated with zinc:
		. . . . . Over 500 mm in width, of a thickness exceeding 4.75 mm, not in coils
19G		. . . . . Other:
		. . . . . Over 500 mm in width, of a thickness exceeding 4.75 mm, not in coils
13H		– – – – – Other
		. . . . . Electrolytically plated or coated with zinc:
21J		. . . . . Other:
		. . . . . Over 500 mm in width, of a thickness exceeding 4.75 mm
21J		. . . . . Otherwise plated or coated with zinc:
		. . . . . Other:
21J		. . . . . Over 500 mm in width, of a thickness exceeding 4.75 mm
		. . . . . Other:

Tariff item number	Statistical key code	Description of goods
	33B	. . . . . Other: . . . . . Over 500 mm in width, of a thickness exceeding 4.75 mm
<b>72.28</b>		<b>Other bars and rods of other alloy steel; angles shapes and sections, of other alloy steel; hollow drill bars and rods, of alloy or non-alloy steel:</b>
7228.70.00		– Angles shapes and sections . . . . . Of a height of 80 mm or more: . . . . . Channels, girders, beams and joists . . . . . Other
<b>73.06</b>	01F 09A	<b>Other tubes, pipes and hollow profiles (for example, open seam or welded, riveted or similarly closed), of iron or steel:</b>
		– Other, welded, of non-circular cross-section: – – Of a square rectangular cross-section . . . . . rectangular hollow section . . . . . Of a maximum dimension of 102 mm or more but less than 128 mm: . . . . . Plated or coated with zinc: . . . . . Of wall thickness not exceeding 2.6 mm . . . . . Other . . . . . Plated or coated with other metals: . . . . . Of wall thickness not exceeding 2.6 mm . . . . . Other . . . . . Painted, lacquered or similarly coated: . . . . . Of wall thickness not exceeding 2.6 mm . . . . . Other . . . . . Other: . . . . . Of wall thickness not exceeding 2.6 mm . . . . . Other . . . . . Of a maximum dimension of 128 mm or more but less than 229 mm: . . . . . Stainless steel:
7306.61.00	63B 64L 65J 66G 67E 68C 69A 70E	

Tariff item number	Statistical key code	Description of goods
71C	. . . . .	Of wall thickness not exceeding 2.6 mm
72A	. . . . .	Other
	. . . . .	Plated or coated with zinc:
73K	. . . . .	Of wall thickness not exceeding 2.6 mm
74H	. . . . .	Other
	. . . . .	Plated or coated with other metals:
75F	. . . . .	Of wall thickness not exceeding 2.6 mm
76D	. . . . .	Other
	. . . . .	Painted, lacquered or similarly coated:
77B	. . . . .	Of wall thickness not exceeding 2.6 mm
78L	. . . . .	Other
	. . . . .	Other:
79J	. . . . .	Of wall thickness not exceeding 2.6 mm
80B	. . . . .	Other
81L	. . . . .	Other

**Schedule 3**

**Levied items in respect of which rate of levy not to exceed 10 cents for each kilogram**

s 4

Tariff item number	Statistical key code	Description of goods
71.06		Silver (including silver plated with gold or platinum), unwrought or in semi-manufactured forms, or in powder form:
7106.92.00		– Other:
		– – Semi-manufactured
		– – – Other:
		– – – – Bars and rods, strip and wire:
	11B	– – – – – Welding
72.15		<b>Other bars and rods of iron or non-alloy steel:</b>
		– Other, not further worked than cold-formed or cold-finished:
		– – Other:
		– – – Containing by weight less than 0.6% of carbon
7215.50.20		– – – – Containing by weight less than 0.25% of carbon:
		– – – – – Straightened wire not exceeding 13 mm in diameter:
	01H	– – – – – – Welding wire
		– – – – – – Other:
		– – – – – – – Of circular cross-section:
	21B	– – – – – – – – Welding
		– – – – – – – – Other:
	31K	– – – – – – – – – Welding
7215.90.00		– Other
		– – Other:
	21F	– – – Welding

Tariff item number	Statistical key code	Description of goods
72.17		<b>Wire of iron or non-alloy steel:</b>
7217.10.00		– Not plated or coated, whether or not polished
		. . . Containing by weight less than 0.25% of carbon:
		. . . Welding wire
	17E	. . . Less than 0.9 mm in diameter
	18C	. . . 0.9 mm or more, but less than 1.6 mm in diameter
	19A	. . . 1.6 mm or more, but less than 2.5 mm in diameter
	20E	. . . 2.5 mm or more, but less than 3.55 mm in diameter
	21C	. . . 3.55 mm or more, but less than 4.5 mm in diameter
	22A	. . . 4.5 mm or more, but less than 6 mm in diameter
	23K	. . . 6 mm or more, but less than 7.5 mm in diameter
	24H	. . . 7.5 mm or more, but less than 11.5 mm in diameter
	25F	. . . 11.5 mm or more in diameter
7217.30.00		– Plated or coated with other base metals
		. . . Containing by weight less than 0.25% of carbon:
		. . . Less than 1.8 mm in any cross-sectional dimension:
		. . . Welding
	01F	. . . Other:
		. . . Welding
	11C	. . . Other
7217.90.00		– Other
		. . . Containing by weight less than 0.25% of carbon:
		. . . Less than 1.8 mm in any cross-sectional dimension:
		. . . Welding
	01H	. . . Other:
		. . . Welding
	11E	. . . Other
72.22		<b>Other bars and rods of stainless steel; angles, shapes and sections of stainless steel:</b>
7222.30.00		– Other bars and rods
		. . . Other:

<b>Tariff item number</b>	<b>Statistical key code</b>	<b>Description of goods</b>
<b>72.23</b>	11K	. . . Welding
7223.00.00	01K	<b>Wire of stainless steel</b> . . . Welding
<b>72.28</b>		<b>Other bars and rods of other alloy steel; angles, shapes and sections, of other alloy steel; hollow drill bars and rods, of alloy or non-alloy steel:</b>
7228.20.00		– Bars and rods, of silico-manganese steel . . . Other: . . . Wire rod: . . . . Welding . . . . Other: . . . . Welding – Other bars and rods . . . Other: . . . . Welding
7228.60.00	12C	
	21B	
	11K	
<b>72.29</b>		<b>Wire of other alloy steel:</b>
7229.20.00		– Of silico-manganese steel . . . Coated: . . . . Welding . . . . Other: . . . . Welding – Other . . . Other: . . . . Coated: . . . . . Welding . . . . . Other: . . . . . Welding
7229.90.00	02D	
	12A	
	15A	
	21F	



Tariff item number	Statistical key code	Description of goods
<b>74.07</b>		<b>Copper bars, rods and profiles:</b>
		- Of refined copper:
		- - Bars and rods:
7407.10.01		- - - Wire rod
	01L	. . . . Welding
7407.10.09		- - - Other
	01A	. . . . Welding
		- Of copper alloys:
		- - Of copper-zinc base alloys (brass):
7407.21.01		- - - Bars and rods
	01J	. . . . Welding
		- - - Other:
7407.29.01		- - - Bars and rods
		. . . . Of copper-nickel base alloys (cupro-nickel) or copper-nickel-zinc base alloys (nickel silver):
	10D	. . . . . Welding
	17A	. . . . . Other:
		. . . . . Welding
<b>74.08</b>		<b>Copper wire:</b>
		- Of refined copper:
7408.19.00		- - Other
	01C	. . . . Welding
		- Of copper alloys:
7408.21.00		- - Of copper-zinc base alloys (brass)
	01L	. . . . Welding
7408.22.00		- - Of copper-nickel base alloys (cupro-nickel) or copper-nickel-zinc base alloys (nickel silver)
	01E	. . . . Welding
7408.29.00		- - Other
	01G	. . . . Welding

Tariff item number	Statistical key code	Description of goods
<b>76.01</b>		<b>Unwrought aluminium:</b>
7601.10.01		– Aluminium, not alloyed:
		– Bars and rods:
	01D	. . . Welding
7601.20.01		– Aluminium alloys:
		– Bars and rod
	01H	. . . Welding
<b>76.04</b>		<b>Aluminium bars, rods and profiles:</b>
7604.10.00		– Of aluminium, not alloyed
	01B	. . . Welding
		– Of aluminium alloys:
		– Other:
7604.29.01		– Bars and rods
	01C	. . . . Welding
<b>76.05</b>		<b>Aluminium wire:</b>
7605.19.00		– Of aluminium, not alloyed:
		– Other
	01A	. . . . Welding
7605.29.00		– Of aluminium alloys:
		– Other
	01E	. . . . Welding
<b>83.11</b>		<b>Wire, rods, tubes, plates, electrodes and similar products, of base metal or of metal carbides, coated or cored with flux material, of a kind used for soldering, brazing, welding or deposition of metal or of metal carbides; wire and rods, of agglomerated base metal powder, used for metal spraying:</b>
8311.10.00	00C	– Coated electrodes of base metal, for electric arc-welding
8311.20.00	00G	– Cored wire of base metal, for electric arc-welding
8311.30.00	00L	– Coated rods and cored wire, of base metal, for soldering, brazing or welding by flame
		– Other:

Tariff item number	Statistical key code	Description of goods
8311.90.01	00J	Wire and rods, of agglomerated base metal powder, used for metal spraying
8311.90.09	00K	Other

Michael Webster,  
Clerk of the Executive Council.

## Explanatory note

*This note is not part of the order, but is intended to indicate its general effect.*

This order, which comes into force on 26 August 2021, replaces Schedules 2 and 3 of the Heavy Engineering Research Levy Act 1978 to reflect the tariff item numbers, statistical key codes, and descriptions of goods used in the Working Tariff Document prepared by the New Zealand Customs Service.

Issued under the authority of the Legislation Act 2012.

Date of notification in *Gazette*: 8 July 2021.

This order is administered by the Ministry of Business, Innovation, and Employment.