



Biosecurity (Notifiable Organisms) Order 2006

Anand Satyanand, Governor-General

Order in Council

At Wellington this 16th day of October 2006

Present:

His Excellency the Governor-General in Council

Pursuant to section 45(2) of the Biosecurity Act 1993, His Excellency the Governor-General, acting on the advice and with the consent of the Executive Council, makes the following order.

Contents

| | Page |
|-----------------------------|------|
| 1 Title | 1 |
| 2 Commencement | 2 |
| 3 Notifiable organisms | 2 |
| 4 Revocation | 2 |
| Schedule | 2 |
| Notifiable organisms | |

Order

1 Title

This order is the Biosecurity (Notifiable Organisms) Order 2006.

2 Commencement

This order comes into force on the 28th day after the date of its notification in the *Gazette*.

3 Notifiable organisms

The organisms specified in the Schedule are declared to be notifiable organisms.

4 Revocation

The Biosecurity (Notifiable Organisms) Order 2002 (SR 2002/92) is revoked.

cl 3

Schedule Notifiable organisms

Invasive plants

| Scientific name | Common name |
|---|----------------------------------|
| <i>Bryonia cretica</i> | White bryony |
| <i>Caesalpinia decapetala</i> | Mysore thorn |
| <i>Cardiospermum halicacabum, C. grandiflorum</i> | Small balloon vine; balloon vine |
| <i>Ehrharta villosa</i> | Pyp grass |
| <i>Eichhornia crassipes</i> | Water hyacinth |
| <i>Homeria collina</i> | Cape tulip |
| <i>Houttuynia cordata</i> | Chameleon plant |
| <i>Hydrilla verticillata</i> | Hydrilla |
| <i>Ludwigia peruviana</i> | Water primrose |
| <i>Menyanthes trifoliata</i> | Bogbean |
| <i>Myrica faya</i> | Fire tree; candle-berry myrtle |
| <i>Myriophyllum spicatum</i> | Eurasian watermilfoil |
| <i>Najas guadalupensis</i> | Southern naiad |
| <i>Nuphar lutea</i> | Yellow waterlily |
| <i>Najas marina</i> | Sawtooth |
| <i>Pistia stratiotes</i> | Water lettuce |
| <i>Potamogeton perfoliatus</i> | Clasped pondweed |
| <i>Sagittaria montevidensis</i> | Arrowhead |
| <i>Sagittaria sagittifolia</i> | |
| <i>Salvinia molesta</i> | Salvinia; kariba weed |
| <i>Sorghum halepense</i> | Johnson grass |
| <i>Sparganium erectum</i> | Bur reed |
| <i>Stratiotes aloides</i> | Water soldier |
| <i>Trapa natans</i> | Water chestnut |

| Scientific name | Common name |
|-----------------------------|--------------------|
| <i>Typha domingensis</i> | |
| <i>Typha latifolia</i> | Great reedmace |
| <i>Vallisneria gigantea</i> | Eelgrass |

Organisms affecting crustacea

| Scientific name | Common name |
|---------------------------|--------------------|
| <i>Aphanomyces astaci</i> | Crayfish plague |

Organisms affecting honey bees

| Scientific name | Common name |
|--|-----------------------|
| <i>Acarapis woodi</i> | Tracheal mite |
| <i>Aethina tumida</i> | Small hive beetle |
| <i>Apis mellifera capensis</i> | Cape bee |
| <i>Apis mellifera scutellata</i> and its hybrids | Africanised honey bee |
| <i>Euvarroa sinhai</i> | Varroa |
| <i>Melissococcus pluton</i> | European foulbrood |
| <i>Tropilaelaps clareae</i> | Tropilaelaps |
| <i>Tropilaelaps koenigerum</i> | Tropilaelaps |
| <i>Varroa destructor</i> (formerly known as <i>Varroa jacobsoni</i>) | Varroa |
| <i>Varroa underwoodi</i> | Varroa |

Organisms affecting marine or freshwater environment

| Scientific name | Common name |
|--------------------------------|---------------------------------|
| <i>Asterias amurensis</i> | Northern Pacific seastar |
| <i>Carcinus maenas</i> | European shore crab; green crab |
| <i>Caulerpa taxifolia</i> | A green seaweed |
| <i>Eriocheir sinensis</i> | Chinese mitten crab |
| <i>Potamocorbula amurensis</i> | Asian clam |
| <i>Sabella spallanzanii</i> | Mediterranean fanworm |

Organisms affecting molluscs

| Scientific name | Common name |
|-----------------------------|--------------------|
| <i>Bonamia ostreae</i> | Bonamiosis |
| <i>Marteilia maurini</i> | Marteilirosis |
| <i>Marteilia refringens</i> | Marteilirosis |
| <i>Marteilia sydneyi</i> | Marteilirosis |
| <i>Mikrocytos mackini</i> | Mikrocytosis |
| <i>Mikrocytos roughleyi</i> | Mikrocytosis |
| <i>Perkinsus marinus</i> | Perkinsosis |
| <i>Perkinsus olseni</i> | Perkinsosis |

Organisms affecting multiple species

| Scientific name | Common name |
|--|--|
| <i>Amblyomma</i> spp. | An animal tick |
| <i>Anaplasma</i> spp. | Anaplasmosis |
| Aujeszky's disease virus | Aujeszky's disease |
| <i>Babesia</i> spp. | Babesiosis |
| <i>Bacillus anthracis</i> | Anthrax |
| Bluetongue virus | Bluetongue |
| <i>Boophilus</i> spp. | An animal tick |
| <i>Chrysomyia</i> spp. | A screw-worm |
| <i>Cochliomyia</i> spp. | A screw-worm |
| <i>Cowdria ruminantium</i> | Heartwater |
| <i>Coxiella burnetii</i> | Q fever |
| <i>Dermacentor</i> spp. | An animal tick |
| <i>Echinococcus</i> spp. | Hydatids |
| Foot-and-mouth disease virus | Foot-and-mouth disease |
| <i>Ixodes</i> spp. | An animal tick |
| <i>Leishmania</i> spp. | Leishmaniasis |
| Rabies virus | Rabies |
| <i>Rhipicephalus</i> spp. | An animal tick |
| Rift Valley fever virus | Rift Valley fever |
| Salmonellae (exotic serovars and phage types) | Salmonellosis |
| <i>Theileria</i> spp. (pathogenic species) | Theileriosis |
| Transmissible spongiform encephalopathy agents | Scrapie; bovine spongiform encephalopathy; chronic wasting disease; feline spongiform encephalopathy |
| <i>Trypanosoma</i> spp. | Trypanosomosis |
| Vesicular stomatitis virus | Vesicular stomatitis |
| West Nile virus | |

Organisms primarily affecting birds

| Scientific name | Common name |
|--|--|
| Anatid herpesvirus 1 | Duck virus enteritis; duck plague |
| Avian paramyxovirus 1 (exotic strains) | Newcastle disease |
| Duck hepatitis virus | Duck virus hepatitis |
| Infectious bursal disease virus | Infectious bursal disease |
| Influenza A virus of H5 or H7 subtype | Bird flu or highly pathogenic notifiable avian influenza |

Organisms primarily affecting cattle

| Scientific name | Common name |
|---|--|
| Bovine herpes virus type 1 (arbovirus) tifacient strain) (1) | Infectious bovine rhinotracheitis abortion |
| <i>Brucella abortus</i> | Bovine brucellosis |
| <i>Cysticercus bovis</i> | Bovine cysticercosis |
| Lumpy skin disease virus | Lumpy skin disease |
| <i>Mycoplasma mycoides</i> subsp. <i>mycoides</i> SC | Contagious bovine pleuropneumonia |
| <i>Pasteurella multocida</i> B:2 and E:2 | Haemorrhagic septicaemia |
| Rinderpest virus | Rinderpest |

Organisms primarily affecting dogs

| Scientific name | Common name |
|----------------------------|--------------------|
| <i>Brucella canis</i> | Canine brucellosis |
| <i>Dirofilaria immitis</i> | Heartworm |

Organisms primarily affecting fish

| Scientific name | Common name |
|--|------------------------------------|
| <i>Aeromonas salmonicida</i> | Furunculosis |
| Epizootic haematopoietic necrosis virus | Epizootic haematopoietic necrosis |
| Infectious haematopoietic necrosis virus | Infectious haematopoietic necrosis |
| Infectious pancreatic necrosis virus (exotic strains) | Infectious pancreatic necrosis |
| <i>Myxobolus cerebralis</i> | Whirling disease |
| <i>Oncorhynchus masou</i> virus | Oncorhynchus masou virus disease |
| <i>Renibacterium salmoninarum</i> | Bacterial kidney disease |
| Spring viraemia of carp virus | Spring viraemia of carp |
| Viral haemorrhagic septicaemia virus | Viral haemorrhagic septicaemia |
| <i>Yersinia ruckeri</i> (exotic strains) | Enteric redmouth |

Organisms primarily affecting forestry

| Scientific name | Common name |
|-----------------------------------|---------------------------------|
| <i>Anoplophora glabripennis</i> | Asian longhorn beetle |
| <i>Buprestis aurulenta</i> | Golden buprestid |
| <i>Bursaphelenchus xylophilus</i> | Pinewood nematode |
| <i>Coptotermes acinaciformis</i> | Australian subterranean termite |
| <i>Cryptotermes brevis</i> | West Indian drywood termite |
| <i>Dendroctonus valens</i> | Red turpentine beetle |
| <i>Endocronartium harknessii</i> | Western gall rust |
| <i>Fusarium circinatum</i> | Pitch canker |
| <i>Gremmeniella abietina</i> | Scleroterris canker |
| <i>Heterobasidion annosum</i> | Annosus root rot |
| <i>Hylobius abietis</i> | Pine root weevil |

| Scientific name | Common name |
|-------------------------------------|--------------------------------|
| <i>Hyphantria cunea</i> | Fall webworm |
| <i>Leptographium wagenerii</i> | Black stain root disease |
| <i>Lymantria dispar</i> | Gypsy moth |
| <i>Lymantria monacha</i> | Nun moth |
| <i>Melanophila californica</i> | Flat headed borer |
| <i>Monochamus carolinensis</i> | Pine sawyer beetle |
| <i>Monochamus alternatus</i> | Japanese pine sawyer beetle |
| <i>Monochamus galloprovincialis</i> | Pine sawyer beetle |
| <i>Monochamus marmorator</i> | Balsam fir sawyer beetle |
| <i>Monochamus mutator</i> | Sawyer beetle |
| <i>Monochamus nitens</i> | Sawyer beetle |
| <i>Monochamus obtusus</i> | Obtuse sawyer beetle |
| <i>Monochamus saltuarius</i> | Japanese pine sawyer beetle |
| <i>Monochamus scutellatus</i> | Whitespotted sawyer beetle |
| <i>Monochamus titillator</i> | Sawyer beetle |
| <i>Neodiprion lecontei</i> | Redheaded pine sawfly |
| <i>Ophiostoma novo-ulmi</i> | Dutch elm disease |
| <i>Orgyia thyellina</i> | White spotted tussock moth |
| <i>Orthotomicus erosus</i> | European bark beetle |
| <i>Phytophthora lateralis</i> | Brown rot |
| <i>Phytophthora ramorum</i> | Sudden oak death |
| <i>Pissodes nemorensis</i> | Northern pine weevil |
| <i>Puccinia psidii</i> | Eucalyptus rust |
| <i>Rhyacionia buoliana</i> | European pine shoot moth |
| <i>Teia anartoides</i> | Painted apple moth |
| <i>Thaumetopoea pityocampa</i> | Pine processionary caterpillar |
| <i>Tomicus piniperda</i> | Pine shoot beetle |
| <i>Uraba lugens</i> | Gumleaf skeletoniser |

Organisms primarily affecting horses

| Scientific name | Common name |
|---|---|
| African horse sickness virus | African horse sickness |
| <i>Burkholderia</i> [= <i>Pseudomonas</i>] <i>mallei</i> | Glanders |
| Equine arteritis virus | Equine viral arteritis |
| Equine encephalitis viruses | Eastern equine encephalitis; western equine encephalitis; Venezuelan equine encephalitis; Japanese encephalitis |
| Equine infectious anaemia virus | Equine infectious anaemia |
| Hendra virus | |
| <i>Histoplasma capsulatum</i> var. <i>farciminosum</i> | Epizootic lymphangitis |
| <i>Taylorella equigenitalis</i> | Contagious equine metritis |

Organisms primarily affecting horticulture

| Scientific name | Common name |
|---|------------------------------|
| <i>Anastrepha fraterculus</i> | South American fruit fly |
| <i>Anastrepha ludens</i> | Mexican fruit fly |
| <i>Anastrepha obliqua</i> | West Indian fruit fly |
| <i>Anastrepha serpentina</i> | Sapote fruit fly |
| <i>Anastrepha striata</i> | Guava fruit fly |
| <i>Anastrepha suspensa</i> | Caribbean fruit fly |
| <i>Bactrocera aquilonis</i> | A fruit fly |
| <i>Bactrocera carambolae</i> (formerly B. sp. near <i>B. dorsalis</i> (Taxon A)) | Carambola fruit fly |
| <i>Bactrocera cucumis</i> | Cucumber fly |
| <i>Bactrocera cucurbitae</i> | Melon fly |
| <i>Bactrocera curvipennis</i> | Banana fruit fly |
| <i>Bactrocera dorsalis</i> | Oriental fruit fly |
| <i>Bactrocera facialis</i> | A fruit fly |
| <i>Bactrocera frauenfeldi</i> | Mango fruit fly |
| <i>Bactrocera jarvisi</i> | Jarvis' fruit fly |
| <i>Bactrocera kirki</i> | A fruit fly |
| <i>Bactrocera latifrons</i> | Solanum fruit fly |
| <i>Bactrocera melanotus</i> | A fruit fly |
| <i>Bactrocera neohumeralis</i> | Lesser Queensland fruit fly |
| <i>Bactrocera papayae</i> (formerly B. sp. near <i>B. dorsalis</i> (Taxon B)) | Papaya fruit fly |
| <i>Bactrocera passiflorae</i> | Fijian fruit fly |
| <i>Bactrocera philippinensis</i> (formerly B. sp. near <i>B. dorsalis</i> (Taxon C)) | A fruit fly |
| <i>Bactrocera psidii</i> | South sea guava fruit fly |
| <i>Bactrocera trilineola</i> | A fruit fly |
| <i>Bactrocera trivialis</i> | A fruit fly |
| <i>Bactrocera tryoni</i> | Queensland fruit fly |
| <i>Bactrocera xanthodes</i> | Pacific fruit fly |
| <i>Bactrocera zonata</i> | Peach fruit fly |
| <i>Ceratitis capitata</i> | Mediterranean fruit fly |
| <i>Ceratitis rosa</i> | Natal fruit fly |
| <i>Clavibacter michiganensis</i> subsp. <i>sepedonicus</i> | Bacterial ring rot of potato |
| <i>Conotrachelus nenuphar</i> | Plum curculio |
| Grapevine bios noir phytoplasma | |
| Grapevine flavescence doree phytoplasma | |
| <i>Gymnosporangium asiaticum</i> | Japanese pear rust |
| <i>Gymnosporangium juniperi-virginianae</i> | Cedar pear rust |
| <i>Helicobasidium mompa</i> | Violet root rot |
| <i>Homalodisca coagulata</i> | Glassy-winged sharpshooter |
| <i>Hyalesthes obsoletus</i> | A leaf hopper |
| <i>Leptinotarsa decimlineata</i> | Colorado potato beetle |
| <i>Monilinia fructigena</i> | Apple brown rot |

| Scientific name | Common name |
|---|---------------------------------|
| Pepino mosaic virus | PepMV |
| <i>Plum pox potyvirus</i> | Plum pox |
| Potato mop-top virus | PMTV |
| <i>Rhagoletis pomonella</i> | Apple maggot |
| <i>Scaphoideus titanus</i> | A leaf hopper |
| <i>Synchytrium endobioticum</i> | Potato wart |
| <i>Tilletia controversa</i> | Dwarf bunt |
| <i>Tilletia indica</i> | Karnal bunt |
| <i>Trogoderma granarium</i> | Khapra beetle |
| <i>Xanthomonas axonopodis</i> pv. <i>citri</i> (synonym <i>X. campestris</i> pv. <i>citri</i>) | Citrus canker |
| <i>Xanthomonas fragariae</i> | Angular leaf spot of strawberry |
| <i>Xylella fastidiosa</i> | Pierce's disease |

Organisms primarily affecting human health

| Scientific name | Common name |
|------------------------------------|---------------------------------|
| <i>Aedes aegypti</i> | Yellow fever or dengue mosquito |
| <i>Aedes albopictus</i> | Asian tiger mosquito |
| <i>Aedes polynesiensis</i> | Polynesian mosquito |
| <i>Aedes scutellaris</i> | |
| <i>Anopheles</i> spp. | Malarial mosquitoes |
| <i>Culex annulirostris</i> | Common banded mosquito |
| <i>Culex gelidus</i> | Frosty mosquito |
| <i>Culex pipiens pallens</i> | Common house mosquito |
| <i>Culex sitiens</i> | |
| <i>Ochlerotatus atropalpus</i> | Rockpool mosquito |
| <i>Ochlerotatus camptorhynchus</i> | Southern saltmarsh mosquito |
| <i>Ochlerotatus japonicus</i> | Japanese rockpool mosquito |
| <i>Ochlerotatus sierrensis</i> | Western tree hole mosquito |
| <i>Ochlerotatus vigilax</i> | Saltmarsh mosquito |

Organisms primarily affecting native ecosystems

| Scientific name | Common name |
|---------------------------------|--------------------|
| <i>Anoplolepis gracilipes</i> | Yellow crazy ant |
| <i>Paratrechina longicornis</i> | Crazy ant |

Organisms primarily affecting pigs

| Scientific name | Common name |
|--|-------------------------------|
| African swine fever virus | African swine fever |
| <i>Brucella suis</i> | Porcine brucellosis |
| <i>Cysticercus cellulosae</i> | Porcine cysticercosis |
| Enterovirus encephalomyelitis virus | Enterovirus encephalomyelitis |
| Hog cholera virus | Classical swine fever |
| Nipah virus | |
| <i>Pasteurella multocida</i> (toxigenic strains) | Atrophic rhinitis |

Scientific name

Porcine reproductive and respiratory syndrome virus
 Swine vesicular disease virus
 Transmissible gastroenteritis virus
Trichinella spiralis

Common name

Porcine reproductive and respiratory syndrome
 Swine vesicular disease
 Transmissible gastroenteritis
 Trichinellosis

Organisms primarily affecting sheep and goats**Scientific name**

Brucella melitensis
Chlamydophila abortus [=*Chlamydia psittaci* (ovine abortion strain)]
 Maedi-visna virus
Mycoplasma agalactiae
Mycoplasma capricolum subsp. *capripneumoniae*
 Nairobi sheep disease virus
 Peste des petits ruminants virus
Psoroptes ovis
 Pulmonary adenomatosis virus
 Sheep pox and goat pox viruses

Common name

Brucellosis
 Enzootic abortion of ewes
 Maedi or visna
 Contagious agalactia
 Contagious caprine pleuropneumonia
 Nairobi sheep disease
 Peste des petits ruminants
 Sheep scab
 Pulmonary adenomatosis
 Sheep and goat pox

Other organisms**Scientific name**

Cherax quadricarinatus
Cherax tenuimanus
Chilocorus kuwanae
Gonioctena olivacea
Haliotis rufescens
Ictalurus punctatus
 Myxoma virus
Onthophagus binodis
Penaeus orientalis (*P. chinensis*)
Solenopsis invicta
Spilopsyllus cuniculi

Common name

Red claw
 A marron
 A ladybird
 A beetle
 Red paua
 Channel catfish
 Myxomatosis
 A dung beetle
 Chinese prawn
 Red imported fire ant
 European rabbit flea

Diane Morcom,
 Clerk of the Executive Council.

Explanatory note

This note is not part of the order, but is intended to indicate its general effect.

This order, which comes into force on the 28th day after the date of its notification in the *Gazette*, declares certain organisms to be notifiable organisms for the purposes of the Biosecurity Act 1993. The organisms specified in this order differ from those specified in the Biosecurity (Notifiable Organisms) Order 2002 (SR 2002/92), which is revoked.

Issued under the authority of the Acts and Regulations Publication Act 1989.

Date of notification in *Gazette*: 19 October 2006.

This order is administered by the Ministry of Agriculture and Forestry.
