

1966/15



**THE DRAINAGE AND PLUMBING REGULATIONS 1959,  
AMENDMENT NO. 2**

—  
BERNARD FERGUSSON, Governor-General

**ORDER IN COUNCIL**

At the Government Buildings at Wellington this 28th day of February  
1966

Present:

THE RIGHT HON. KEITH HOLYOAKE, C.H., PRESIDING IN COUNCIL

PURSUANT to the Health Act 1956, His Excellency the Governor-General, acting by and with the advice and consent of the Executive Council, hereby makes the following regulations.

—  
**REGULATIONS**

1. (1) These regulations may be cited as the Drainage and Plumbing Regulations 1959, Amendment No. 2, and shall be read together with and deemed part of the Drainage and Plumbing Regulations 1959\* (hereinafter referred to as the principal regulations).

(2) These regulations shall come into force on the day after the date of their notification in the *Gazette*.

2. Regulation 68 of the principal regulations is hereby amended by revoking subclause (3), and substituting the following subclause:

“(3) All copper pipes shall be of approved quality and shall be in accordance with the thicknesses set out in Tables G and H hereunder. All copper pipes shall be round, clean, smooth, and free from harmful defects and deleterious films. Where a deleterious film may result from the manufacturing process, the copper pipe shall be subjected to a suitable cleansing process to ensure the removal of any deleterious film.”

T. J. SHERRARD,  
Clerk of the Executive Council.

## EXPLANATORY NOTE

*This note is not part of the regulations, but is intended to indicate their general effect.*

These regulations govern the requirements for copper pipe used for water and sanitation, and make provision for the removal of any deleterious films which may result during manufacture.

---

Issued under the authority of the Regulations Act 1936.

Date of notification in *Gazette*: 3 March 1966.

These regulations are administered in the Department of Health.