

1958/34



**THE DANGEROUS GOODS REGULATIONS 1951,
AMENDMENT NO. 1**

—

COBHAM, Governor-General

ORDER IN COUNCIL

At the Government Buildings at Wellington this 10th day of March 1958

Present:

THE HON. C. F. SKINNER, M.C., PRESIDING IN COUNCIL

PURSUANT to the Explosive and Dangerous Goods Act 1908, His Excellency the Governor-General, acting by and with the advice and consent of the Executive Council, hereby makes the following regulations.

—

REGULATIONS

1. (1) These regulations may be cited as the Dangerous Goods Regulations 1951, Amendment No. 1, and shall be read together with and deemed part of the Dangerous Goods Regulations 1951* (hereinafter referred to as the principal regulations).

(2) These regulations shall come into force on the day after the date of their notification in the *Gazette*.

2. (1) Regulation 64 of the principal regulations is hereby amended by inserting, before the words "The charging", the following words "(1) Except as provided in subclause (2) of this regulation".

(2) Regulation 64 of the principal regulations is hereby further amended by adding the following subclause as subclause (2) thereof:

"(2) Liquefied petroleum gas may be filled at an approved filling station into cylinders having a capacity not exceeding that approved in each case by the Chief Inspector, subject to compliance with the following conditions:

"(a) The design of cylinders filled, the filling method adopted, and the type of filling equipment used shall be approved by the Chief Inspector:

"(b) The liquefied petroleum gas and associated filling equipment shall be stored in a cabinet or small shelter of substantially fire resisting construction, well ventilated by means of openings at both high and low levels:

- “(c) The cabinet or shelter shall be located not less than 10 ft. from any protected work unless a screen wall intervenes, in which case no opening in the protected work shall be within 10 ft. of the shelter or cabinet:
- “(d) A warning notice ‘NO SMOKING – KEEP FIRE AND LIGHTS AWAY’ of such size as may be approved by an Inspector shall be displayed in a conspicuous position on the cabinet or shelter:
- “(e) Adequate precautions shall be taken to prevent unauthorised access to the liquefied petroleum gas cylinders or filling equipment:
- “(f) Not more than 200 lb. of liquefied petroleum gas shall be stored in the filling station.”

T. J. SHERRARD,
Clerk of the Executive Council.

EXPLANATORY NOTE

This note is not part of the regulations, but is intended to indicate their general effect.

The effect of these regulations is to permit, subject to certain safeguards, the filling of small cylinders of liquefied petroleum gas under conditions less restrictive than those applying to filling stations in general.

Issued under the authority of the Regulations Act 1936.

Date of notification in *Gazette*: 13 March 1958.

These regulations are administered in the Department of Internal Affairs.