



**THE DISTILLATION REGULATIONS 1977,
AMENDMENT NO. 1**

DAVID BEATTIE, Governor-General

ORDER IN COUNCIL

At the Government House at Wellington this 1st day of July 1981

Present:

HIS EXCELLENCY THE GOVERNOR-GENERAL IN COUNCIL

PURSUANT to the Distillation Act 1971, His Excellency the Governor-General, acting by and with the advice and consent of the Executive Council, hereby makes the following regulations.

ANALYSIS

- | | | |
|---|--|---|
| <ul style="list-style-type: none"> 1. Title and commencement 2. Interpretation 3. Annual licence fees 4. Ascertaining volume of spirits from weight | | <ul style="list-style-type: none"> 5. Revocations 6. Conveyance of spirit 7. Power of Chief Inspector to modify or suspend requirements or conditions 8. First Schedule Schedules |
|---|--|---|

REGULATIONS

1. Title and commencement—(1) These regulations may be cited as the Distillation Regulations 1977, Amendment No. 1, and shall be read together with and deemed part of the Distillation Regulations 1977* (hereinafter referred to as the principal regulations).

(2) These regulations shall come into force on the 2nd day of July 1981.

2. Interpretation—Regulation 2 of the principal regulations is hereby amended by inserting, in their appropriate alphabetical order, the following definitions:

“ ‘Motor spirits’ means spirits made or distilled for use in internal combustion engines:

“ ‘OIML hydrometer’ means the British Standard 5470 glass alcohol density reading hydrometer not incorporating a thermometer:”.

3. Annual licence fees—(1) The principal regulations are hereby amended by revoking regulation 8, and substituting the following regulation:

“8. (1) Annual licence fees shall be payable according to the appropriate scale, set out in the Second Schedule to these regulations.

“(2) In respect of those persons distilling spirits for use as motor spirits in quantities exceeding 5,000 litres per annum, the fee is to be computed on the basis of the total quantity of spirits that will, in the opinion of the Collector, be delivered from the distillery:

“Provided that—

“(a) Where the total quantity of spirits made or distilled during any year is found to be greater than that for which the fee was computed, the distiller shall be liable for the proper fee for such greater quantity; and

“(b) Where the total quantity of spirits made or distilled during any year is found to be less than that for which the fee was computed, the Collector may refund the difference between the fee paid for that year and the fee which would have been payable if calculated on the basis of the total quantity of spirits actually made or distilled during that year.”

(2) The principal regulations are hereby further amended by revoking the Second Schedule thereto, and substituting the new Second Schedule set out in the First Schedule to these regulations.

4. Ascertaining volume of spirits from weight—(1) The principal regulations are hereby amended by revoking regulation 31, and substituting the following regulation:

“31. For the purposes of ascertaining the volume of spirits in litres from the weight of the spirits in kilograms the factors according to the OIML hydrometer indication of the spirits set out in the Third Schedule to these regulations shall be used.”

(2) The principal regulations are hereby further amended by revoking the Third Schedule thereto, and substituting the new Third Schedule set out in the Second Schedule to these regulations.

5. Revocations—The principal regulations are hereby further amended by revoking regulations 37, 38, and 39.

6. Conveyance of spirit—(1) Regulation 59 (2) (b) of the principal regulations is hereby amended by omitting the word “therein”, and substituting the words “therein; and”.

(2) Regulation 59 (2) of the principal regulations is hereby further amended by adding the following paragraph:

“(c) Provide on all inlet and outlet devices a facility by which a seal may be attached.”

(3) Regulation 59 of the principal regulations is hereby further amended by adding the following subclause:

“(3) Such seal as may be approved by the Chief Inspector is to be affixed to each sealing facility by the distiller at his expense prior to the despatch of the spirit container from the despatching distillery to enable an Inspector at the receiving distillery to ascertain whether or not access has been obtained to the spirit during its conveyance.”

7. Power of Chief Inspector to modify or suspend requirements or conditions—The principal regulations are hereby further amended by inserting in Part V, after regulation 59, (as amended by regulation 6 of these regulations) the following regulation:

“59A. The Chief Inspector may as he thinks fit modify or suspend all or any requirement or condition imposed under any of regulations 20, 26, 30, 33, 34, 40, 41, 43, 57, and 59 of these regulations that apply to a distiller or a spirit maker.”

8. First Schedule—The principal regulations are hereby amended by revoking the First Schedule thereto, and substituting the new First Schedule set out in the Third Schedule hereto.

SCHEDULES

Reg. 3 (2)

FIRST SCHEDULE

NEW SECOND SCHEDULE TO PRINCIPAL REGULATIONS

Reg. 8

“SECOND SCHEDULE LICENCE FEES

Type of Licence—	Annual Fee
(1) Spirit makers:	
(a) Licence to distil spirits solely for use as motor spirits:	
(i) For own use and in quantities not exceeding 5,000 litres per annum per person but not exceeding 50,000 litres per annum in the aggregate	\$50
(ii) For use otherwise than specified in subparagraph (i) of this paragraph	\$50 per 5,000 litres of motor spirits or part thereof with a maximum of \$2,000
(b) Other licences to distil spirits	\$2,000
(2) Rectifiers and compounders:	
(a) Licence to produce spirituous beverages	\$1,150
(b) Licence to produce other than spirituous beverages	\$230
(3) Vignerons	\$45
(4) Experimental—Licence to distil spirits for experimental purposes	\$8

No fee shall be payable in respect of any licence for the distillation of spirits for scientific, educational, or such other non-commercial purposes as the Minister may approve.”

SECOND SCHEDULE

Reg. 4 (2)

"THIRD SCHEDULE

Reg. 31

CONTENTS BY WEIGHT TABLE

Hydrometer Indication	0.0	0.2	0.4	0.6	0.8	
	Weight to Volume Factors					
770	...	1.3005	1.3001	1.2998	1.2995	1.2991
771	...	1.2988	1.2985	1.2981	1.2978	1.2975
772	...	1.2971	1.2968	1.2964	1.2961	1.2958
773	...	1.2954	1.2951	1.2948	1.2944	1.2941
774	...	1.2938	1.2934	1.2931	1.2928	1.2924
775	...	1.2921	1.2918	1.2914	1.2911	1.2908
776	...	1.2904	1.2901	1.2898	1.2894	1.2891
777	...	1.2888	1.2884	1.2881	1.2878	1.2874
778	...	1.2871	1.2868	1.2864	1.2861	1.2858
779	...	1.2854	1.2851	1.2848	1.2845	1.2841
780	...	1.2838	1.2835	1.2831	1.2828	1.2825
781	...	1.2821	1.2818	1.2815	1.2812	1.2808
782	...	1.2805	1.2802	1.2798	1.2795	1.2792
783	...	1.2789	1.2785	1.2782	1.2779	1.2776
784	...	1.2772	1.2769	1.2766	1.2763	1.2759
785	...	1.2756	1.2753	1.2750	1.2746	1.2743
786	...	1.2740	1.2737	1.2733	1.2730	1.2727
787	...	1.2724	1.2720	1.2717	1.2714	1.2711
788	...	1.2707	1.2704	1.2701	1.2698	1.2695
789	...	1.2691	1.2688	1.2685	1.2682	1.2678
790	...	1.2675	1.2672	1.2669	1.2666	1.2662
791	...	1.2659	1.2656	1.2653	1.2650	1.2646
792	...	1.2643	1.2640	1.2637	1.2634	1.2630
793	...	1.2627	1.2624	1.2621	1.2618	1.2614
794	...	1.2611	1.2608	1.2605	1.2602	1.2599
795	...	1.2595	1.2592	1.2589	1.2586	1.2583
796	...	1.2580	1.2576	1.2573	1.2570	1.2567
797	...	1.2564	1.2561	1.2557	1.2554	1.2551
798	...	1.2548	1.2545	1.2542	1.2539	1.2535
799	...	1.2532	1.2529	1.2526	1.2523	1.2520
800	...	1.2517	1.2513	1.2510	1.2507	1.2504
801	...	1.2501	1.2498	1.2495	1.2492	1.2488
802	...	1.2485	1.2482	1.2479	1.2476	1.2473
803	...	1.2470	1.2467	1.2464	1.2460	1.2457
804	...	1.2454	1.2451	1.2448	1.2445	1.2442
805	...	1.2439	1.2436	1.2433	1.2429	1.2426
806	...	1.2423	1.2420	1.2417	1.2414	1.2411
807	...	1.2408	1.2405	1.2402	1.2399	1.2396
808	...	1.2392	1.2389	1.2386	1.2383	1.2380
809	...	1.2377	1.2374	1.2371	1.2368	1.2365
810	...	1.2362	1.2359	1.2356	1.2353	1.2349
811	...	1.2346	1.2343	1.2340	1.2337	1.2334
812	...	1.2331	1.2328	1.2325	1.2322	1.2319
813	...	1.2316	1.2313	1.2310	1.2307	1.2304
814	...	1.2301	1.2298	1.2295	1.2292	1.2289
815	...	1.2286	1.2283	1.2280	1.2277	1.2274
816	...	1.2271	1.2268	1.2265	1.2262	1.2259
817	...	1.2256	1.2253	1.2250	1.2247	1.2244
818	...	1.2241	1.2238	1.2235	1.2232	1.2229
819	...	1.2226	1.2223	1.2220	1.2217	1.2214

CONTENTS BY WEIGHT TABLE

Hydrometer Indication	Weight to Volume Factors					
	0.0	0.2	0.4	0.6	0.8	
820	...	1.2211	1.2208	1.2205	1.2202	1.2199
821	...	1.2196	1.2193	1.2190	1.2187	1.2184
822	...	1.2181	1.2178	1.2175	1.2172	1.2169
823	...	1.2166	1.2163	1.2160	1.2157	1.2154
824	...	1.2151	1.2148	1.2145	1.2143	1.2140
825	...	1.2137	1.2134	1.2131	1.2128	1.2125
826	...	1.2122	1.2119	1.2116	1.2113	1.2110
827	...	1.2107	1.2104	1.2101	1.2098	1.2096
828	...	1.2093	1.2090	1.2087	1.2084	1.2081
829	...	1.2078	1.2075	1.2072	1.2069	1.2066
830	...	1.2063	1.2061	1.2058	1.2055	1.2052
831	...	1.2049	1.2046	1.2043	1.2040	1.2037
832	...	1.2034	1.2032	1.2029	1.2026	1.2023
833	...	1.2020	1.2017	1.2014	1.2011	1.2008
834	...	1.2006	1.2003	1.2000	1.1997	1.1994
835	...	1.1991	1.1988	1.1985	1.1982	1.1980
836	...	1.1977	1.1974	1.1971	1.1968	1.1965
837	...	1.1962	1.1960	1.1957	1.1954	1.1951
838	...	1.1948	1.1945	1.1942	1.1940	1.1937
839	...	1.1934	1.1931	1.1928	1.1925	1.1922
840	...	1.1920	1.1917	1.1914	1.1911	1.1908
841	...	1.1905	1.1903	1.1900	1.1897	1.1894
842	...	1.1891	1.1888	1.1886	1.1883	1.1880
843	...	1.1877	1.1874	1.1872	1.1869	1.1866
844	...	1.1863	1.1860	1.1857	1.1855	1.1852
845	...	1.1849	1.1846	1.1843	1.1841	1.1838
846	...	1.1835	1.1832	1.1829	1.1827	1.1824
847	...	1.1821	1.1818	1.1815	1.1813	1.1810
848	...	1.1807	1.1804	1.1801	1.1799	1.1796
849	...	1.1793	1.1790	1.1788	1.1785	1.1782
850	...	1.1779	1.1776	1.1774	1.1771	1.1768
851	...	1.1765	1.1762	1.1760	1.1757	1.1754
852	...	1.1751	1.1749	1.1746	1.1743	1.1740
853	...	1.1738	1.1735	1.1732	1.1729	1.1727
854	...	1.1724	1.1721	1.1718	1.1716	1.1713
855	...	1.1710	1.1707	1.1705	1.1702	1.1699
856	...	1.1696	1.1694	1.1691	1.1688	1.1686
857	...	1.1683	1.1680	1.1677	1.1675	1.1672
858	...	1.1669	1.1666	1.1664	1.1661	1.1658
859	...	1.1656	1.1653	1.1650	1.1647	1.1645
860	...	1.1642	1.1639	1.1637	1.1634	1.1631
861	...	1.1628	1.1626	1.1623	1.1620	1.1618
862	...	1.1615	1.1612	1.1610	1.1607	1.1604
863	...	1.1601	1.1599	1.1596	1.1593	1.1591
864	...	1.1588	1.1585	1.1583	1.1580	1.1577
865	...	1.1575	1.1572	1.1569	1.1567	1.1564
866	...	1.1561	1.1559	1.1556	1.1553	1.1551
867	...	1.1548	1.1545	1.1543	1.1540	1.1537
868	...	1.1535	1.1532	1.1529	1.1527	1.1524
869	...	1.1521	1.1519	1.1516	1.1513	1.1511

CONTENTS BY WEIGHT TABLE

Hydrometer Indication	Weight to Volume Factors					
	0.0	0.2	0.4	0.6	0.8	
870	...	1.1508	1.1505	1.1503	1.1500	1.1497
871	...	1.1495	1.1492	1.1490	1.1487	1.1484
872	...	1.1482	1.1479	1.1476	1.1474	1.1471
873	...	1.1468	1.1466	1.1463	1.1461	1.1458
874	...	1.1455	1.1453	1.1450	1.1447	1.1445
875	...	1.1442	1.1440	1.1437	1.1434	1.1432
876	...	1.1429	1.1426	1.1424	1.1421	1.1419
877	...	1.1416	1.1413	1.1411	1.1408	1.1406
878	...	1.1403	1.1400	1.1398	1.1395	1.1393
879	...	1.1390	1.1387	1.1385	1.1382	1.1380
880	...	1.1377	1.1375	1.1372	1.1369	1.1367
881	...	1.1364	1.1362	1.1359	1.1356	1.1354
882	...	1.1351	1.1349	1.1346	1.1344	1.1341
883	...	1.1338	1.1336	1.1333	1.1331	1.1328
884	...	1.1326	1.1323	1.1320	1.1318	1.1315
885	...	1.1313	1.1310	1.1308	1.1305	1.1303
886	...	1.1300	1.1297	1.1295	1.1292	1.1290
887	...	1.1287	1.1285	1.1282	1.1280	1.1277
888	...	1.1274	1.1272	1.1269	1.1267	1.1264
889	...	1.1262	1.1259	1.1257	1.1254	1.1252
890	...	1.1249	1.1246	1.1244	1.1241	1.1239
891	...	1.1236	1.1234	1.1231	1.1229	1.1226
892	...	1.1224	1.1221	1.1219	1.1216	1.1214
893	...	1.1211	1.1209	1.1206	1.1204	1.1201
894	...	1.1199	1.1196	1.1194	1.1191	1.1189
895	...	1.1186	1.1184	1.1181	1.1179	1.1176
896	...	1.1174	1.1171	1.1169	1.1166	1.1164
897	...	1.1161	1.1159	1.1156	1.1154	1.1151
898	...	1.1149	1.1146	1.1144	1.1141	1.1139
899	...	1.1136	1.1134	1.1131	1.1129	1.1126
900	...	1.1124	1.1121	1.1119	1.1116	1.1114
901	...	1.1111	1.1109	1.1107	1.1104	1.1102
902	...	1.1099	1.1097	1.1094	1.1092	1.1089
903	...	1.1087	1.1084	1.1082	1.1079	1.1077
904	...	1.1075	1.1072	1.1070	1.1067	1.1065
905	...	1.1062	1.1060	1.1057	1.1055	1.1053
906	...	1.1050	1.1048	1.1045	1.1043	1.1040
907	...	1.1038	1.1035	1.1033	1.1031	1.1028
908	...	1.1026	1.1023	1.1021	1.1018	1.1016
909	...	1.1014	1.1011	1.1009	1.1006	1.1004
910	...	1.1001	1.0999	1.0997	1.0994	1.0992
911	...	1.0989	1.0987	1.0985	1.0982	1.0980
912	...	1.0977	1.0975	1.0973	1.0970	1.0968
913	...	1.0965	1.0963	1.0960	1.0958	1.0956
914	...	1.0953	1.0951	1.0948	1.0946	1.0944
915	...	1.0941	1.0939	1.0937	1.0934	1.0932
916	...	1.0929	1.0927	1.0925	1.0922	1.0920
917	...	1.0917	1.0915	1.0913	1.0910	1.0908
918	...	1.0905	1.0903	1.0901	1.0898	1.0896
919	...	1.0894	1.0891	1.0889	1.0887	1.0884

CONTENTS BY WEIGHT TABLE

Hydrometer Indication	0.0	0.2	0.4	0.6	0.8
	Weight to Volume Factors				
920	1.0882	1.0879	1.0877	1.0875	1.0872
921	1.0870	1.0868	1.0865	1.0863	1.0860
922	1.0858	1.0856	1.0853	1.0851	1.0849
923	1.0846	1.0844	1.0842	1.0839	1.0837
924	1.0835	1.0832	1.0830	1.0828	1.0825
925	1.0823	1.0821	1.0818	1.0816	1.0814
926	1.0811	1.0809	1.0807	1.0804	1.0802
927	1.0800	1.0797	1.0795	1.0793	1.0790
928	1.0788	1.0786	1.0783	1.0781	1.0779
929	1.0776	1.0774	1.0772	1.0769	1.0767
930	1.0765	1.0762	1.0760	1.0758	1.0755
931	1.0753	1.0751	1.0748	1.0746	1.0744
932	1.0741	1.0739	1.0737	1.0734	1.0732
933	1.0730	1.0728	1.0725	1.0723	1.0721
934	1.0718	1.0716	1.0714	1.0711	1.0709
935	1.0707	1.0705	1.0702	1.0700	1.0698
936	1.0695	1.0693	1.0691	1.0689	1.0686
937	1.0684	1.0682	1.0679	1.0677	1.0675
938	1.0673	1.0670	1.0668	1.0666	1.0664
939	1.0661	1.0659	1.0657	1.0654	1.0652
940	1.0650	1.0648	1.0645	1.0643	1.0641
941	1.0639	1.0636	1.0634	1.0632	1.0629
942	1.0627	1.0625	1.0623	1.0620	1.0618
943	1.0616	1.0614	1.0611	1.0609	1.0607
944	1.0605	1.0602	1.0600	1.0598	1.0596
945	1.0593	1.0591	1.0589	1.0587	1.0584
946	1.0582	1.0580	1.0578	1.0576	1.0573
947	1.0571	1.0569	1.0567	1.0564	1.0562
948	1.0560	1.0558	1.0555	1.0553	1.0551
949	1.0549	1.0547	1.0544	1.0542	1.0540
950	1.0538	1.0535	1.0533	1.0531	1.0529
951	1.0527	1.0524	1.0522	1.0520	1.0518
952	1.0515	1.0513	1.0511	1.0509	1.0507
953	1.0504	1.0502	1.0500	1.0498	1.0496
954	1.0493	1.0491	1.0489	1.0487	1.0485
955	1.0482	1.0480	1.0478	1.0476	1.0474
956	1.0471	1.0469	1.0467	1.0465	1.0463
957	1.0460	1.0458	1.0456	1.0454	1.0452
958	1.0450	1.0447	1.0445	1.0443	1.0441
959	1.0439	1.0436	1.0434	1.0432	1.0430
960	1.0428	1.0426	1.0423	1.0421	1.0419
961	1.0417	1.0415	1.0413	1.0410	1.0408
962	1.0406	1.0404	1.0402	1.0400	1.0397
963	1.0395	1.0393	1.0391	1.0389	1.0387
964	1.0384	1.0382	1.0380	1.0378	1.0376
965	1.0374	1.0372	1.0369	1.0367	1.0365
966	1.0363	1.0361	1.0359	1.0356	1.0354
967	1.0352	1.0350	1.0348	1.0346	1.0344
968	1.0341	1.0339	1.0337	1.0335	1.0333
969	1.0331	1.0329	1.0327	1.0324	1.0322

CONTENTS BY WEIGHT TABLE

Hydrometer Indication	0.0	0.2	0.4	0.6	0.8
	Weight to Volume Factors				
970	... 1.0320	1.0318	1.0316	1.0314	1.0312
971	... 1.0309	1.0307	1.0305	1.0303	1.0301
972	... 1.0299	1.0297	1.0295	1.0292	1.0290
973	... 1.0288	1.0286	1.0284	1.0282	1.0280
974	... 1.0278	1.0276	1.0273	1.0271	1.0269
975	... 1.0267	1.0265	1.0263	1.0261	1.0259
976	... 1.0257	1.0254	1.0252	1.0250	1.0248
977	... 1.0246	1.0244	1.0242	1.0240	1.0238
978	... 1.0236	1.0233	1.0231	1.0229	1.0227
979	... 1.0225	1.0223	1.0221	1.0219	1.0217
980	... 1.0215	1.0213	1.0210	1.0208	1.0206
981	... 1.0204	1.0202	1.0200	1.0198	1.0196
982	... 1.0194	1.0192	1.0190	1.0188	1.0186
983	... 1.0183	1.0181	1.0179	1.0177	1.0175
984	... 1.0173	1.0171	1.0169	1.0167	1.0165
985	... 1.0163	1.0161	1.0159	1.0157	1.0154
986	... 1.0152	1.0150	1.0148	1.0146	1.0144
987	... 1.0142	1.0140	1.0138	1.0136	1.0134
988	... 1.0132	1.0130	1.0128	1.0126	1.0124
989	... 1.0122	1.0120	1.0117	1.0115	1.0113
990	... 1.0111	1.0109	1.0107	1.0105	1.0103
991	... 1.0101	1.0099	1.0097	1.0095	1.0093
992	... 1.0091	1.0089	1.0087	1.0085	1.0083
993	... 1.0081	1.0079	1.0077	1.0075	1.0073
994	... 1.0071	1.0069	1.0067	1.0065	1.0063
995	... 1.0060	1.0058	1.0056	1.0054	1.0052
996	... 1.0050	1.0048	1.0046	1.0044	1.0042
997	... 1.0040	1.0038	1.0036	1.0034	1.0032
998	... 1.0030	1.0028	1.0026	1.0024	1.0022
999	... 1.0020	1.0018	1.0016	1.0014	1.0012

THIRD SCHEDULE

Reg. 8

NEW FIRST SCHEDULE TO PRINCIPAL REGULATIONS

“FIRST SCHEDULE

NEW ZEALAND CUSTOMS

Form 1

DISTILLATION ACT 1971

Reg. 7

APPLICATION FOR LICENCE TO DISTIL OR RECTIFY AND COMPOUND SPIRIT

To THE MINISTER OF CUSTOMS

I, (Full name of applicant), hereby apply for a licence under the Distillation Act 1971, to

- *Distil spirit for fortifying New Zealand wine
- or *Distil spirit for other purposes (Specify
- or *Rectify and compound spirit.

*Strike out those not applied for.

(Particulars below may be more detailed in covering letter if necessary)

Full name of applicant:

Capacity in which application is made, e.g.,
Director, Secretary, or
authorised officer:

Name and address of
firm or company:

Full name of owner(s) of
still:

Address where distilling
is to be carried on:

Details of stills:

- (a) Description, (make and kind) of each still to be used:
 - (b) Boiler capacity (litres):
 - (c) Distillate capacity (litres per hour):
-

Description of production process and equipment including name and description of every building and the purpose for which each is to be used:

Estimated quantity of spirit to be distilled per annum:

- (a) In the case of motor spirits, the litres of motor spirits:
 - (b) In other cases, the volume of alcohol in litres:
-

Use of spirit:

(Tick appropriate box or boxes)

- (a) *For own use*
For what purpose will the product be used?

(b) *Sale or otherwise disposal*

(i) To whom is it intended that the products will be sold or otherwise disposed of?

(ii) For what purpose will the product be used by the person listed in (i) above?

List the base products from which the spirit will be distilled, i.e., fodder, beet, grain, etc.:

Source of heat for still (wood, coal, electricity, solar, etc.):

Give details of denaturing facilities:

Give details of security measures:

I attach:

- (1) A detailed plan of the premises, plant, and equipment:
- (2) A statement of the capacities of all vessels and equipment and calibration charts therefor.

I hereby declare that the contents of this application and of the supporting plans, statements, and charts are true and correct.

Security for \$..... executed19....

Annual licence fee \$..... herewith.

.....
(Signature)

Reg. 9

Form 2

No.....

NEW ZEALAND CUSTOMS

LICENCE UNDER THE DISTILLATION ACT 1971

I, } of Customs
Minister
Comptroller
Director
(Inland Services Division)

under powers vested in me by section 10 of the Distillation Act 1971 hereby grant to [Full name of licensee(s)]

.....
.....
.....
.....

a licence to

in the premises situated at

..... [Full description and location of premises]

subject to compliance by the licensee(s) with the provisions of the Distillation Act 1971, with the regulations made thereunder, and with any other special conditions of the licence, viz:—

This licence shall remain in force until 31 December 19..., unless suspended or revoked.

Signed } of Customs
Minister
Comptroller
Director
(Inland Services Division)

Annual licence fee \$..... M.R.V. No of

..... Date

..... Collector

Form 3

Reg. 10

NEW ZEALAND CUSTOMS
 DISTILLATION ACT 1971
 APPLICATION FOR RENEWAL OF LICENCE

I, hereby apply for renewal of licence No. for
 the period ending 31 December 19.... Fee \$..... herewith

.....
 (Signature)

The licence is renewed until (Date)
 31 December 19....

Minister	}	of Customs
Comptroller		
Collector		
Director		
(Inland Services Division)		
(Date)		

Annual licence fee \$..... M.R.V. No. of

.....
 Collector

Form 4

Reg. 57

NEW ZEALAND CUSTOMS
 DISTILLATION ACT 1971
 PERMIT FOR REMOVAL OF SPIRIT FROM

Port Date

Distiller Number

Number and Kind of Packages	Description of goods	Volume of alcohol
--------------------------------	----------------------	-------------------

Deliver to

Received:
 Inspector³³

P. G. MILLEN,
 Clerk of the Executive Council.

EXPLANATORY NOTE

This note is not part of the regulations, but is intended to indicate their general effect.

These regulations amend the Distillation Regulations 1977 and come into force on 2 July 1981.

Regulations 2 and 4 provide for the use of the OIML hydrometer.

Regulation 3 prescribes new annual licence fees for persons who make or distil ethyl alcohol for use as motor spirits and rectifiers and compounders who produce other than spirituous beverages.

Regulation 5 revokes regulations 37, 38, and 39 of the principal regulations.

Regulation 6 requires licensed Customs carriers to provide on all inlet and outlet devices a facility by which a seal may be affixed to fit all tank-carrying vehicles used for the conveyance of spirits subject to the Act.

Regulation 7 empowers the Chief Inspector of Distilleries to waive certain procedural requirements laid down by the regulations in the case of persons making or distilling ethyl alcohol for use as motor spirits.

Regulation 8 provides for new forms.

Issued under the authority of the Regulations Act 1936.

Date of notification in *Gazette*: 1 July 1981.

These regulations are administered in the Customs Department.