

NEW ZEALAND

THE SHIPS COMPASSES REGULATIONS 1947, AMENDMENT NO. 1

Pursuant to section 201 of the Shipping and Seamen Act 1908, the Minister of Marine hereby makes the following regulations.

REGULATIONS

1. (1) These regulations may be cited as the Ships Compasses Regulations 1947, Amendment No. 1, and shall be read together with and deemed part of the Ships Compasses Regulations 1947* (hereinafter referred to as the principal regulations).

(2) These regulations shall come into force on the date of the

notification thereof in the Gazette.

2. (1) The principal regulations are hereby amended by revoking

regulation 20, and substituting the following regulation:-

"20. An adjuster or master carrying out any adjustment of compasses for the purposes of these regulations (including the adjustment described in regulation 16) shall, as soon as possible after completing the adjustment, prepare and sign and deliver to an Inspector in respect of all the ship's compasses two copies of a compass declaration and deviation table in the form numbered 1 or the form numbered 2 in the Schedule hereto, as the case may require having regard to the type of compasses with which the ship is equipped, setting out the particulars specified in the form:

"Provided that, if the adjustment is carried out by an Adjuster and at a port where no Inspector is available, the Adjuster shall deliver one copy of the compass declaration and deviation table to the master or owner or his agent and shall deliver the other copy to the local

Survevor:

"Provided also that, if the adjustment is carried out by the master of the ship and at a port where an Inspector is not available or is carried out by the master at sea and the next port of call is a port where an Inspector is not available, the master shall retain one copy of the compass declaration and deviation table and deliver the other copy to the local Surveyor."

(2) Regulation 22 of the principal regulations is hereby amended by inserting, after the words "compass declaration", the words "and

deviation table ".

(3) Regulation 23 of the principal regulations is hereby amended by omitting the words "a copy of the compass certificate and one copy of the deviation table", and substituting the words "and deviation table together with a copy of the compass certificate".

^{*} Statutory Regulations 1947, Serial number 1947/94, page 341.

(4) The Schedule to the principal regulations is hereby amended as follows:—

(a) By revoking form numbered 1 and form numbered 2, and substituting the forms numbered 1 and 2 respectively set out in the Schedule hereto:

(b) By omitting from form numbered 3 the figures "1946", and substituting the figures "1947".

SCHEDULE

Scal
of the
Marine
Department.

"Compass Declaration and Table of the Deviations of THE Standard Compass of the Marine
Department.

"Computed at 19 and issued under the direction of the Marine

To Make a Magnetic Course.	Steer by Standard Compass.	Ship's Head by Compass.	Deviation.	1	Remarks.
000		000			
010		. 010			
020		020		. %	
030		030		D C	ń
040		040		Red End Down.	ğ
050		050		ŭ	E
060		060			Ħ
070		070		ž	ä
080		080			ust
090		090		i i	਼ਚੌ
100		100		Heeling error, magnet.	Readjustment made.
110		110		ä	~
120		120		<u>.</u>	
130		130		2	
140		140		5	
150		150	l	, u	
160		160		l ii	
170		170		ļ Ĕ	
180		180	1		
190		190			
200		200	1		
210		210			
220		220			
230		230		night	
240		240		# B.	. P # 2
250		250		s hich ance	ta ta ta
260		260		SS hic an	Starb'd Starb'd Port Diameter Distance
270		270		e of compass any iron which might ompass ts and distance from pass card (For')	it the DONASA
280		280		a a b	3 3 .
290		290		of co	2 2 2 2 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5
300		300		of of ny a a a ses	E E G K K
310		310			Fore and aft. Red E Athwart ship. Red E Quadrantal correctors Deviation corrected by Flinders bar Deviation corrected by
320		320		of con	aft. hip. corr
330		330		H mag	Fore and aft. Athwart ship. Quadrantal con Deviation corr Flinders bar Deviation corr
				e f tio	on son t
340		340		l a	ati ati
350		350		Kind and Description affect th Size of m	Fore and Athwart s Quadrantal Deviation Flinders b Deviation
360		360		MU S	A Q DED

[&]quot;I [Full name] hereby declare that the compasses of the above-named ship have been satisfactorily adjusted, that the table of deviation is correct, and that the appliances for taking bearings and the general good order, condition, and position of the standard compass (or compass accepted as a standard compass) satisfactorily comply with the Ships Compasses Regulations 1947.

"Form 2

[Marine-87

Seal of the Marine Department.

"(Regulations for Adjustment of Compasses)

"Compass Declaration and Table of the Deviation of the Standard Compass of the Official No......

To Make a Magnetic Course.	Steer by Standard Compass.	Ship's Head by Compass.	Deviation.	Remarks.	
North		North			
N. by E		N. by E	1	ģ	
N.N.E		N.N.E		Jp.	
N.E. by N.		N.E. by N.		legnet. Red End Up Bown. Keadjustment made.	
N.E		N.E	}	E E	
N.E. by E.		N.E. by E.		pe tua	
E.N.E		E.N.E	1	ă <u>I</u>	
E. by N		E. by N		Ljins	
East		East		Su Sau	
E. by S		E. by S	1	e Z	
E.S.E		E.S.E		Heeling error, magnet.	
S.E. by E.		S.E. by E.		err	
S.E		S.E	1	ສິນ	
S.E. by S.		S.E. by S.		eli.	
S.S.E		S.S.E		Ĥ	
S. by E		S. by E	! !	1	
South		South			
S. by W		S. by W			
s.s.w		s.s.w		14 (6 1 1 1 1 1 1 1 1 1 1	
S.W. by S.		S.W. by S.	1	might from from 'd reter nee	
s.w		s.w	Ì		
S.W. by W.		S.W. by W.		which mig which mig distance fro distance fro distance fro distance from the forth distance mit might be stance from these fit might be seen to be seen which the seen whic	
w.s.w		w.s.w.		25 # E-WEEE 8	
W. by S		W. by S			
West		West		f construction of the cons	
W. by N		W. by N		Kind and make of com Description of any iron Baffect the compass Size of magnets and centre of compass card Fore and aft. Red En Athwart ship. Red En Quadrantal correctors Deviation corrected by t Elinders bar	
W.N.W		W.N.W		one cor cor cor cor cor cor cor	
N.W. by W.		N.W. by W.		. 62. 6 . 360	
N.W		N.W		Kind and mal Description of Description of Size of magn centre of con Fore and aft. Athwart ship. Quadrantal co Deviation corr Flinders bar Deviation corr	
N.W. by N.		N.W. by N.		ind an escription activities of centre ore an thwart thwart quadran linders indexisted or eviation contains and activities of the contains of	
N.N.W. N. by W		N.N.W N. by W		Kind Descra affe Size cen Fore Athw Quad Quad Devis Devis	
14. by 14		14. by W		AH W H & CO HAH	

[&]quot;I [Full name] hereby declare that the compasses of the above-named ship have been satisfactorily adjusted, that the table of deviation is correct, and that the appliances for taking bearings and the general good order, condition, and position of the standard compass (or compass accepted as a standard compass) satisfactorily comply with the Ships Compasses Regulations 1947.

Adjuster."

Dated at Wellington, this 13th day of December 1952.

W. S. GOOSMAN, Minister of Marine.

EXPLANATORY NOTE

[This note is not part of the regulations, but is intended to indicate their general effect.]

The purpose of these regulations is to prescribe forms of compass declaration and deviation table to be completed when ships' compasses are adjusted. Form No. 1 is to be used where the ship's compasses are fitted with a 360° card, and Form No. 2 where the compasses are fitted with the old type 32 point compass card.

Issued under the authority of the Regulations Act 1936. Date of notification in *Gazette*: 18 December 1952. These regulations are administered in the Marine Department.