

**Reprint  
as at 1 September 2021**



## **Medicines Amendment Regulations 2018**

(LI 2018/179)

Medicines Amendment Regulations 2018: revoked, on 1 September 2021, by regulation 5 of the Medicines Amendment Regulations (No 2) 2021 (LI 2021/228).

Patsy Reddy, Governor-General

### **Order in Council**

At Wellington this 24th day of September 2018

Present:

Her Excellency the Governor-General in Council

These regulations are made under section 105(1)(j) of the Medicines Act 1981—

- (a) on the advice and with the consent of the Executive Council; and
- (b) on the advice of the Minister of Health tendered after consultation with the organisations or bodies appearing to the Minister to be representative of persons likely to be substantially affected.

### **Contents**

	Page
1 Title	2
2 Commencement	2
3 Principal regulations	2
4 Schedule 1 replaced	2
5 Regulations revoked	2

---

#### **Note**

Changes authorised by subpart 2 of Part 2 of the Legislation Act 2012 have been made in this official reprint.  
Note 4 at the end of this reprint provides a list of the amendments incorporated.

**These regulations are administered by the Ministry of Health.**

**Schedule**  
**Schedule 1 replaced**

2

**Regulations**

**1 Title**

These regulations are the Medicines Amendment Regulations 2018.

**2 Commencement**

These regulations come into force on the 28th day after the date of their notification in the *Gazette*.

**3 Principal regulations**

These regulations amend the Medicines Regulations 1984 (the **principal regulations**).

**4 Schedule 1 replaced**

Replace Schedule 1 with the Schedule 1 set out in the Schedule of these regulations.

**5 Regulations revoked**

The Medicines Amendment Regulations (No 2) 2015 (LI 2015/180) are revoked.

**Schedule**  
**Schedule 1 replaced**

r 4

**Schedule 1**  
**Prescription, restricted, and pharmacy-only medicines**

r 3

Every reference to a medicine in this schedule applies whether the medicine is synthetic in origin or is from biological or mineral sources.

Unless specific reference is made otherwise, every reference applies also to medicines that are—

- preparations and admixtures containing any proportion of any substance listed in this schedule:
- salts and esters of any substance listed in this schedule:
- preparations or extracts of biological materials listed in this schedule:

- salts or oxides of elements listed in this schedule.

Unless specific reference is made otherwise, every reference to a medicine in this schedule applies,—

- if the medicine is an injection or eye preparation, to any concentration of that medicine; and
- if the medicine is not an injection or eye preparation, only if the concentration of the medicine is greater than 10 milligrams per litre or per kilogram.

Where any reference is modified by a statement of the strength of the medicine, the strength is calculated using the free acid, base, alcohol, or element unless specifically stated otherwise.

## **Part 1**

### **Prescription medicines**

Amending or replacing this Part may affect designated prescriber regulations under section 105(1)(q) of the Act.

- 1 19-norandrostenedione
- 2 2,4-dinitrochlorobenzene
- 3 4-aminopyridine
- 4 4-chloromethandienone
- 5 4-chlorotestosterone
- 6 5-aminolevulinic acid
- 7 Abacavir
- 8 Abatacept
- 9 Abciximab
- 10 Abiraterone
- 11 Abrus precatorius; at all strengths
- 12 Acamprosate
- 13 Acarbose
- 14 Acebutolol
- 15 Acepromazine
- 16 Acetanilides
- 17 Acetarsol
- 18 Acetazolamide
- 19 Acetohexamide
- 20 Acetylcarbromal

21	Acetylcholine; except in medicines containing 1 milligram or less per litre or per kilogram
22	Acetylcysteine; for injection or inhalation
23	Acetyldigitoxin
24	Acetylmethyldimethyloximidophenylhydrazine
25	Acetylstrophanthidin
26	Aciclovir; except when specified elsewhere in this schedule
27	Acipimox
28	Acitretin
29	Aclidinium bromide
30	Acokanthera ouabaio
31	Acokanthera schimperi
32	Aconitum spp; except when specified elsewhere in this schedule
33	Acrivastine
34	Adalimumab
35	Adapalene; except in medicines containing 1 milligram or less per millilitre or gram and when supplied by a pharmacist in a pack containing not more than 30 grams for the treatment of comedo, papular, and pustular acne (acne vulgaris) of the face, chest, or back
36	Adefovir
37	Adenosine; for injection
38	Adinazolam
39	Adiphenine
40	Adonis vernalis
41	Adrafinil
42	Adrenal extract; except for dermal use in medicines containing 0.02% or less of ketosteroids
43	Adrenaline; in medicines containing more than 1%
44	Adrenocortical hormones; except adrenal extract for dermal use containing 0.02% or less of ketosteroids
45	Afamelanotide
46	Afatinib
47	Aflibercept
48	Agalsidase
49	Agomelatine
50	Alatrofloxacin

51	Albendazole
52	Albumin; except human albumin
53	Alclofenac
54	Alclometasone; except when specified elsewhere in this schedule
55	Alcohol; for injection in medicines containing more than 20%
56	Alcuronium
57	Aldesleukin
58	Aldosterone; except in medicines containing 10 micrograms or less per litre or per kilogram
59	Alectinib
60	Alefacept
61	Alemtuzumab
62	Alendronic acid
63	Alfacalcidol
64	Alfentanil
65	Alfuzosin
66	Alglucerase
67	Alglucosidase
68	Alirocumab
69	Aliskiren
70	Alkyl sulfonals
71	Allergens
72	Allopurinol
73	Allylisopropylacetylurea; at all strengths
74	Allyloestrenol
75	Alogliptin
76	Aloracetam
77	Alosetron
78	Alpha <sub>1</sub> -proteinase inhibitor
79	Alphadolone
80	Alphaxalone
81	Alprazolam
82	Alprenolol
83	Alprostadil
84	Alseroxylon

85	Alteplase
86	Altretamine
87	Amantadine
88	Ambenonium
89	Ambrisentan
90	Ambucetamide
91	Ambutonium
92	Amcinonide
93	Amethocaine; except when specified elsewhere in this schedule; for ophthalmic use except when used in practice by an optometrist registered with the Optometrists and Dispensing Opticians Board
94	Amfebutamone
95	Amfepramone
96	Amidopyrine
97	Amifampridine
98	Amifostine
99	Amikacin
100	Amiloride
101	Aminocaproic acid
102	Aminoglutethimide
103	Aminometradine
104	Aminophenazone; at all strengths
105	Aminophylline; except when specified elsewhere in this schedule
106	Aminopterin
107	Aminorex
108	Aminosalicyclic acid
109	Amiodarone
110	Amiphenazole
111	Amisometradine
112	Amisulpride
113	Amitriptyline
114	Amlodipine
115	Ammi visnaga
116	Ammonium bromide
117	Amobarbital

118	Amodiaquine
119	Amorolfine; except when specified elsewhere in this schedule; except in preparations for the treatment of tinea pedis only or when sold in practice by a podiatrist registered with the Podiatrists Board
120	Amoxapine
121	Amoxicillin
122	Amphotericin
123	Amphotericin
124	Ampicillin
125	Amprenavir
126	Amrinone
127	Amsacrine
128	Amygdalin; at all strengths
129	Amyl nitrite; except when sold to a person who is appropriately authorised under the Health and Safety at Work Act 2015
130	Amylocaine
131	Anabolic steroids
132	Anagrelide
133	Anakinra
134	Anastrozole
135	Ancestim
136	Anchusa officinalis; at all strengths
137	Ancrod and its immunoglobulin antidote
138	Androgenic and anabolic steroidal agents
139	Androgens
140	Androisoxazole
141	Androstanolone
142	Androstenediol
143	Androstenedione
144	Anecortave
145	Angiotensinamide
146	Anidulafungin
147	Aniracetam
148	Anistreplase
149	Antazoline; except for ophthalmic use

150	Antibiotic substances; except when specified elsewhere in this schedule
151	Antigens
152	Antihistamines; except when specified elsewhere in this schedule
153	Antimony; except in medicines containing 1 milligram or less per litre or per kilogram
154	Antisera; for injection
155	AOD-9604
156	Apalutamide
157	Apixaban
158	Apocynum spp
159	Apomorphine; except in medicines containing 1 milligram or less per litre or per kilogram
160	Apraclonidine
161	Apremilast
162	Aprepitant
163	Apronal
164	Aprotinin
165	Arecoline
166	Aripiprazole
167	Aristolochia spp; at all strengths
168	Aristolochic acid; at all strengths
169	Armodafinil
170	Arsenic; except in medicines containing 1 milligram or less per litre or per kilogram
171	Artemether
172	Artesunate
173	Articaine; except when used as a local anaesthetic in practice by a dental therapist or oral health therapist registered with the Dental Council
174	Asenapine
175	Asfotase alfa
176	Asparaginase
177	Aspirin; except when specified elsewhere in this schedule; for injection; when combined with caffeine, paracetamol, or salicylamide
178	Astemizole
179	Asunaprevir
180	Atamestane



181	Atazanavir
182	Atenolol
183	Atezolizumab
184	Atomoxetine
185	Atorvastatin
186	Atosiban
187	Atovaquone
188	Atracurium
189	Atropa belladonna; except when specified elsewhere in this schedule; except in medicines containing 300 micrograms or less of total solanaceous alkaloids per litre or per kilogram
190	Atropine; except when specified elsewhere in this schedule; except when used as an antidote in a device designed for self-injection; except in medicines containing 300 micrograms or less per litre or per kilogram
191	Atropine methonitrate
192	Auranofin
193	Aurothiomalate sodium
194	Avanafil
195	Aviptadil
196	Axitinib
197	Azacitidine
198	Azacyclonol
199	Azapropazone
200	Azaribine
201	Azatadine; except when specified elsewhere in this schedule
202	Azathioprine
203	Azelaic acid; except when specified elsewhere in this schedule
204	Azelastine; except when specified elsewhere in this schedule
205	Azithromycin
206	Azlocillin
207	Aztreonam
208	Bacampicillin
209	Bacitracin
210	Baclofen
211	Balsalazide

212	Bambuterol
213	Bamethan
214	Bamipine
215	Barbital
216	Barbiturates
217	Basiliximab
218	Bazedoxifene
219	Becaplermin
220	Beclamide
221	Beclomethasone; except when specified elsewhere in this schedule
222	Bedaquiline
223	Belatacept
224	Belimumab
225	Bemegride
226	Benactyzine
227	Benazepril
228	Bendamustine
229	Bendrofluazide
230	Benethamine penicillin
231	Benorylate
232	Benoxaprofen
233	Benperidol
234	Benserazide
235	Benzathine penicillin
236	Benzatropine
237	Benzbromarone
238	Benzhexol
239	Benzilonium
240	Benzocaine; except when specified elsewhere in this schedule
241	Benzodiazepine derivatives; except when specified elsewhere in this schedule
242	Benzodiazepines; except when specified elsewhere in this schedule
243	Benzoyl metronidazole
244	Benzoyl peroxide; except when specified elsewhere in this schedule
245	Benzthiazide
246	Benzydamine; except when specified elsewhere in this schedule

247	Benzylpenicillin
248	Bepriidil
249	Beractant
250	Besifloxacin
251	Beta carotene; in medicines containing more than 18 milligrams per recommended daily dose
252	Betahistine
253	Betaine; for the treatment of homocystinuria
254	Betamethasone
255	Betaxolol
256	Bethanechol
257	Bethanidine
258	Bevacizumab
259	Bevantolol
260	Bexarotene
261	Bezafibrate
262	Bezlotoxumab
263	Bicalutamide
264	Bictegravir
265	Bifonazole; except when specified elsewhere in this schedule
266	Bilastine; except when specified elsewhere in this schedule
267	Bimatoprost
268	Binimetinib
269	Biperiden
270	Bismuth; except for external use in medicines containing 3% or less
271	Bisoprolol
272	Bithionol; at all strengths
273	Bivalirudin
274	Bleomycin
275	Boceprevir
276	Bolandiol
277	Bolasterone
278	Bolazine
279	Boldenone
280	Bolenol

281	Bolmantalate
282	Boron, including borax and boric acid; except in medicines for internal use containing 6 milligrams or less per recommended daily dose; except in medicines for dermal use other than paediatric use containing 0.35% or less; except when present as an excipient
283	Bortezomib
284	Bosentan
285	Bosutinib
286	Botulinum toxins
287	Brentuximab vedotin
288	Bretylium
289	Brexipiprazole
290	Brimonidine
291	Brinzolamide
292	Brivaracetam (and its stereoisomers)
293	Bromazepam
294	Bromocriptine
295	Bromoform
296	Brompheniramine; except when specified elsewhere in this schedule
297	Bromvaletone
298	Brotizolam
299	Brugmansia spp
300	Buclizine; except for oral use
301	Budesonide; except when specified elsewhere in this schedule
302	Bufexamac; except in suppositories; except for dermal use in medicines containing 5% or less
303	Bumetanide
304	Buniodyl sodium; at all strengths
305	Buphenine
306	Bupivacaine
307	Buprenorphine
308	Bupropion
309	Buserelin
310	Buspirone
311	Busulphan

312	Butacaine
313	Butobarbital
314	Butoconazole; except for vaginal use
315	Butorphanol
316	Butyl aminobenzoate; except in medicines for dermal use containing 2% or less
317	Butyl nitrite
318	Butylchloral hydrate
319	Cabazitaxel
320	Cabergoline
321	Cabozantinib
322	Cacalia spp; at all strengths
323	Cadmium
324	Calcipotriol; except in medicines containing not more than 50 micrograms per gram or per millilitre and when sold in a pack of not more than 30 grams or 30 millilitres by a pharmacist to an adult with mild to moderate psoriasis previously diagnosed by a doctor
325	Calcitonin
326	Calcitriol
327	Calcium carbimide
328	Calcium polystyrene sulphonate
329	Calotropis gigantea
330	Calotropis procera
331	Calusterone
332	Camazepam
333	Camphorated oil
334	Camphotamide
335	Canagliflozin
336	Canakinumab
337	Candesartan
338	Candicidin
339	Cannabidiol
340	Capecitabine
341	Capreomycin
342	Captodiame

343	Captopril
344	Capuride
345	Caramiphen
346	Carbachol
347	Carbamazepine
348	Carbaryl; except for external use in medicines containing 2% or less
349	Carbazochrome
350	Carbenicillin
351	Carbenoxolone; except for external use
352	Carbetocin
353	Carbidopa
354	Carbimazole
355	Carbocromen
356	Carboplatin
357	Carboprost
358	Carbromal
359	Carbutamide
360	Carbuterol
361	Carfilzomib
362	Carglumic acid
363	Carindacillin
364	Carisoprodol
365	Carmustine
366	Carprofen
367	Carvedilol
368	Caspofungin
369	Catumaxomab
370	Cebaracetam (and its stereoisomers)
371	Cefacetrile
372	Cefaclor
373	Cefaloridine
374	Cefamandole
375	Cefapirin
376	Cefazolin
377	Cefepime

378	Cefetamet
379	Cefixime
380	Cefodizime
381	Cefonicid
382	Cefoperazone
383	Cefotaxime
384	Cefotetan
385	Cefotiam
386	Cefoxitin
387	Cefpirome
388	Cefpodoxime
389	Cefsulodin
390	Ceftaroline fosamil
391	Ceftazidime
392	Ceftibuten
393	Ceftolozane
394	Ceftriaxone
395	Cefuroxime
396	Celecoxib
397	Celiprolol
398	Cephaelis acuminata; except in medicines containing less than 0.2% of emetine
399	Cephaelis ipecacuanha; except in medicines containing less than 0.2% of emetine
400	Cephalexin
401	Cephalothin
402	Cephradine
403	Ceritinib
404	Cerivastatin
405	Certolizumab pegol
406	Ceruletide
407	Cetirizine; except when specified elsewhere in this schedule
408	Cetrorelix
409	Cetuximab
410	Chenodeoxycholic acid
411	Chloral hydrate; except for dermal use in medicines containing 2% or less

412	Chloralformamide
413	Chloralose
414	Chlorambucil
415	Chloramphenicol; except when sold in practice by an optometrist registered with the Optometrists and Dispensing Opticians Board; except when specified elsewhere in this schedule
416	Chlorandrostenolone
417	Chlorazanil
418	Chlorcyclizine
419	Chlordiazepoxide
420	Chlormerodrin
421	Chlormethiazole
422	Chlormezanone
423	Chloroform; for anaesthesia; except when specified elsewhere in this schedule
424	Chloroquine
425	Chlorothiazide
426	Chlorotrianisene
427	Chloroxydienone
428	Chloroxymesterone
429	Chlorpheniramine; except when specified elsewhere in this schedule
430	Chlorphentermine
431	Chlorpromazine
432	Chlorpropamide
433	Chlorprothixene
434	Chlorquinaldol
435	Chlortetracycline
436	Chlorthalidone
437	Chlorzoxazone
438	Cholera vaccine; except in the form of an oral liquid containing vibrio cholerae when sold in a pharmacy by a registered pharmacist
439	Cholic acid
440	Choline salicylate; except in medicines containing 10% or less and in pack sizes of 15 grams or less
441	Chorionic gonadotrophin; except in pregnancy test kits
442	Chymopapain



443	Ciclacillin
444	Ciclesonide
445	Ciclopirox; except when specified elsewhere in this schedule
446	Cidofovir
447	Cilastatin
448	Cilazapril
449	Cilostazol
450	Cimetidine; except when specified elsewhere in this schedule
451	Cinacalcet
452	Cinchocaine; for injection; for ophthalmic use; for external use in medicines containing more than 0.5%
453	Cinchophen
454	Cinnarizine
455	Cinoxacin
456	Ciprofloxacin
457	Cisapride
458	Cisatracurium
459	Cisplatin
460	Citalopram
461	CJC-1295
462	Cladribine
463	Clarithromycin
464	Clavulanic acid
465	Clemastine; except for oral use
466	Clemizole
467	Clenbuterol
468	Clevidipine
469	Clidinium
470	Clindamycin
471	Clioquinol; at all strengths
472	Clobazam
473	Clobetasol
474	Clobetasone; except when specified elsewhere in this schedule
475	Clocortolone
476	Clodronic acid

477	Clofarabine
478	Clofazimine
479	Clofenamide
480	Clofibrate
481	Clomiphene
482	Clomipramine
483	Clomocycline
484	Clonazepam
485	Clonidine
486	Clopamide
487	Clopidogrel
488	Clorazepic acid
489	Clorexolone
490	Clorprenaline
491	Clostebol
492	Clotiazepam
493	Clotrimazole; except when specified elsewhere in this schedule
494	Cloxacillin
495	Cloxazolam
496	Clozapine
497	Cobalt
498	Cobicistat
499	Cobimetinib
500	Cocaine; except when specified elsewhere in this schedule
501	Codeine; except when specified elsewhere in this schedule
502	Co-dergocrine
503	Colaspase
504	Colchicine
505	Colchicum
506	Colecalciferol; except in medicines containing 25 micrograms or less per recommended daily dose; except in parenteral nutrition replacement preparations
507	Colestipol
508	Colestyramine
509	Colfosceril
510	Colistin

511	Collagen; in injections or implants for tissue augmentation or cosmetic use
512	Collagenase clostridium histolyticum
513	Coluracetam
514	Conium maculatum; at all strengths
515	Convallaria keiski
516	Convallaria majalis
517	Corifollitropin alfa
518	Coronilla spp
519	Corticosterone
520	Corticotrophin
521	Cortisone and other steroidal hormones of the adrenal cortex; except when specified elsewhere in this schedule; except adrenal extract for dermal use in medicines containing 0.02% or less of ketosteroids
522	Cotarnine; at all strengths
523	Co-trimoxazole
524	Coumarin
525	Crizotinib
526	Crofelemer
527	Crotalaria spp; at all strengths
528	Croton tiglium; except in medicines containing 1 milligram or less per litre or per kilogram
529	Crystal violet
530	Curare
531	Cyclandelate
532	Cyclizine; except when specified elsewhere in this schedule
533	Cyclobenzaprine
534	Cyclofenil
535	Cycloheximide
536	Cyclopenthiazide
537	Cyclopentolate; except when used in practice by an optometrist registered with the Optometrists and Dispensing Opticians Board
538	Cyclophosphamide
539	Cyclopropane
540	Cycloserine
541	Cyclosporin

542	Cyclothiazide
543	Cycrimine
544	Cymarin
545	Cynoglossum spp; at all strengths
546	Cyproheptadine; except for oral use
547	Cyproterone
548	Cysteamine
549	Cytarabine
550	Dabigatran
551	Dabrafenib mesilate
552	Dacarbazine
553	Daclatasvir
554	Daclizumab
555	Dactinomycin
556	Dalfopristin
557	Dalteparin
558	Danaparoid
559	Danazol
560	Danthron
561	Dantrolene
562	Dapagliflozin
563	Dapoxetine
564	Dapsone
565	Daptomycin
566	Daratumumab
567	Darbepoetin
568	Darifenacin
569	Darunavir
570	Dasabuvir
571	Dasatinib
572	Datura spp; except for oral use when specified elsewhere in this schedule; except datura stramonium or datura tatula for smoking or burning
573	Daunorubicin
574	Deanol
575	Debrisoquine

576	Decamethonium
577	Deferasirox
578	Deferiprone
579	Defibrotide
580	Deflazacort
581	Degarelix
582	Dehydrochloromethyltestosterone
583	Dehydrocorticosterone
584	Delavirdine
585	Delorazepam
586	Demecarium
587	Demeclocycline
588	Denosumab
589	Deoxycortone
590	Deoxycholic acid; for injection; except for oral use
591	Deoxyribonuclease; except for external use
592	Dermatophagoides farina allergen extract
593	Dermatophagoides pteronyssinus allergen extract
594	Desferrioxamine
595	Desflurane
596	Desipramine
597	Desirudin
598	Deslanoside
599	Desloratadine; except for oral use
600	Deslorelin
601	Desmopressin
602	Desogestrel; except when supplied for oral contraception to women who meet the clinical and eligibility criteria of the Pharmacy Council and the Pharmaceutical Society of New Zealand Incorporated approved training programme on oral contraception, when sold in the manufacturer's original pack that has received the consent of the Minister or Director-General to their distribution as medicines, containing not more than 6 months' supply by a registered pharmacist who has successfully completed the approved training programme
603	Desonide
604	Desoximetasone
605	Desvenlafaxine

606	Dexamethasone
607	Dexamfetamine
608	Dexchlorpheniramine; except when specified elsewhere in this schedule
609	Dexfenfluramine
610	Dexmedetomidine
611	Dextromethorphan; except when specified elsewhere in this schedule
612	Dextromoramide
613	Dextropropoxyphene
614	Dextrophan
615	Di-iodohydroxy quinoline; except when specified elsewhere in this schedule
616	Di-isopropylamine dichloroacetate
617	Diazepam
618	Diazoxide
619	Dibenzepin
620	Dibotermin
621	Dibrompropamidine; except for ophthalmic use
622	Dichloralphenazone
623	Dichlorophen
624	Dichlorphenamide
625	Diclofenac; in preparations for the treatment of solar keratosis; except when specified elsewhere in this schedule; except in preparations for topical use other than for the treatment of solar keratosis
626	Dicloxacillin
627	Dicyclomine
628	Didanosine
629	Dienoestrol
630	Dienogest
631	Diethazine
632	Diethylcarbamazine
633	Diethylstilbestrol
634	Diflorasone
635	Diflucortolone
636	Diflunisal
637	Digitalis lanata
638	Digitalis purpurea

639	Digitoxin
640	Digoxin
641	Digoxin-specific antibody fragment
642	Dihydralazine
643	Dihydrocodeine
644	Dihydroergotoxine
645	Dihydrolone
646	Dihydrotachysterol
647	Diltiazem
648	Dimenhydrinate; except when specified elsewhere in this schedule
649	Dimercaprol
650	Dimethandrostanolone
651	Dimethazine
652	Dimethindene; except for oral use
653	Dimethothiazine
654	Dimethoxanate
655	Dimethyl fumarate
656	Dimethyl sulphoxide
657	Dimiracetam (and its stereoisomers)
658	Dinitrocresols
659	Dinitronaphthols
660	Dinitrophenols
661	Dinitrothymols
662	Dinoprost
663	Dinoprostone
664	Diperodon
665	Diphemanil; except for dermal use
666	Diphenhydramine; except when specified elsewhere in this schedule
667	Diphenidol
668	Diphenoxylate; except when specified elsewhere in this schedule
669	Diphenylpyraline
670	Diphtheria, tetanus and pertussis (acellular, component) vaccine; except when administered in a single dose to a person 18 years of age or over or to a pregnant woman aged 13 years or over by a registered pharmacist who has successfully completed a vaccinator training course approved by the Ministry of

	Health and who is complying with the immunisation standards of the Ministry of Health
671	Diphtheria toxoid
672	Diphtheria vaccine
673	Dipivefrin
674	Dipyridamole
675	Dirithromycin
676	Disopyramide
677	Distigmine
678	Disulfiram
679	Disulphamide
680	Ditiocarb
681	Dobutamine
682	Docetaxel
683	Dofetilide
684	Dolasetron
685	Doliracetam (and its stereoisomers)
686	Dolutegravir
687	Domperidone
688	Donepezil
689	Dopamine
690	Dopexamine
691	Doripenem
692	Dornase
693	Dorzolamide
694	Dothiepin
695	Doxantrazole
696	Doxapram
697	Doxazosin
698	Doxepin
699	Doxorubicin
700	Doxycycline
701	Doxylamine; except when specified elsewhere in this schedule
702	Dronedarone
703	Droperidol



704	Drospirenone
705	Drostanolone
706	Drotrecogin
707	Duboisia leichhardtii; except when specified elsewhere in this schedule
708	Duboisia myoporides; except when specified elsewhere in this schedule
709	Dulcin; at all strengths
710	Duloxetine
711	Dupilumab
712	Dupracetam
713	Dutasteride
714	Dydrogesterone
715	Econazole; except when specified elsewhere in this schedule
716	Ecothiopate
717	Ectylurea
718	Eculizumab
719	Edetic acid; except in medicines containing 0.25% or less; except in contact lens preparations; except dicobalt edetate for the treatment of cyanide poisoning
720	Edoxudine
721	Edrophonium
722	Efalizumab
723	Efavirenz
724	Eflornithine
725	Elbasvir
726	Eletriptan
727	Elosulfase alfa
728	Elotuzumab
729	Eltrombopag olamine
730	Eluxadoline
731	Elvitegravir
732	Emepromium
733	Emetine; except in medicines containing 0.2% or less
734	Emicizumab
735	Empagliflozin
736	Emtricitabine

737	Enalapril
738	Encorafenib
739	Enestebol
740	Enflurane
741	Enfuvirtide
742	Enobosarm
743	Enoxacin
744	Enoxaparin
745	Enoximone
746	Enprostil
747	Entacapone
748	Entecavir
749	Enzalutamide
750	Ephedrine
751	Epicillin
752	Epinastine
753	Epirubicin
754	Epitiostanol
755	Eplerenone
756	Epoetins
757	Epoprostenol
758	Eprosartan
759	Eptifibatide
760	Erenumab
761	Ergocalciferol; except in medicines containing 25 micrograms or less per recommended daily dose
762	Ergometrine
763	Ergot
764	Ergotamine
765	Ergotoxine
766	Eribulin
767	Erlotinib
768	Ertapenem
769	Ertugliflozin

770	Erysimum spp; except in medicines containing 1 milligram or less per litre or per kilogram
771	Erythromycin
772	Erythropoietin
773	Escitalopram
774	Esmolol
775	Esomeprazole; except when specified elsewhere in this schedule
776	Estazolam
777	Estramustine
778	Estropipate
779	Etanercept
780	Ethacrynic acid
781	Ethambutol
782	Ethamivan
783	Ethanolamine; for injection
784	Ethchlorvynol
785	Ether; for anaesthesia; except when specified elsewhere in this schedule
786	Ethinamate
787	Ethinylestradiol; except when supplied at a strength of 35 micrograms or less in combination with either levonorgestrel or norethisterone for oral contraception to women who meet the clinical and eligibility criteria of the Pharmacy Council and the Pharmaceutical Society of New Zealand Incorporated approved training programme on oral contraception, when sold in the manufacturer's original pack that has received the consent of the Minister or Director-General to their distribution as medicines, containing not more than 6 months' supply by a registered pharmacist who has successfully completed the approved training programme
788	Ethionamide
789	Ethisterone
790	Ethoglucid
791	Ethoheptazine
792	Ethopropazine
793	Ethosuximide
794	Ethotoin
795	Ethoxzolamide
796	Ethyl chloride; for inhalation
797	Ethyl loflazepate

798	Ethyldienolone
799	Ethylhexanediol; at all strengths
800	Ethyloestrenol
801	Ethynodiol
802	Etidocaine
803	Etidronic acid; except in medicines for external use containing 1% or less
804	Etilefrine
805	Etiracetam
806	Etodolac
807	Etofenamate; except for external use
808	Etomidate
809	Etonogestrel
810	Etoposide
811	Etoricoxib
812	Etravirine
813	Etretinate
814	Everolimus
815	Evolocumab
816	Exemestane
817	Exenatide
818	Ezetimibe
819	Factor VIII inhibitor bypassing fraction
820	Famciclovir; except when specified elsewhere in this schedule
821	Famotidine; except when specified elsewhere in this schedule
822	Fampridine
823	Farfugium japonicum; at all strengths
824	Fasoracetam (and its stereoisomers)
825	Febuxostat
826	Felbamate
827	Felbinac; except for external use
828	Felodipine
829	Felypressin; except when combined with a local anaesthetic and used in practice by a dental therapist or oral health therapist registered with the Dental Council
830	Fenbufen

831	Fenclofenac
832	Fenfluramine
833	Fenofibrate
834	Fenoldopam
835	Fenoprofen
836	Fenoterol
837	Fenpipramide
838	Fenpiprane
839	Fentanyl
840	Ferric carboxymaltose
841	Ferric derisomaltose
842	Fexofenadine; except when specified elsewhere in this schedule
843	Fibrin
844	Fibrinolysin; except for external use
845	Fibroblast growth factor
846	Fidaxomicin
847	Filgrastim
848	Finasteride
849	Fingolimod
850	Flecainide
851	Fleroxacin
852	Floctafenine
853	Fluanisone
854	Flubromazolam
855	Fluclorolone
856	Flucloxacillin
857	Fluconazole; except when specified elsewhere in this schedule
858	Flucytosine
859	Fludarabine
860	Fludiazepam
861	Fludrocortisone
862	Flufenamic acid
863	Flumazenil
864	Flumethasone
865	Flumethiazide

866	Flunarizine
867	Flunisolide
868	Flunitrazepam
869	Fluocinolone
870	Fluocinonide
871	Fluocortin
872	Fluocortolone
873	Fluorescein; for injection
874	Fluorides; for internal use in medicines containing more than 0.5 milligrams per dose unit except in medicines containing 15 milligrams or less per litre or per kilogram; except in parenteral nutrition replacement preparations; for external use in medicines containing more than 5.5 grams per litre or per kilogram except when supplied to a dental professional registered with the Dental Council
875	Fluorometholone
876	Fluorouracil
877	Fluoxetine
878	Fluoxymesterone
879	Flupenthixol
880	Fluphenazine
881	Flurandrenolone
882	Flurazepam
883	Flurbiprofen; except when specified elsewhere in this schedule
884	Fluroxene
885	Fluspirilene
886	Flutamide
887	Fluticasone; except when specified elsewhere in this schedule
888	Fluvastatin
889	Fluvoxamine
890	Folic acid; except when specified elsewhere in this schedule
891	Folinic acid; except when specified elsewhere in this schedule
892	Follicle-stimulating hormone; except in medicines containing 100 micrograms or less per litre or per kilogram
893	Follistatin
894	Follitropin
895	Follitropin delta

896	Fomepizole
897	Fomivirsen
898	Fondaparinux
899	Fonturacetam (and its stereoisomers)
900	Formebolone
901	Formestane
902	Formoterol
903	Fosamprenavir
904	Fosaprepitant
905	Foscarnet
906	Fosfestrol
907	Fosfomycin
908	Fosinopril
909	Fosphenytoin
910	Fotemustine
911	Framycetin
912	Fulvestrant
913	Furaltadone
914	Furazabol
915	Furazolidone
916	Furosemide
917	Fusidic acid
918	Gabapentin
919	Galantamine
920	Galanthus spp
921	Gallamine
922	Galsulfase
923	Ganciclovir
924	Ganirelix
925	Gatifloxacin
926	Gefitinib
927	Gemcitabine
928	Gemeprost
929	Gemfibrozil
930	Gemifloxacin

931	Gemtuzumab ozogamicin
932	Gentamicin
933	Gestodene
934	Gestonorone
935	Gestrinone
936	Ghrelin
937	Gitalin
938	Glatiramer acetate
939	Glecaprevir
940	Glibenclamide
941	Glibornuride
942	Gliclazide
943	Glimepiride
944	Glipizide
945	Glisoxepide
946	Glutathione; for injection
947	Glyceryl trinitrate; for injection; for transdermal use; except in medicines containing 100 micrograms or less per litre or per kilogram
948	Glycopyrronium
949	Glymidine
950	Golimumab
951	Gonadorelin
952	Gonadotrophic hormones; except when specified elsewhere in this schedule
953	Goserelin
954	Gramicidin
955	Granisetron
956	Grazoprevir
957	Grepafloxacin
958	Griseofulvin
959	Growth hormone releasing hormones
960	Growth hormone releasing peptide-6
961	Growth hormone releasing peptides
962	Guafenesin; except when specified elsewhere in this schedule
963	Guanabenz
964	Guanethidine



965	Guanfacine
966	Guanidine
967	Guselkumab
968	Hachimycin
969	Haematin
970	Haemophilus influenzae vaccine; except in oral vaccines for the prophylaxis of bacterial complications of colds
971	Halazepam
972	Halcinonide
973	Halofantrine
974	Halofenate
975	Haloperidol; except in medicines containing 1 milligram or less per litre or per kilogram
976	Halothane
977	Haloxazolam
978	Halquinol; except for external use
979	Heliotropium spp; at all strengths
980	Hemerocallis
981	Heparins; except when present as an excipient; except for external use
982	Hepatitis A vaccine
983	Hepatitis B vaccine
984	Hetacillin
985	Hexachlorophane; in medicines containing more than 3%; except when specified elsewhere in this schedule
986	Hexamethonium
987	Hexarelin
988	Hexetidine; except for external use
989	Hexobendine
990	Hexocyclium
991	Hexoprenaline
992	Hexaminolevulinate
993	Histamine; except in medicines containing 0.5% or less
994	Homatropine
995	Human chorionic gonadotrophin; except in pregnancy test kits
996	Human growth hormone secretagogues

---

997	Human papillomavirus vaccine
998	Human protein C
999	Hyaluronic acid; in injections or implants for tissue augmentation or cosmetic use
1000	Hydralazine
1001	Hydrargaphen
1002	Hydrochlorothiazide
1003	Hydrocortisone; except when specified elsewhere in this schedule
1004	Hydrocyanic acid; except when specified elsewhere in this schedule
1005	Hydroflumethiazide
1006	Hydromorphone
1007	Hydroquinone; except when specified elsewhere in this schedule
1008	Hydroxychloroquine
1009	Hydroxyephedrine
1010	Hydroxyphenamate
1011	Hydroxyprogesterone
1012	Hydroxystenozol
1013	Hydroxyurea
1014	Hydroxyzine
1015	Hylan polymer; in injections or implants for tissue augmentation or cosmetic use
1016	Hyoscine; except when specified elsewhere in this schedule; except in medicines containing 300 micrograms or less per litre or per kilogram
1017	Hyoscine butylbromide; except when specified elsewhere in this schedule
1018	Hyoscyamine; except when specified elsewhere in this schedule; except in medicines containing 300 micrograms or less per litre or per kilogram
1019	Hyoscyamus niger; except when specified elsewhere in this schedule
1020	Hypothalamic releasing factors
1021	Hypromellose; for injection; except in intraocular viscoelastic products
1022	Ibandronic acid
1023	Ibogaine
1024	Ibritumomab tiuxetan
1025	Ibrutinib
1026	Ibuprofen
1027	Ibuprofen; except when specified elsewhere in this schedule

1028	Ibuprofen
1029	Ibutilide
1030	Icatibant
1031	Idarubicin
1032	Idarucizumab
1033	Idebenone
1034	Idelalisib
1035	Idoxuridine; except for dermal use in medicines containing 0.5% or less
1036	Idursulfase
1037	Ifosfamide
1038	Iloprost
1039	Imatinib
1040	Imiglucerase
1041	Imipenem
1042	Imipramine
1043	Imiquimod
1044	Immunoglobulins
1045	Imuracetam
1046	Indacaterol
1047	Indapamide
1048	Indinavir
1049	Indomethacin; except when specified elsewhere in this schedule
1050	Indoprofen
1051	Indoramin
1052	Infliximab
1053	Influenza and coryza vaccines; for injection; for nasal use
1054	Influenza vaccine; except when administered to a person 13 years of age or over by a registered pharmacist who has successfully completed a vaccinator training course approved by the Ministry of Health and who is complying with the immunisation standards of the Ministry of Health
1055	Ingenol mebutate
1056	Insulin degludec
1057	Insulin-like growth factors; except when specified elsewhere in this schedule
1058	Insulins
1059	Interferons

1060	Interleukins
1061	Iodothiouracil
1062	Ipamorelin
1063	Ipecacuanha; except when specified elsewhere in this schedule
1064	Ipilimumab
1065	Ipratropium; except for nasal use
1066	Ipriflavone
1067	Iprindole
1068	Iproniazid
1069	Irbesartan
1070	Irinotecan
1071	Iron; except when specified elsewhere in this schedule
1072	Isoaminile
1073	Isoamyl nitrite
1074	Isobutyl nitrite
1075	Isocarboxazid
1076	Isoconazole; except when specified elsewhere in this schedule
1077	Isoetarine
1078	Isoflurane
1079	Isometheptene
1080	Isoniazid
1081	Isoprenaline
1082	Isoprinosine
1083	Isopropamide; except when specified elsewhere in this schedule
1084	Isosorbide dinitrate
1085	Isosorbide mononitrate
1086	Isotretinoin
1087	Isoxicam
1088	Isoxsuprine
1089	Isradipine
1090	Itraconazole
1091	Ivabradine
1092	Ivacaftor
1093	Ivermectin
1094	Ixabepilone

1095	Ixazomib
1096	Ixekizumab
1097	Japanese encephalitis vaccine
1098	Juniperus sabina; at all strengths
1099	Kanamycin
1100	Ketamine
1101	Ketanserin
1102	Ketazolam
1103	Ketoconazole; except when specified elsewhere in this schedule
1104	Ketoprofen; except when specified elsewhere in this schedule
1105	Ketorolac
1106	Ketotifen; except for ophthalmic use in medicines containing 0.025% or less
1107	Khellin
1108	Labetalol
1109	Lacidipine
1110	Lacosamide
1111	Lamivudine
1112	Lamotrigine
1113	Lanatosides
1114	Lanreotide
1115	Lansoprazole; except when specified elsewhere in this schedule
1116	Lanthanum
1117	Lapatinib
1118	Laronidase-rch
1119	Laropiprant
1120	Latamoxef
1121	Latanoprost
1122	Laudexium
1123	Lauromacrogols; for injection
1124	Lead
1125	Ledipasvir
1126	Lefetamine
1127	Leflunomide
1128	Lenalidomide
1129	Lenograstim

- 1130 Lenvatinib
- 1131 Lepirudin
- 1132 Leptazol
- 1133 Lercanidipine
- 1134 Lesinurad
- 1135 Letermovir
- 1136 Letrozole
- 1137 Leucovorin; for injection
- 1138 Leuprorelin
- 1139 Levallorphan
- 1140 Levamisole
- 1141 Levetiracetam
- 1142 Levobunolol
- 1143 Levobupivacaine
- 1144 Levocabastine; except for nasal or ophthalmic use
- 1145 Levocetirizine; except for oral use
- 1146 Levodopa
- 1147 Levomepromazine
- 1148 Levomilnacipran
- 1149 Levonorgestrel; except when specified elsewhere in this schedule; except in medicines for use as emergency post-coital contraception when sold by nurses recognised by their professional body as having competency in the field of sexual and reproductive health; except when sold by nurses recognised by their professional body as having competency in the field of sexual and reproductive health; except when supplied for oral contraception to women who meet the clinical and eligibility criteria of the Pharmacy Council and the Pharmaceutical Society of New Zealand Incorporated approved training programme on oral contraception, when sold in the manufacturer's original pack that has received the consent of the Minister or Director-General to their distribution as medicines, containing not more than 6 months' supply by a registered pharmacist who has successfully completed the approved training programme
- 1150 Levosimendan
- 1151 Lidoflazine
- 1152 Lidocaine; for injection except when used as a local anaesthetic in practice by a nurse whose scope of practice permits the performance of general nursing functions or by a podiatrist registered with the Podiatrists Board or by a dental therapist or an oral health therapist registered with the Dental Council; for ophthalmic use except when used in practice by an optometrist registered with the

- Optometrists and Dispensing Opticians Board; for oral use except in throat lozenges containing 30 milligrams or less per dose form; for external use in medicines containing more than 10%; except in throat sprays in medicines containing 2% or less; except when specified elsewhere in this schedule
- 1153 Ligularia dentata; at all strengths
- 1154 Linagliptin
- 1155 Lincomycin
- 1156 Lindane; except for external use in medicines containing 2% or less
- 1157 Linezolid
- 1158 Liothyronine
- 1159 Lipegfilgrastim
- 1160 Liraglutide
- 1161 Lisdexamfetamine
- 1162 Lisinopril
- 1163 Lisuride
- 1164 Lithium; except when specified elsewhere in this schedule; except when present as an excipient in dermal medicines containing 0.25% or less
- 1165 Lixisenatide
- 1166 Lodoxamide; except in medicines for ophthalmic use
- 1167 Lofexidine
- 1168 Lomefloxacin
- 1169 Lomustine
- 1170 Loperamide; except when specified elsewhere in this schedule
- 1171 Lopinavir
- 1172 Loprazolam
- 1173 Loracarbef
- 1174 Loratadine; except when specified elsewhere in this schedule
- 1175 Lorazepam
- 1176 Lormetazepam
- 1177 Losartan
- 1178 Loteprednol
- 1179 Lovastatin; except when present as an unmodified, naturally occurring substance in a food that has not been subject to a manufacturing process other than heating, freezing, drying, preserving, bottling, canning, or packaging in retort pouches
- 1180 Loxapine

---

1181	Lumacaftor
1182	Lumefantrine
1183	Lumiracoxib
1184	Lurasidone
1185	Luteinising hormone
1186	Lymecycline
1187	Macitentan
1188	Mafenide
1189	Mannomustine
1190	Maprotiline
1191	Maraviroc
1192	Mazindol
1193	Measles vaccine
1194	Mebanazine
1195	Mebeverine
1196	Mebhydrolin
1197	Mebolazine
1198	Mebutamate
1199	Mecamylamine
1200	Mecasermin
1201	Mecillinam
1202	Meclocycline
1203	Meclofenamate
1204	Meclofenoxate
1205	Meclozine; except when specified elsewhere in this schedule
1206	Medazepam
1207	Medigoxin
1208	Medroxyprogesterone
1209	Medrysone
1210	Mefenamic acid; except when specified elsewhere in this schedule
1211	Mefloquine
1212	Mefruside
1213	Megestrol
1214	Melagatran
1215	Melanocyte stimulating compounds



1216	Melatonin
1217	Melengestrol
1218	Melia azedarach; at all strengths
1219	Meloxicam
1220	Melphalan
1221	Memantine
1222	Meningococcal vaccine; except when administered to a person 16 years of age or over by a registered pharmacist who has successfully completed a vaccinator training course approved by the Ministry of Health and who is complying with the immunisation standards of the Ministry of Health
1223	Menotrophin
1224	Mepacrine
1225	Mepenzolate
1226	Mephenesin
1227	Mephentermine
1228	Mepindolol
1229	Mepitiostane
1230	Mepivacaine
1231	Mepolizumab
1232	Meprobamate
1233	Meptazinol
1234	Mepyramine; except when specified elsewhere in this schedule
1235	Mequitazine
1236	Mercaptomerin
1237	Mercaptopurine
1238	Mercurochrome; except when specified elsewhere in this schedule
1239	Mercury; except when specified elsewhere in this schedule
1240	Meropenem
1241	Mersalyl
1242	Mesabolone
1243	Mesalazine
1244	Mesna
1245	Mestanolone
1246	Mesterolone
1247	Mestranol

1248	Metamfetamine
1249	Metandienone
1250	Metaraminol
1251	Metenolone
1252	Metergoline
1253	Metformin
1254	Methacholine
1255	Methacycline
1256	Methadone
1257	Methallenoestril
1258	Methandriol
1259	Methanthelinium
1260	Methazolamide
1261	Methdilazine; except for oral use
1262	Methicillin
1263	Methimazole
1264	Methisazone
1265	Methixene
1266	Methocarbamol
1267	Methohexitone
1268	Methoin
1269	Methotrexate
1270	Methoxamine; except when specified elsewhere in this schedule
1271	Methoxsalen
1272	Methoxyflurane
1273	Methsuximide
1274	Methylclothiazide
1275	Methyl aminolevulinate
1276	Methyl androstanolone
1277	Methyl clostebol
1278	Methyl mercury; except in medicines containing 300 micrograms or less per litre or per kilogram
1279	Methyl salicylate; except for external use; except for internal use when present as an excipient in medicines containing 1.04% or less per dose form
1280	Methyl trienolone

1281	Methyldopa
1282	Methylene blue; for injection
1283	Methylergometrine
1284	Methylhexanamine (1,3-dimethylamylamine (DMAA)); except when present as an unmodified, naturally occurring substance
1285	Methylnaltrexone
1286	Methylpentynol
1287	Methylphenidate
1288	Methylphenobarbital
1289	Methylprednisolone
1290	Methyltestosterone
1291	Methylthiouracil
1292	Methyprylon
1293	Methysergide
1294	Metoclopramide; except when specified elsewhere in this schedule
1295	Metolazone
1296	Metoprolol
1297	Metribolone
1298	Metrifonate
1299	Metronidazole
1300	Metyrapone
1301	Mexiletine
1302	Mezlocillin
1303	Mianserin
1304	Mibefradil
1305	Mibolerone
1306	Micafungin
1307	Miconazole; except when specified elsewhere in this schedule
1308	Midazolam
1309	Midodrine
1310	Mifepristone
1311	Migalastat
1312	Miglitol
1313	Miglustat
1314	Milnacipran

1315	Milrinone
1316	Minocycline
1317	Minoxidil; except for dermal use in medicines containing 5% or less
1318	Mirabegron
1319	Mirtazapine
1320	Misoprostol
1321	Mitobronitol
1322	Mitomycin
1323	Mitoxantrone
1324	Mitragyna speciosa
1325	Mitragynine
1326	Mivacurium
1327	Moclobemide
1328	Modafinil
1329	Molgramostim
1330	Molindone
1331	Molracetam
1332	Mometasone; except when specified elsewhere in this schedule
1333	Monobenzene
1334	Monoclonal antibodies; except in pregnancy test kits
1335	Montelukast
1336	Moperone
1337	Morazone
1338	Moricizine
1339	Morphine; except when specified elsewhere in this schedule
1340	Motrazepam
1341	Motretinide
1342	Moxifloxacin
1343	Mumps vaccine
1344	Mupirocin
1345	Muraglitazar
1346	Muromonab
1347	Mustine
1348	Mycophenolic acid
1349	Nabilone

1350	Nabumetone
1351	Nadolol
1352	Nadroparin
1353	Nafarelin
1354	Naftidrofuryl
1355	Nalbuphine
1356	Nalidixic acid
1357	Nalmefene
1358	Nalorphine
1359	Naloxegol
1360	Naloxone; except when provided as part of an approved emergency kit for the treatment of opioid overdose
1361	Naltrexone
1362	Nandrolone
1363	Naproxen; except when specified elsewhere in this schedule
1364	Naratriptan
1365	Natalizumab
1366	Natamycin
1367	Nateglinide
1368	Nebacumab
1369	Nebivolol
1370	Nebracetam (and its stereoisomers)
1371	Nedocromil
1372	Nefazodone
1373	Nefiracetam
1374	Nefopam
1375	Nelfinavir
1376	Neomycin
1377	Neostigmine
1378	Nepafenac
1379	Nepidermin
1380	Nerium oleander
1381	Nesiritide
1382	Netilmicin
1383	Netupitant

---

1384	Nevirapine
1385	Nialamide
1386	Nicardipine
1387	Nicergoline
1388	Nicofuranose
1389	Nicoracetam
1390	Nicorandil
1391	Nicotine; except when specified elsewhere in the schedule; except in preparations for oromucosal or transdermal absorption; for nasal use except when sold from a smoking cessation clinic run under the auspices of a registered medical practitioner; in medicines other than for smoking cessation
1392	Nicotinic acid except nicotinamide; except when specified elsewhere in this schedule
1393	Nicoumalone
1394	Nifedipine
1395	Nifenazone
1396	Nikethamide
1397	Nilotinib
1398	Nilutamide
1399	Nimesulide
1400	Nimetazepam
1401	Nimodipine
1402	Nimorazole
1403	Nintedanib
1404	Niridazole
1405	Nisoldipine
1406	Nitazoxanide
1407	Nitisinone
1408	Nitrazepam
1409	Nitrendipine
1410	Nitric oxide
1411	Nitrofurantoin
1412	Nitrofurazone
1413	Nitrous oxide; when supplied for inhalation
1414	Nitroxoline

- 1415 Nivolumab
- 1416 Nizatidine; except when specified elsewhere in this schedule
- 1417 Nomegestrol
- 1418 Nomifensine
- 1419 Noopept (and its stereoisomers)
- 1420 Noradrenaline
- 1421 Norandrostenolone
- 1422 Norbolethone
- 1423 Norclostebol
- 1424 Nordazepam
- 1425 Norelgestromin
- 1426 Norethandrolone
- 1427 Norethisterone; except when supplied for oral contraception to women who meet the clinical and eligibility criteria of the Pharmacy Council and the Pharmaceutical Society of New Zealand Incorporated approved training programme on oral contraception, when sold in the manufacturer's original pack that has received the consent of the Minister or Director-General to their distribution as medicines, containing not more than 6 months' supply by a registered pharmacist who has successfully completed the approved training programme
- 1428 Norfloxacin
- 1429 Norgestrel
- 1430 Noribogaine
- 1431 Normethandrone
- 1432 Nortriptyline
- 1433 Noxiptyline
- 1434 Nusinersen
- 1435 Nux vomica; except in medicines containing 1 milligram or less per litre or per kilogram of strychnine
- 1436 Nystatin; except when specified elsewhere in this schedule
- 1437 Obinutuzumab
- 1438 Ocrelizumab
- 1439 Ocriplasmin
- 1440 Octamylamine
- 1441 Octatropine
- 1442 Octreotide
- 1443 Octyl nitrite

1444	Oestradiol; except in medicines containing 10 micrograms or less per litre or per kilogram
1445	Oestriol
1446	Oestrogens
1447	Oestrone; except in medicines containing 1 milligram or less per litre or per kilogram
1448	Ofatumumab
1449	Ofloxacin
1450	Olanzapine
1451	Olaparib
1452	Oleandomycin
1453	Oleandrin
1454	Olmesartan
1455	Olodaterol
1456	Olopatadine
1457	Olsalazine
1458	Omalizumab
1459	Ombitasvir
1460	Omeprazole; except when specified elsewhere in this schedule
1461	Ondansetron
1462	Opipramol
1463	Opium; except when specified elsewhere in this schedule
1464	Orciprenaline
1465	Orlistat; except in medicines for weight control containing 120 milligrams or less per dose form
1466	Ornidazole
1467	Ornipressin
1468	Orphenadrine
1469	Orthopterin
1470	Oseltamivir; except when specified elsewhere in this schedule
1471	Osimertinib
1472	Otilonium bromide
1473	Ouabain
1474	Ovandrotone
1475	Oxabolone



1476	Oxacillin
1477	Oxaliplatin
1478	Oxandrolone
1479	Oxaprozin
1480	Oxazepam
1481	Oxazolam
1482	Oxcarbazepine
1483	Oxedrine; except in medicines containing 30 milligrams or less per recommended daily dose
1484	Oxetacaine; except for internal use
1485	Oxiconazole; except when specified elsewhere in this schedule
1486	Oxiracetam (and its stereoisomers)
1487	Oxitropium
1488	Oxolamine
1489	Oxolinic acid
1490	Oxpentifylline
1491	Oxprenolol
1492	Oxybuprocaine; except when used in practice by an optometrist registered with the Optometrists and Dispensing Opticians Board
1493	Oxybutynin
1494	Oxycodone
1495	Oxymesterone
1496	Oxymetholone
1497	Oxyphenbutazone
1498	Oxyphencyclimine
1499	Oxyphenisatin; at all strengths
1500	Oxyphenonium
1501	Oxytetracycline
1502	Oxytocin; except in medicines containing 1 microgram or less per litre or per kilogram
1503	Paclitaxel
1504	Palbociclib
1505	Palifermin
1506	Paliperidone
1507	Palivizumab

1508	Palonosetron
1509	Pamaquin
1510	Pamidronic acid
1511	Pancreatic enzymes; except in medicines containing 20 000 BP units or less of lipase activity
1512	Pancuronium
1513	Panitumumab
1514	Panobinostat
1515	Pantoprazole; except when specified elsewhere in this schedule
1516	Papaveretum
1517	Papaverine; for injection
1518	Paracetamol; except when specified elsewhere in this schedule
1519	Paraldehyde
1520	Paramethadione
1521	Paramethasone
1522	Parecoxib
1523	Paricalcitol
1524	Paritabprevir
1525	Paromomycin
1526	Paroxetine
1527	Pasireotide
1528	Patent blue V; for injection when used in diagnostic procedures
1529	Patiromer sorbitex calcium
1530	Pazopanib
1531	Pecazine
1532	Pefloxacin
1533	Pegaptanib
1534	Pegaspargase
1535	Pegfilgrastim
1536	Peginterferon
1537	Peginterferon beta-1a
1538	Pegvisomant
1539	Pembrolizumab
1540	Pemetrexed
1541	Pemoline

- 1542 Pempidine
- 1543 Penbutolol
- 1544 Penciclovir; except when specified elsewhere in this schedule
- 1545 Penicillamine
- 1546 Pentaerythrityl tetranitrate
- 1547 Pentagastrin
- 1548 Pentamethonium
- 1549 Pentamidine
- 1550 Pentazocine
- 1551 Penthienate
- 1552 Pentolinium
- 1553 Pentosan polysulfate sodium
- 1554 Pentostatin
- 1555 Pentoxifylline
- 1556 Peramivir
- 1557 Perampanel
- 1558 Pergolide
- 1559 Perhexiline
- 1560 Pericyazine
- 1561 Perindopril
- 1562 Permethrin; except in medicines containing 5% or less
- 1563 Perphenazine
- 1564 Pertussis antigen
- 1565 Pertussis (whooping cough) vaccine
- 1566 Pertuzumab
- 1567 Pethidine
- 1568 Phenacemide
- 1569 Phenacetin; except when present as an excipient
- 1570 Phenaglycodol
- 1571 Phenazone; except for external use
- 1572 Phenazopyridine
- 1573 Phenelzine
- 1574 Pheneticillin
- 1575 Phenformin
- 1576 Phenglutarimide

1577	Phenibut
1578	Phenindione
1579	Pheniramine; except when specified elsewhere in this schedule
1580	Phenisatin
1581	Phenobarbital
1582	Phenol; for injection
1583	Phenolphthalein
1584	Phenoperidine
1585	Phenoxybenzamine
1586	Phenoxymethylpenicillin
1587	Phensuximide
1588	Phentermine
1589	Phenthimentionium
1590	Phentolamine
1591	Phenylbutazone
1592	Phenylephrine; except when specified elsewhere in this schedule
1593	Phenylpropanolamine
1594	Phenyltoloxamine
1595	Phenytoin
1596	Phleum pratense extract
1597	Pholcodine; except when specified elsewhere in this schedule
1598	Phosphodiesterase type 5 inhibitors; except when present as an unmodified, naturally occurring substance; except when specified elsewhere in this schedule
1599	Phthalylsulfathiazole
1600	Physostigmine
1601	Pibrentasvir
1602	Picibanil
1603	Picric acid
1604	Picrotoxin
1605	Pilocarpine; except in medicines containing 0.025% or less
1606	Pimecrolimus
1607	Pimozide
1608	Pinacidil
1609	Pinazepam

- 1610 Pindolol
- 1611 Pioglitazone
- 1612 Pipecuronium
- 1613 Pipemidic acid
- 1614 Pipenzolate
- 1615 Piperacetam
- 1616 Piperacillin
- 1617 Piperidine
- 1618 Piperidolate
- 1619 Pipobroman
- 1620 Pipothiazine
- 1621 Pipradrol
- 1622 Piracetam
- 1623 Pirbuterol
- 1624 Pirenoxine
- 1625 Pirenzepine
- 1626 Piretanide
- 1627 Pirfenidone
- 1628 Piroxicam; except for external use
- 1629 Pirprofen
- 1630 Pitavastatin
- 1631 Pituitary hormones
- 1632 Pivampicillin
- 1633 Pizotifen
- 1634 Plerixafor
- 1635 Plicamycin
- 1636 Pneumococcal vaccine; except in oral vaccines for the prophylaxis of bacterial complications of colds
- 1637 Podophyllotoxin; for internal use; for external use for the treatment of anogenital warts; for other external use in medicines containing more than 1%; except in medicines containing 1 milligram or less of podophyllin per litre or per kilogram
- 1638 Podophyllum emodi; for internal use; for external use for the treatment of anogenital warts; for other external use in medicines containing more than 20% of podophyllin; except in medicines containing 1 milligram or less of podophyllin per litre or per kilogram

- 1639 Podophyllum peltatum; for internal use; for external use for the treatment of anogenital warts; for other external use in medicines containing more than 20% of podophyllin; except in medicines containing 1 milligram or less of podophyllin per litre or per kilogram
- 1640 Polidexide
- 1641 Poliomyelitis vaccine
- 1642 Polyacrylamide; in injections or implants for tissue augmentation or cosmetic use
- 1643 Polyestradiol
- 1644 Polylactic acid; in injections or implants for tissue augmentation or cosmetic use
- 1645 Polymyxin
- 1646 Polysulfated glycosaminoglycans; for injection except in intraocular viscoelastic products
- 1647 Polythiazide
- 1648 Pomalidomide
- 1649 Ponatinib
- 1650 Poractant alfa
- 1651 Posaconazole
- 1652 Potassium bromide
- 1653 Potassium perchlorate
- 1654 Practolol
- 1655 Pradofloxacin
- 1656 Pralatrexate
- 1657 Pralidoxime
- 1658 Pralmorelin
- 1659 Pramipexole
- 1660 Pramiracetam
- 1661 Pramocaine
- 1662 Prampine
- 1663 Prasterone
- 1664 Prasugrel
- 1665 Pravastatin
- 1666 Prazepam
- 1667 Praziquantel
- 1668 Prazosin

- 1669 Prednisolone
- 1670 Prednisone
- 1671 Pregabalin
- 1672 Pregnenolone
- 1673 Prenalterol
- 1674 Prenylamine
- 1675 Prilocaine; for injection except when used as a local anaesthetic in practice by a dental therapist or an oral therapist registered with the Dental Council; except when specified elsewhere in this schedule
- 1676 Primaquine
- 1677 Primidone
- 1678 Probenecid
- 1679 Probucol
- 1680 Procainamide
- 1681 Procaine
- 1682 Procaine penicillin
- 1683 Procarbazine
- 1684 Prochlorperazine; except when specified elsewhere in this schedule; except when sold for the treatment of nausea associated with emergency contraception by pharmacists or nurses accredited to sell levonorgestrel for emergency contraception
- 1685 Procyclidine; except for dermal use in medicines containing 5% or less
- 1686 Progesterone; except in medicines containing 1 milligram or less per litre or per kilogram
- 1687 Progestogens
- 1688 Proglumide
- 1689 Proguanil
- 1690 Prolintane
- 1691 Promazine
- 1692 Promethazine; except when specified elsewhere in this schedule
- 1693 Promoxolane
- 1694 Propafenone
- 1695 Propamidine; except for ophthalmic use
- 1696 Propanidid
- 1697 Propantheline
- 1698 Propetandrol

1699	Propionibacterium acnes
1700	Propofol
1701	Propranolol; except in medicines containing 1 milligram or less per litre or per kilogram
1702	Propylthiouracil
1703	Propyphenazone
1704	Proquazone
1705	Proscillaridin
1706	Prostaglandins
1707	Protamine
1708	Prothionamide
1709	Prothipendyl
1710	Protirelin
1711	Protoveratrines
1712	Protriptyline
1713	Proxymetacaine; except when used in practice by an optometrist registered with the Optometrists and Dispensing Opticians Board
1714	Prucalopride
1715	Pseudoephedrine
1716	Pulmonaria spp; at all strengths
1717	Pyrazinamide
1718	Pyridinolcarbamate
1719	Pyridostigmine
1720	Pyridoxal; except in medicines containing 200 milligrams or less per recommended daily dose
1721	Pyridoxamine; except in medicines containing 200 milligrams or less per recommended daily dose
1722	Pyridoxine; except in medicines containing 200 milligrams or less per recommended daily dose
1723	Pyrimethamine
1724	Pyrvinium
1725	Quazepam
1726	Quetiapine
1727	Quinagolide
1728	Quinapril
1729	Quinbolone



1730	Quinethazone
1731	Quinidine
1732	Quinine; except in medicines containing 50 milligrams or less per recommended daily dose
1733	Quinisocaine
1734	Quinupristin
1735	Rabeprazole
1736	Rabies vaccine
1737	Raloxifene
1738	Raltegravir
1739	Raltitrexed
1740	Ramipril
1741	Ramucirumab
1742	Ranibizumab
1743	Ranitidine; except when specified elsewhere in this schedule
1744	Ranolazine
1745	Rapacuronium
1746	Rasagiline
1747	Rasburicase
1748	Rauwolfia serpentina
1749	Rauwolfia vomitoria
1750	Razoxane
1751	Reboxetine
1752	Recombinant human epidermal growth factor
1753	Recombinant varicella zoster virus glycoprotein E antigen
1754	Regorafenib
1755	Remestemcel-L
1756	Remifentanyl
1757	Remoxipride
1758	Repaglinide
1759	Reserpine
1760	Reslizumab
1761	Retapamulin
1762	Reteplase
1763	Retigabine

1764	Ribavirin
1765	Ribociclib
1766	Ridaforolimus
1767	Rifabutin
1768	Rifampicin
1769	Rifamycin
1770	Rifapentine
1771	Rifaximin
1772	Rilmazafone
1773	Rilpivirine
1774	Riluzole
1775	Rimexolone
1776	Rimiterol
1777	Rimonabant
1778	Riociguat
1779	Risedronic acid
1780	Risperidone
1781	Ritodrine
1782	Ritonavir
1783	Rituximab
1784	Rivaroxaban
1785	Rivastigmine
1786	Rizatriptan; except when specified elsewhere in this schedule
1787	Rocuronium
1788	Rofecoxib
1789	Roflumilast
1790	Rolipram (and its stereoisomers)
1791	Rolitetracycline
1792	Rolziracetam
1793	Romidepsin
1794	Romiplostim
1795	Ropinirole
1796	Ropivacaine
1797	Rosiglitazone
1798	Rosoxacin

1799	Rosuvastatin
1800	Rotavirus vaccine
1801	Rotigotine
1802	Roxibolone
1803	Roxithromycin
1804	Rubella vaccine
1805	Ruboxistaurin
1806	Rufinamide
1807	Rupatadine
1808	Ruxolitinib
1809	Sabadilla; except in preparations containing 10 milligrams or less of total alkaloids of <i>schoenocaulon officinale</i> per litre or per kilogram
1810	Sacubitril
1811	Safrole; for internal use except in medicines containing 0.1% or less
1812	Salbutamol
1813	Salcatonin
1814	Salmeterol
1815	Sapropterin
1816	Saquinavir
1817	Sargramostim
1818	Sarilumab
1819	Saxagliptin
1820	Schoenocaulon officinale; except in preparations containing 10 milligrams or less of total alkaloids of <i>schoenocaulon officinale</i> per litre or per kilogram
1821	Scopolia carniolica
1822	Sebelipase alfa
1823	Secbutabarbital
1824	Secobarbital
1825	Secukinumab
1826	Selective androgen receptor modulators
1827	Seletracetam (and its stereoisomers)
1828	Selegiline
1829	Selenium; except when specified elsewhere in this schedule; except for oral use in medicines containing 150 micrograms or less per recommended daily dose
1830	Selexipag

1831	Serelaxin
1832	Sermorelin
1833	Sertindole
1834	Sertraline
1835	Serum, dried human
1836	Sevelamer
1837	Sevoflurane
1838	Sex hormones and all substances having sex hormone activity
1839	Sialoepoetin
1840	Sibutramine
1841	Silandrone
1842	Sildenafil and its structural analogues; except sildenafil in medicines for oral use containing 100 milligrams or less per dose unit when sold in the manufacturer's original pack containing not more than 12 solid dosage units for the treatment of erectile dysfunction in males aged 35–70 years by a registered pharmacist who has successfully completed a training programme endorsed by the Pharmaceutical Society of New Zealand Incorporated
1843	Silicones; for injection
1844	Silodosin
1845	Siltuximab
1846	Silver sulfadiazine; except for external use in packs containing 50 grams or less
1847	Simeprevir
1848	Simvastatin
1849	Sirolimus
1850	Sisomicin
1851	Sitagliptin
1852	Sitaxentan
1853	Sodium bromide
1854	Sodium cellulose phosphate; for internal use
1855	Sodium cromoglycate; except for nasal and ophthalmic use
1856	Sodium morrhuate; for injection
1857	Sodium nitroprusside
1858	Sodium phenylbutyrate
1859	Sodium phosphate; in oral laxative preparations
1860	Sodium polystyrene sulphonate
1861	Sodium tetradecyl sulphate; for injection

1862	Sodium zirconium cyclosilicate
1863	Sofosbuvir
1864	Solasadine
1865	Solifenacin
1866	Somatostatin
1867	Somatropin
1868	Sonidegib
1869	Sontoquine
1870	Sorafenib
1871	Sotalol
1872	Sparfloxacin
1873	Sparteine
1874	Spectinomycin
1875	Spiramycin
1876	Spirapril
1877	Spirolactone
1878	Stanolone
1879	Stanozolol
1880	Staphylococcus aureus vaccine; except in oral vaccines for the prophylaxis of bacterial complications of colds
1881	Stavudine
1882	Stenbolone
1883	Steroid hormones
1884	Stilboestrol
1885	Stiripentol
1886	Stramonium; except for oral use when specified elsewhere in this schedule; except datura stramonium or datura tatula for smoking or burning
1887	Streptococcus beta-haemolyticus vaccine; except in oral vaccines for the prophylaxis of bacterial complications of colds
1888	Streptodornase
1889	Streptokinase
1890	Streptomycin
1891	Streptozocin
1892	Strontium ranelate
1893	Strophanthins

1894	Strophanthus spp
1895	Strychnos spp; except in medicines containing 1 milligram or less per litre or per kilogram of strychnine
1896	Styramate
1897	Succimer
1898	Sufentanil
1899	Sugammadex
1900	Sulbactam
1901	Sulconazole; except for dermal use
1902	Sulfacetamide; except for ophthalmic use in medicines containing 10% or less
1903	Sulfadiazine; except silver sulfadiazine for external use in pack sizes of 50 grams or less
1904	Sulfadimethoxine
1905	Sulfadimidine
1906	Sulfadoxine
1907	Sulfafurazole
1908	Sulfaguanidine
1909	Sulfamerazine
1910	Sulfamethizole
1911	Sulfamethoxazole
1912	Sulfamethoxydiazine
1913	Sulfamethoxypyridazine
1914	Sulfametrole
1915	Sulfamonomethoxine
1916	Sulfamoxole
1917	Sulfaphenazole
1918	Sulfapyridine
1919	Sulfasalazine
1920	Sulfathiazole
1921	Sulfatroxazole
1922	Sulfinpyrazone
1923	Sulfomyxin
1924	Sulfonmethane
1925	Sulindac
1926	Sultamicillin

1927	Sulthiame
1928	Sumatriptan; except when specified elsewhere in this schedule
1929	Sunifiram
1930	Sunitinib
1931	Suprofen
1932	Suvorexant
1933	Sutilains
1934	Suxamethonium
1935	Suxethonium
1936	T cell receptor antibody
1937	Tacrine
1938	Tacrolimus
1939	Tadalafil and its structural analogues
1940	Tafenoquine succinate
1941	Tafluprost
1942	Taliglucerase alfa
1943	Talimogene laherparepvec
1944	Tamoxifen
1945	Tamsulosin
1946	Tanacetum vulgare; except in medicines containing 0.8% or less of oil of tansy
1947	Tapentadol
1948	Tasonermin
1949	Tazarotene
1950	Tazobactam
1951	Teduglutide
1952	Tegafur
1953	Tegaserod
1954	Teicoplanin
1955	Telaprevir
1956	Telbivudine
1957	Telithromycin
1958	Telmisartan
1959	Telotristat ethyl
1960	Temazepam
1961	Temozolomide

1962	Temsirolimus
1963	Tenecteplase
1964	Teniposide
1965	Tenofovir
1966	Tenoxicam
1967	Terazosin
1968	Terbinafine; except when specified elsewhere in this schedule
1969	Terbutaline
1970	Terfenadine
1971	Teriflunomide
1972	Teriparatide
1973	Terlipressin
1974	Terodiline
1975	Teropterin
1976	Tesamorelin
1977	Testolactone
1978	Testosterone; except in medicines containing 1 milligram or less per litre or per kilogram
1979	Tetanus antitoxin
1980	Tetanus toxoid
1981	Tetanus vaccine
1982	Tetrabenazine
1983	Tetracosactrin
1984	Tetracycline
1985	Tetraethylammonium
1986	Tetrahydrocannabinol
1987	Tetrazepam
1988	Tetroxoprim
1989	Thalidomide
1990	Thenyldiamine
1991	Theophylline; except when specified elsewhere in this schedule
1992	Thevetia peruviana
1993	Thevetin
1994	Thiambutosine
1995	Thiazosulfone



1996	Thiethylperazine
1997	Thioacetazone
1998	Thiocarlide
1999	Thioguanine
2000	Thiomesterone
2001	Thiopentone
2002	Thiopropazate
2003	Thiopropazine
2004	Thioridazine
2005	Thiotepa
2006	Thiothixene
2007	Thiouracil
2008	Thiourea; except in medicines containing 0.1% or less
2009	Thymosin beta-4
2010	Thymoxamine
2011	Thyroid
2012	Thyrotrophin
2013	Thyrotrophin-releasing factor
2014	Thyroxine; except in medicines containing 10 micrograms or less per litre or per kilogram
2015	Tiagabine
2016	Tianeptine
2017	Tiaprofenic acid
2018	Tiaramide
2019	Tibolone
2020	Ticagrelor
2021	Ticarcillin
2022	Ticlopidine
2023	Tiemonium
2024	Tienilic acid
2025	Tigecycline
2026	Tigloidine
2027	Tiletamine
2028	Tilidine
2029	Tiludronic acid

---

2030	Timbetasin
2031	Timolol
2032	Tinidazole
2033	Tinzaparin
2034	Tioconazole; except when specified elsewhere in this schedule
2035	Tiotropium
2036	Tipepidine
2037	Tipiracil
2038	Tiprnavir
2039	Tirilazad
2040	Tirofiban
2041	Tizanidine
2042	Tobramycin
2043	Tocainide
2044	Tocilizumab
2045	Tofacitinib
2046	Tolazamide
2047	Tolazoline
2048	Tolbutamide
2049	Tolcapone
2050	Tolfenamic acid
2051	Tolmetin
2052	Tolonium
2053	Tolpropamine
2054	Tolrestat
2055	Tolterodine
2056	Tolvaptan
2057	Topiramate
2058	Topotecan
2059	Torasemide
2060	Toremifene
2061	Toxoids; for injection
2062	Tramadol
2063	Trametinib dimethyl sulfoxide
2064	Trandolapril

2065	Tranexamic acid
2066	Tranylecypromine
2067	Trastuzumab
2068	Trastuzumab emtansine
2069	Travoprost
2070	Trazodone
2071	Trenbolone
2072	Treosulphan
2073	Treprostinil
2074	Trestolone
2075	Tretamine
2076	Tretinoin
2077	Triacetyloleandomycin
2078	Triamcinolone; except when specified elsewhere in this schedule
2079	Triamterene
2080	Triaziquone
2081	Triazolam
2082	Trichlormethiazide
2083	Trichloroacetic acid; except for external use in medicines containing 12.5% or less for the treatment of warts other than anogenital warts
2084	Trichloroethylene
2085	Trichodesma africana; at all strengths
2086	Triclofos
2087	Tricyclamol
2088	Tridihexethyl
2089	Trientine
2090	Trifluoperazine
2091	Trifluperidol
2092	Triflupromazine
2093	Trifluridine
2094	Trimeprazine; except when specified elsewhere in this schedule
2095	Trimetaphan
2096	Trimethoprim; except in medicines for oral use containing 300 milligrams or less per dose unit when sold in a pack of 3 solid dosage units to a woman aged 16–65 years for the treatment of an uncomplicated urinary tract infection by a

	registered pharmacist who has successfully completed the New Zealand College of Pharmacists' training in the treatment of urinary tract infections
2097	Trimipramine
2098	Trimustine
2099	Trinitrophenol
2100	Trioxysalen
2101	Triparanol; at all strengths
2102	Triple antigen vaccine
2103	Triprolidine; except when specified elsewhere in this schedule
2104	Triptorelin
2105	Troglitazone
2106	Trometamol; for injection in medicines containing more than 3%
2107	Tropicamide; except when used in practice by an optometrist registered with the Optometrists and Dispensing Opticians Board
2108	Tropisetron
2109	Trovafloxacin
2110	Troxidone
2111	Tryptophan; except in medicines containing 100 milligrams or less per recommended daily dose; except in parenteral nutrition replacement preparations
2112	Tuberculin
2113	Tuberculosis vaccine
2114	Tubocurarine
2115	Tulobuterol
2116	Typhoid vaccine
2117	Ulipristal
2118	Umeclidinium bromide
2119	Unoprostone
2120	Uracil
2121	Urapidil
2122	Urethane
2123	Urofollitropin
2124	Urokinase
2125	Ursodeoxycholic acid
2126	Ustekinumab
2127	Vaccines; except when specified elsewhere in this schedule

2128	Vaccinia virus vaccine
2129	Valaciclovir
2130	Valdecoxib
2131	Valganciclovir
2132	Valnoctamide
2133	Valproic acid
2134	Valsartan
2135	Vancomycin
2136	Vandetanib
2137	Vardenafil and its structural analogues
2138	Varenicline
2139	Varicella vaccine; except when administered for the prevention of herpes zoster (shingles) to a person 50 years of age or over by a registered pharmacist who has successfully completed a vaccinator training course approved by the Ministry of Health and who is complying with the immunisation standards of the Ministry of Health
2140	Vasopressin
2141	Vecuronium
2142	Vedolizumab
2143	Velaglucerase alfa
2144	Velpatasvir
2145	Vemurafenib
2146	Venetoclax
2147	Venlafaxine
2148	Verapamil
2149	Veratrum spp
2150	Vernakalant
2151	Verteporfin
2152	Veruprevir
2153	Vidarabine
2154	Vigabatrin
2155	Vilanterol
2156	Vildagliptin
2157	Viloxazine
2158	Vinblastine

2159	Vincamine
2160	Vincristine
2161	Vindesine
2162	Vinflunine
2163	Vinorelbine
2164	Vinyl ether
2165	Virginiamycin
2166	Vismodegib
2167	Visnadine
2168	Vitamin A; except for internal use in medicines containing 3 milligrams or less of retinol equivalents per recommended daily dose; except in parenteral nutrition replacement preparations; except for external use in medicines containing 1% or less
2169	Vitamin D; except for external use; except for internal use in medicines containing 25 micrograms or less per recommended daily dose; except in parenteral nutrition replacement preparations
2170	Vorapaxar
2171	Voriconazole
2172	Vorinostat
2173	Vortioxetine
2174	Warfarin
2175	Xamoterol
2176	Xanthinol nicotinate
2177	Ximelagatran
2178	Xipamide
2179	Yellow fever vaccine
2180	Yohimbine
2181	Zafirlukast
2182	Zalcitabine
2183	Zaleplon
2184	Zanamivir
2185	Zidovudine
2186	Zimeldine
2187	Zinc; except for internal use in medicines containing 25 milligrams or less per recommended daily dose; except for internal use in medicines containing 50 milligrams or less and more than 25 milligrams per recommended daily dose in

packs that have received the consent of the Minister or the Director-General to their distribution as general sale medicines, when sold in the manufacturer's original pack and when labelled with a statement that the product may be dangerous if taken in large amounts or for long periods; except for external use when in medicines containing 5% or less; except in parenteral nutrition replacement preparations

2188 Ziprasidone

2189 Zoledronic acid

2190 Zolmitriptan; except when specified elsewhere in this schedule

2191 Zolpidem

2192 Zonisamide

2193 Zopiclone

2194 Zoster immunoglobulin, human

2195 Zoxazolamine

2196 Zuclopenthixol

## **Part 2**

### **Restricted medicines**

1 Adrenaline; in medicines containing 1% or less except in medicines for injection containing 0.02% or less

2 Alclometasone; for dermal use in medicines containing 0.05% or less and in packs containing not more than 30 grams that have received the consent of the Minister or the Director-General to their distribution as restricted medicines, when sold in the manufacturer's original pack

3 Aminophylline; for oral use in liquid form in medicines containing 2% or less

4 Amorolfine; for external use in medicines containing more than 0.25%

5 Aspirin; in slow-release forms; in enteric coated forms containing more than 300 milligrams per dose form

6 Azatadine; for oral use in adults and children over 2 years of age

7 Azelastine; in medicines for ophthalmic use containing 0.05% or less

8 Brompheniramine; for oral use in medicines for adults or children over 2 years of age other than in medicines used for the treatment of insomnia; for oral use for the treatment of insomnia when sold in the manufacturer's original pack containing not more than 10 dosage units

9 Buclizine; for oral use

10 Butoconazole; for vaginal use

11 Chloramphenicol; for ophthalmic use; except when sold in practice by an optometrist registered with the Optometrists and Dispensing Opticians Board

- 12 Chlorbutol; except when specified elsewhere in this schedule
- 13 Chlorpheniramine; for oral use in medicines for adults or children over 2 years of age other than in medicines used for the treatment of insomnia; for oral use for the treatment of insomnia when sold in the manufacturer's original pack containing not more than 10 dosage units
- 14 Ciclopirox; for external use in medicines containing more than 2%; in preparations for application to the nails containing more than 8%
- 15 Cimetidine; in medicines for the symptomatic relief of heartburn, dyspepsia, and hyperacidity or to be used on the recommendation of a registered medical practitioner, when sold in the manufacturer's original pack containing not more than 14 days' supply
- 16 Clemastine; for oral use
- 17 Clobetasone; for dermal use in medicines containing 0.05% or less and in packs containing not more than 30 grams that have received the consent of the Minister or the Director-General to their distribution as restricted medicines, when sold in the manufacturer's original pack
- 18 Clotrimazole; for vaginal use
- 19 Codeine; in medicines for oral use containing not more than 15 milligrams of codeine per solid dosage unit or per dose of liquid with a maximum daily dose not exceeding 100 milligrams of codeine, when combined with 1 or more active ingredients in such a way that the substance cannot be recovered by readily applicable means or in a yield that would constitute a risk to health, for use as an analgesic and when sold in a pack of not more than 5 days' supply, approved by the Minister or the Director-General for distribution as a restricted medicine
- 20 Cyclizine; for oral use other than in medicines used for the treatment of insomnia when sold in the manufacturer's original pack containing not more than 6 dosage units; for oral use in medicines used for the treatment of insomnia when sold in the manufacturer's original pack containing not more than 10 dosage units
- 21 Cyproheptadine; for oral use
- 22 Dexchlorpheniramine; for oral use in medicines for adults or children over 2 years of age other than in medicines used for the treatment of insomnia; for oral use for the treatment of insomnia when sold in the manufacturer's original pack containing not more than 10 dosage units
- 23 Di-iodohydroxy quinoline; for vaginal use
- 24 Diclofenac; in solid dose form in medicines containing 25 milligrams or less and more than 12.5 milligrams per dose form in packs containing not more than 30 tablets or capsules
- 25 Dimenhydrinate; for oral use in medicines for adults and children over 2 years of age; except when specified elsewhere in this schedule



- 26 Dimethindene; for oral use
- 27 Diphenhydramine; for oral use in medicines for adults or children over 2 years of age other than in medicines used for the treatment of insomnia; for oral use for the treatment of insomnia when sold in the manufacturer's original pack containing not more than 10 dosage units
- 28 Dithranol
- 29 Doxylamine; for oral use in medicines for adults or children over 2 years of age other than in medicines used for the treatment of insomnia; for oral use for the treatment of insomnia when sold in the manufacturer's original pack containing not more than 10 dosage units
- 30 Econazole; for vaginal use
- 31 Erythryl tetranitrate
- 32 Famciclovir; in divided solid dosage forms for oral use containing 500 milligrams or less for the treatment of recurrent herpes labialis when sold in the manufacturer's original pack containing up to 3 dosage units
- 33 Flavoxate
- 34 Fluconazole; for oral use in medicines that have received the consent of the Minister or the Director-General to their distribution as restricted medicines, when sold in the manufacturer's original pack containing 150 milligrams or less as a single dose for the treatment of vaginal candidiasis
- 35 Fluorides; for external use in liquid form in medicines containing 5.5 grams or less and more than 1 gram per litre or per kilogram and when sold in packs approved by the Minister or the Director-General for distribution as restricted medicines; for external use in non-liquid form in medicines containing 5.5 grams or less and more than 1 gram per litre or per kilogram, except in medicines containing 1.5 grams or less and more than 1 gram per litre or per kilogram; except when supplied to a dental professional registered with the Dental Council
- 36 Glucagon; except in medicines containing 100 micrograms or less per litre or per kilogram
- 37 Glyceryl trinitrate; for oral or sublingual use; for rectal use
- 38 Guaifenesin; for oral use in modified release form with a maximum recommended daily dose of not more than 2.4 grams when sold in the manufacturer's original pack containing more than 10 days' supply but not more than 30 days' supply; except for oral use in modified release form with a maximum recommended daily dose of not more than 2.4 grams when sold in the manufacturer's original pack containing not more than 10 days' supply; except for oral use in medicines containing 2% or less or 200 milligrams or less per dose form
- 39 Haemophilus influenzae vaccine; in oral vaccines for the prophylaxis of bacterial complications of colds

- 40 Hydrocortisone and hydrocortisone acetate but no other esters of hydrocortisone; for dermal use in medicines containing 1% or less but more than 0.5% by weight of hydrocortisone base with no other active ingredient except an anti-fungal and in a quantity of 30 grams or less or 30 millilitres or less per container; for dermal use in medicines containing 1% or less but more than 0.5% by weight of hydrocortisone base with no other active ingredient except 5% or less by weight of aciclovir and in a quantity of 2 grams or less or 2 millilitres or less per container in adults and children 12 years of age and older; in rectal medicines containing 1% or less but more than 0.5% by weight of hydrocortisone base and in combination with a local anaesthetic and in a quantity of 35 grams or less per container or up to 12 suppositories per pack
- 41 Hyoscine butylbromide; for oral use in medicines containing not more than 20 milligrams per dose form and in packs containing not more than 10 tablets or capsules for the relief of muscle spasm of the gastrointestinal tract
- 42 Ibuprofen; for oral use in tablets or capsules containing up to 400 milligrams per dose form and in packs containing not more than 50 dose units and that have received the consent of the Minister or the Director-General to their distribution as restricted medicines, when sold in the manufacturer's original pack labelled for use by adults or children over 12 years of age
- 43 Inositol nicotinate
- 44 Isoconazole; for vaginal use
- 45 Ketoprofen; in solid dose form containing 25 milligrams or less per dose form in packs of not more than 30 capsules or tablets
- 46 Lansoprazole; in divided solid dosage forms for oral use containing 15 milligrams or less with a maximum daily dose of 15 milligrams for the short-term symptomatic relief of gastric reflux-like symptoms in sufferers aged 18 years and over for the relief of heartburn when sold in the manufacturer's original pack containing not more than 14 dosage units
- 47 Levonorgestrel; in medicines for use as emergency post-coital contraception when in packs containing not more than 1.5 milligrams
- 48 Macrogols; in oral preparations for bowel cleansing prior to diagnostic, medical, or surgical procedures
- 49 Malathion; except for external use in medicines containing 2% or less
- 50 Mannityl hexanitrate
- 51 Meclozine; in a pack size of up to 10 dosage units for the treatment of insomnia
- 52 Mepyramine; for oral use in medicines for adults or children over 2 years of age other than in medicines used for the treatment of insomnia; for oral use for the treatment of insomnia when sold in the manufacturer's original pack containing not more than 10 dosage units
- 53 Methdilazine; for oral use

- 54 Metoclopramide; when compounded with paracetamol in packs of not more than 10 tablets or capsules for the treatment of nausea associated with migraine
- 55 Miconazole; for the treatment of oral candidiasis; for vaginal use
- 56 Nicotinic acid except nicotinamide; in medicines containing 250 milligrams or less but more than 100 milligrams per dose form; except in medicines containing 100 milligrams or less per dose form
- 57 Nicotiny alcohol; except in medicines containing 100 milligrams or less per dose form
- 58 Nystatin; for the treatment of oral candidiasis; for vaginal use
- 59 Orlistat; in medicines for weight control containing 120 milligrams or less per dose form
- 60 Oseltamivir; in solid dosage forms for oral use containing 75 milligrams in a pack size of up to 10 dosage units for the treatment or prophylaxis of influenza in adults and children aged 13 years and older who have been exposed to the influenza virus
- 61 Oxiconazole; for vaginal use
- 62 Pheniramine; for oral use in medicines for adults or children over 2 years of age other than in medicines used for the treatment of insomnia; for oral use for the treatment of insomnia when sold in the manufacturer's original pack containing not more than 10 dosage units
- 63 Pneumococcal vaccine; in oral vaccines for the prophylaxis of bacterial complications of colds
- 64 Podophyllotoxin; for external use for the treatment of warts other than anogenital warts in medicines containing 1% or less and more than 0.5%; except in medicines containing 1 milligram or less of podophyllin per litre or per kilogram
- 65 Podophyllum emodi; for external use for the treatment of warts other than anogenital warts in medicines containing 20% or less and more than 10% of podophyllin; except in medicines containing 1 milligram or less of podophyllin per litre or per kilogram
- 66 Podophyllum peltatum; for external use for the treatment of warts other than anogenital warts in medicines containing 20% or less and more than 10% of podophyllin; except in medicines containing 1 milligram or less of podophyllin per litre or per kilogram
- 67 Prochlorperazine; in packs containing not more than 10 tablets or capsules for the treatment of nausea associated with migraine
- 68 Promethazine; for oral use in medicines for adults or children over 2 years of age other than in medicines used for the treatment of insomnia; for oral use for the treatment of insomnia when sold in the manufacturer's original pack containing not more than 10 dosage units

- 69 Rizatriptan; for oral use in medicines for the acute relief of migraine attacks with or without aura in patients who have a stable, well-established pattern of symptoms, when in wafers containing 5 milligrams or less per wafer and when sold in a pack containing not more than 2 wafers approved by the Minister or the Director-General for distribution as a restricted medicine
- 70 Salicylic acid; except in medicines for dermal use containing 40% or less
- 71 Santonin
- 72 Sodium phosphate; in oral preparations for bowel cleansing prior to diagnostic, medical, or surgical procedures
- 73 Sodium picosulphate; in oral preparations for bowel cleansing prior to diagnostic, medical, or surgical procedures
- 74 Staphylococcus aureus vaccine; in oral vaccines for the prophylaxis of bacterial complications of colds
- 75 Stramonium; for oral use in liquid form; in solid dose form in medicines containing more than 0.3 milligrams per dose or more than 1.2 milligrams per recommended daily dose
- 76 Streptococcus beta-haemolyticus vaccine; in oral vaccines for the prophylaxis of bacterial complications of colds
- 77 Sulfacetamide; for ophthalmic use in medicines containing 10% or less
- 78 Sumatriptan; for oral use in medicines for the acute relief of migraine attacks with or without aura in patients who have a stable, well-established pattern of symptoms when in tablets containing 50 milligrams or less per tablet and when sold in a pack containing not more than 2 tablets that has received the consent of the Minister or the Director-General to its sale as a restricted medicine
- 79 Theophylline; in liquid form for oral use in medicines containing 2% or less
- 80 Tioconazole; for vaginal use
- 81 Triamcinolone; for buccal use in medicines containing 0.1% or less of triamcinolone acetonide and in pack sizes of 5 grams or less
- 82 Trimeprazine; for oral use in medicines for adults or children over 2 years of age other than in medicines used for the treatment of insomnia; for oral use for the treatment of insomnia when sold in the manufacturer's original pack containing not more than 10 dosage units
- 83 Triprolidine; for oral use in medicines for adults and children over 2 years of age; except when specified elsewhere in this schedule
- 84 Zolmitriptan; in a pre-filled nasal spray device containing not more than 5 milligrams of zolmitriptan, for the acute relief of migraine attacks with or without aura in patients who have a stable, well-established pattern of symptoms and when sold in a pack of not more than 2 devices approved by the Minister or the Director-General for distribution as a restricted medicine

### Part 3

#### Pharmacy-only medicines

- 1 8-hydroxyquinoline and its non-halogenated derivatives; in medicines containing more than 1% of such substances; except for hydroxyquinoline sulphate for external use
- 2 Acetic acid and preparations containing more than 80% of acetic acid (CH<sub>3</sub>COOH); excluding its salts and derivatives
- 3 Acetylcysteine; for oral use in medicines containing more than 1 gram per recommended daily dose
- 4 Aciclovir; for external use for the treatment of herpes labialis except in medicines containing 5% or less and in tubes containing 10 grams or less
- 5 Aconitum spp; for oral use in packs containing 0.2 milligrams or less and more than 0.02 milligrams of total alkaloids; for dermal use in concentrations of 0.02% or less and in packs containing 0.2 milligrams or less and more than 0.02 milligrams of total alkaloids
- 6 Aloes; for internal use; except when obtained solely from the mucilaginous gel of the leaf
- 7 Aloin
- 8 Aloxiprin
- 9 Amethocaine; for external use in medicines containing 10% or less and more than 2%; except in medicines for external use containing 2% or less
- 10 Amorolfine; in preparations for topical use; except in preparations for the treatment of tinea pedis only or when sold in practice by a podiatrist registered with the Podiatrists Board
- 11 Antazoline; for ophthalmic use except when sold in practice by an optometrist registered with the Optometrists and Dispensing Opticians Board
- 12 Atropa belladonna; for external use in medicines containing 0.03% or less of the alkaloids of belladonna; for oral use in liquid form in medicines containing 0.03% or less and 0.3 milligrams or less per dose and not more than 1.2 milligrams per recommended daily dose of the alkaloids of belladonna or in solid dose form in medicines containing 0.3 milligrams or less per dose form and not more than 1.2 milligrams per recommended daily dose of the alkaloids of belladonna
- 13 Atropine; for oral use in liquid form in medicines containing 0.03% or less and 0.3 milligrams or less per dose and not more than 1.2 milligrams per recommended daily dose or in solid dose form in medicines containing 0.3 milligrams or less per dose form and not more than 1.2 milligrams per recommended daily dose; in medicines containing atropine sulphate for the treatment of organophosphorus poisoning either in packs of not more than 20 dose units containing 0.6 milligrams or less per dose unit or in injections in packs of not

- more than 5 vials containing 0.6 milligrams per millilitre; except when sold as an antidote in a device designed for self-injection from outlets licensed to sell organophosphorus poisons; except in medicines containing 300 micrograms or less per litre or per kilogram
- 14 Azelaic acid; for dermal use
- 15 Azelastine; in preparations for nasal use containing 0.15% azelastine hydrochloride or less; in topical eye preparations containing 0.05% or less
- 16 Beclomethasone; for the treatment or prophylaxis of allergic rhinitis in adults and children over 12 years of age in aqueous nasal sprays delivering up to 50 micrograms per actuation when the maximum recommended daily dose is no greater than 400 micrograms (200 micrograms per nostril) in a pack containing 200 actuations or less
- 17 Benzocaine; in preparations for topical use, other than eye drops, containing 10% or less of total anaesthetic substances except in dermal preparations containing 2% or less of total anaesthetic substances; in divided preparations containing 200 milligrams or less of total anaesthetic substances per dosage unit except in lozenges containing 30 milligrams or less of total anaesthetic substances per dosage unit
- 18 Benzoyl peroxide; for external use in medicines containing more than 5% and not more than 10%; except for medicines for external use containing 5% or less
- 19 Benzydamine; for external use except for oromucosal or topical use
- 20 Bephenium
- 21 Bifonazole; except when specified elsewhere in this schedule; except for dermal use in medicines for tinea pedis only or in shampoos containing 1% or less or when sold in practice by a podiatrist registered with the Podiatrists Board
- 22 Bilastine; in divided solid dosage forms for oral use containing 20 milligrams or less for the treatment of the symptoms of allergic rhinoconjunctivitis (seasonal and perennial) and urticaria when sold in a pack containing not more than 30 dosage units
- 23 Bisacodyl
- 24 Bromhexine
- 25 Brompheniramine; for oral use in medicines for adults and children over 6 years of age when combined in the same container with 1 or more other therapeutically active ingredients either when in the bedtime dose of a day/night pack containing brompheniramine or when at least 1 of the other active ingredients is a sympathomimetic decongestant
- 26 Budesonide; for the treatment or prophylaxis of allergic rhinitis in adults and children over 12 years of age in aqueous nasal sprays delivering up to 50 micrograms per actuation and when the maximum recommended daily dose is no greater than 400 micrograms (200 micrograms per nostril) in a pack containing 200 actuations or less

- 27 Carbetapentane; except in medicines containing 0.5% or less
- 28 Carbocisteine
- 29 Cetirizine; for oral use except in divided solid dosage forms for oral use containing 10 milligrams or less of cetirizine hydrochloride per dose form for the treatment of seasonal allergic rhinitis when sold in the manufacturer's original pack containing not more than 5 days' supply
- 30 Chlophedianol
- 31 Chlorbutol; in medicines containing 5% or less and more than 0.5%; except in medicines containing 0.5% or less
- 32 Chloroform; in medicines other than for anaesthesia containing more than 0.5%; except in medicines containing 0.5% or less
- 33 Chlorpheniramine; for oral use in medicines for adults and children over 6 years of age when combined in the same container with 1 or more other therapeutically active ingredients either when in the bedtime dose of a day/night pack containing chlorpheniramine or when at least 1 of the other active ingredients is a sympathomimetic decongestant
- 34 Ciclopirox; for external use in medicines containing 2% or less except when for the treatment of tinea pedis only or when sold in practice by a podiatrist registered with the Podiatrists Board; in preparations for application to the nails containing 8% or less
- 35 Cinchocaine; for external use in medicines containing 0.5% or less
- 36 Cinnamedrine
- 37 Clotrimazole; for external use except in medicines for tinea pedis only or when sold in practice by a podiatrist registered with the Podiatrists Board
- 38 Cocaine; in medicines for oral use, containing not more than 0.1% of cocaine, when combined with 1 or more active ingredients in such a way that the substance cannot be recovered by readily applicable means or in a yield that would constitute a risk to health, and when sold in a pack approved by the Minister or the Director-General for distribution as a pharmacy-only medicine
- 39 Codeine; in medicines for oral use, containing not more than 15 milligrams of codeine per solid dosage unit or per dose of liquid with a maximum daily dose not exceeding 100 milligrams of codeine, when combined with 1 or more active ingredients in such a way that the substance cannot be recovered by readily applicable means or in a yield that would constitute a risk to health, for the treatment of the symptoms of cough and cold and when sold in a pack of not more than 6 days' supply, approved by the Minister or the Director-General for distribution as a pharmacy-only medicine
- 40 Colocynth
- 41 Creosote; except in medicines containing 10% or less
- 42 Cresols; except in medicines containing 3% or less

- 43 Datura spp; for oral use in liquid form in medicines containing 0.03% or less and 0.3 milligrams or less per dose and not more than 1.2 milligrams per recommended daily dose of total solanaceous alkaloids; in solid dose form in medicines containing 0.3 milligrams or less per dose form and not more than 1.2 milligrams per recommended daily dose of total solanaceous alkaloids
- 44 Delphinium staphisagria; except in medicines containing 0.2% or less
- 45 Desloratadine; for oral use
- 46 Dexchlorpheniramine; for oral use in medicines for adults and children over 6 years of age when combined in the same container with 1 or more other therapeutically active ingredients either when in the bedtime dose of a day/night pack containing dexchlorpheniramine or when at least 1 of the other active ingredients is a sympathomimetic decongestant
- 47 Dextromethorphan; in liquid form containing more than 0.25% or in solid dose form containing more than 15 milligrams per dose form when in packs containing not more than 600 milligrams and with a recommended daily dose of not more than 120 milligrams; in medicines for the treatment of the symptoms of cough and cold in children aged 6–12 years; except in liquid form containing 0.25% or less in solid dose form containing 15 milligrams or less per dose form when in packs containing not more than 600 milligrams and with a recommended daily dose of not more than 120 milligrams
- 48 Dibrompropamide; for ophthalmic use except when sold in practice by an optometrist registered with the Optometrists and Dispensing Opticians Board
- 49 Diclofenac; in solid dose form in medicines containing 12.5 milligrams or less per dose form in packs containing not more than 30 tablets or capsules and with a recommended daily dose of not more than 75 milligrams
- 50 Diphenoxylate; in liquid form containing in each millilitre not more than 0.5 milligrams of diphenoxylate calculated as base and not less than 5 micrograms of atropine sulphate; in solid dose form containing not more than 2.5 milligrams of diphenoxylate calculated as base and not less than 5 micrograms of atropine sulphate
- 51 Dimenhydrinate; for oral use in a sealed container of not more than 10 tablets or capsules for the prevention or treatment of motion sickness in adults or children over 2 years of age except when sold at a transport terminal or aboard a ship or an aircraft
- 52 Diphenhydramine; for oral use in medicines for adults and children over 6 years of age when combined in the same container with 1 or more other therapeutically active ingredients either when in the bedtime dose of a day/night pack containing diphenhydramine or when at least 1 of the other active ingredients is a sympathomimetic decongestant; for oral use in a sealed container of not more than 10 tablets or capsules for the prevention or treatment of motion sickness in adults and children over 2 years of age except when sold at a transport terminal or aboard a ship or an aircraft



- 53 Doxylamine; for oral use in medicines for adults and children over 6 years of age when combined in the same container with 1 or more other therapeutically active ingredients either when in the bedtime dose of a day/night pack containing doxylamine or when at least 1 of the other active ingredients is a sympathomimetic decongestant
- 54 *Duboisia leichhardtii*; for oral use in liquid form in medicines containing 0.03% or less and 0.3 milligrams or less per dose and not more than 1.2 milligrams per recommended daily dose of total solanaceous alkaloids; in solid dose form in medicines containing 0.3 milligrams or less per dose form and not more than 1.2 milligrams per recommended daily dose of total solanaceous alkaloids
- 55 *Duboisia myoporides*; for oral use in liquid form in medicines containing 0.03% or less and 0.3 milligrams or less per dose and not more than 1.2 milligrams per recommended daily dose of total solanaceous alkaloids; in solid dose form in medicines containing 0.3 milligrams or less per dose form and not more than 1.2 milligrams per recommended daily dose of total solanaceous alkaloids
- 56 Econazole; for dermal use except in medicines for tinea pedis only or when sold in practice by a podiatrist registered with the Podiatrists Board
- 57 Esomeprazole; in oral preparations containing 20 milligrams or less per dosage unit for the relief of heartburn and other symptoms of gastro-oesophageal reflux disease, in packs containing not more than 14 days' supply
- 58 Etafedrine
- 59 Ether; in medicines containing more than 10%; except in medicines containing 10% or less
- 60 Etofenamate; for external use
- 61 Famotidine; for the symptomatic relief of heartburn, dyspepsia, and hyperacidity or to be used on the recommendation of a registered medical practitioner, when sold in the manufacturer's original pack containing not more than 14 days' supply
- 62 Felbinac; for external use
- 63 Fexofenadine; for oral use except for the treatment of seasonal allergic rhinitis in adults and children 12 years of age and over when in capsules containing 60 milligrams or less of fexofenadine hydrochloride or in tablets containing 120 milligrams or less of fexofenadine hydrochloride with a maximum daily dose of 120 milligrams when sold in the manufacturer's original pack containing 10 dosage units or less and not more than 5 days' supply
- 64 Fluorides; for internal use in medicines containing 0.5 milligrams or less per dose unit; except in parenteral nutrition replacement preparations; for external use in liquid form in medicines containing 1 gram or less per litre or per kilogram and when sold in packs approved by the Minister or the Director-General

- for distribution as pharmacy-only medicines except in medicines containing 220 milligrams or less per litre or per kilogram and in packs containing not more than 120 milligrams of total fluoride; except when supplied to any dental professional registered with the Dental Council; except in medicines containing 15 milligrams or less per litre or per kilogram
- 65 Flurbiprofen; in locally acting oromucosal preparations containing 10 milligrams or less per dosage unit
- 66 Fluticasone; for the treatment or prophylaxis of allergic rhinitis in adults and children over 12 years of age when in aqueous nasal sprays delivering up to 50 micrograms per actuation with a maximum recommended daily dose of 200 micrograms (as a single dose) in a pack containing 200 actuations or less
- 67 Folic acid; for oral use in medicines containing more than 500 micrograms per recommended daily dose; except for oral use in medicines containing 500 micrograms or less per recommended daily dose; except in parenteral nutrition replacement preparations
- 68 Folinic acid; for oral use in medicines containing more than 500 micrograms per recommended daily dose; except for oral use in medicines containing 500 micrograms or less per recommended daily dose
- 69 Formaldehyde; except in medicines containing 5% or less
- 70 Gelsemium sempervirens; except in medicines containing 1 milligram or less per litre or per kilogram
- 71 Glutaraldehyde
- 72 Hexachlorophane; in medicines containing 3% or less but more than 0.75%; except in medicines containing 0.75% or less
- 73 Hydrocortisone and hydrocortisone acetate but no other esters of hydrocortisone; for dermal use in medicines containing 0.5% or less by weight of hydrocortisone base with no other active ingredient except an antifungal and in a quantity of 30 grams or less or 30 millilitres or less per container; in rectal medicines containing 0.5% or less by weight of hydrocortisone base and in combination with a local anaesthetic and in a quantity of 35 grams or less per container or 12 suppositories or fewer per pack
- 74 Hydrocyanic acid; for oral use in packs containing 5 milligrams or less and more than 0.5 milligrams; except in medicines containing 1 microgram or less per litre or per kilogram; except for oral use in packs containing 0.5 milligrams or less
- 75 Hydroquinone; for external use in medicines containing 2% or less except in hair preparations containing 1% or less
- 76 Hyoscine; for transdermal use in medicines containing 2 milligrams or less of total solanaceous alkaloids per dose unit; for oral use in liquid form in medicines containing 0.03% or less and 0.3 milligrams or less per dose and not more than 1.2 milligrams per recommended daily dose of total solanaceous

- alkaloids; in solid dose form in medicines containing 0.3 milligrams or less per dose form and not more than 1.2 milligrams per recommended daily dose of total solanaceous alkaloids
- 77 Hyoscyamine; for external use in medicines containing 0.03% or less of total solanaceous alkaloids; for oral use in liquid form in medicines containing 0.03% or less and 0.3 milligrams or less per dose and not more than 1.2 milligrams per recommended daily dose of total solanaceous alkaloids; in solid dose form in medicines containing 0.3 milligrams or less per dose form and not more than 1.2 milligrams per recommended daily dose of total solanaceous alkaloids
- 78 *Hyoscyamus niger*; for oral use in liquid form in medicines containing 0.03% or less (300 micrograms or less of total solanaceous alkaloids per litre or per kilogram) and 0.3 milligrams or less per dose and not more than 1.2 milligrams per recommended daily dose of total solanaceous alkaloids or in solid dose form in medicines containing 0.3 milligrams or less per dose form and not more than 1.2 milligrams per recommended daily dose except in packs containing 30 micrograms or less of total solanaceous alkaloids
- 79 Ibuprofen; for oral use in liquid form with a recommended daily dose of not more than 1.2 grams for the relief of pain and reduction of fever or inflammation when sold in the manufacturer's original pack containing not more than 8 grams; for oral use in solid dose form containing not more than 200 milligrams per dose form and with a recommended daily dose of not more than 1.2 grams when sold in the manufacturer's original pack containing not more than 100 dose units; except in divided solid dosage forms for oral use containing 200 milligrams or less per dose form with a recommended daily dose of not more than 1.2 grams and when sold in the manufacturer's original pack containing not more than 25 dose units; except for external use
- 80 Indanazoline
- 81 Indomethacin; for external use in medicines containing 1% or less; except in medicines containing 1 milligram or less per litre or per kilogram
- 82 Iodine; except for external use in medicines containing 2.5% or less; for internal use in medicines containing less than 300 micrograms per recommended daily dose
- 83 Ipecacuanha; in medicines containing 0.2% or less of emetine and 40 micrograms or more of ipecacuanha alkaloids per recommended dose for the treatment of the symptoms of cough and cold in children aged 6–12 years; except in medicines containing less than 40 micrograms of ipecacuanha alkaloids per recommended dose for the treatment of the symptoms of cough and cold in children aged 6–12 years
- 84 *Ipomoea* spp; except *ipomoea batatas*
- 85 *Ipratropium*; for nasal use

- 86 Iron; for oral use either in medicines containing more than 24 milligrams per recommended daily dose or in medicines containing more than 5 milligrams per dose unit and more than 750 milligrams of iron per pack; except in parenteral nutrition replacement preparations; except for oral use in medicines containing 24 milligrams or less per recommended daily dose in medicines containing not more than 5 milligrams per dose unit; except for oral use in medicines containing 24 milligrams or less per recommended daily dose in medicines containing more than 5 milligrams per dose unit in packs containing not more than 750 milligrams of iron
- 87 Isoconazole; for dermal use except when sold in practice by a podiatrist registered with the Podiatrists Board
- 88 Isopropamide; for dermal use in preparations containing 2% or less
- 89 Jalap resin
- 90 Ketoconazole; for dermal use except in medicines for tinea pedis only or when sold in practice by a podiatrist registered with the Podiatrists Board; except in medicines for treatment of the scalp containing 1% or less
- 91 Ketotifen; for ophthalmic use in medicines containing 0.025% or less except when sold in practice by an optometrist registered with the Optometrists and Dispensing Opticians Board
- 92 Leucovorin; in medicines containing more than 500 micrograms per recommended daily dose
- 93 Levocabastine; for nasal use; for ophthalmic use except when sold in practice by an optometrist registered with the Optometrists and Dispensing Opticians Board
- 94 Levocetirizine; for oral use
- 95 Lignocaine; for urethral use; for external use in medicines containing 10% or less and more than 2%
- 96 Lindane; for external use in medicines containing 2% or less
- 97 Lithium; for dermal use in medicines containing 1% or less but more than 0.01%; except for dermal use in medicines containing 0.01% or less
- 98 Lobelia inflata; except in medicines for smoking or burning
- 99 Lobeline; except when in medicines for smoking or burning
- 100 Lodoxamide; for ophthalmic use except when sold in practice by an optometrist registered with the Optometrists and Dispensing Opticians Board
- 101 Loperamide; in packs containing not more than 20 tablets or capsules; except in divided solid dosage forms for oral use containing 2 milligrams or less of loperamide per dosage form when sold in a pack containing not more than 8 dosage forms approved by the Minister or the Director-General for distribution as a general sales medicine for the symptomatic treatment of acute non-specific diarrhoea

- 102 Loratadine; for oral use; except in divided solid dosage forms for oral use containing 10 milligrams or less per dose form for the treatment of seasonal allergic rhinitis when sold in the manufacturer's original pack containing not more than 10 days' supply
- 103 Macrogols; in preparations for oral use as a liquid concentrate for laxative use
- 104 Mebendazole
- 105 Meclozine; in a sealed container of not more than 12 tablets or capsules for the prevention or treatment of travel sickness except when sold at a transport terminal or aboard a ship or aircraft
- 106 Mefenamic acid; in solid dose form in packs containing not more than 30 tablets or capsules for the treatment of dysmenorrhoea
- 107 Mepyramine; for dermal use; except for external use in medicines containing 2% or less in packs not exceeding 25 grams
- 108 Mercuric oxide; for ophthalmic use
- 109 Mercurochrome; in preparations for external use containing 2% or less
- 110 Mercury; for external use in medicines containing 0.5% or less; except in medicines containing 1 milligram or less per litre or per kilogram
- 111 Methoxamine; for external use in medicines containing more than 1%; except for external use in medicines containing 1% or less
- 112 Methoxyphenamine
- 113 Methylephedrine
- 114 Miconazole; for external use except in medicines for tinea pedis only or when sold in practice by a podiatrist registered with the Podiatrists Board
- 115 Minoxidil; for dermal use in medicines containing 5% or less
- 116 Mometasone; for the treatment or prophylaxis of allergic rhinitis in adults and children over 12 years of age in aqueous nasal sprays delivering up to 50 micrograms per actuation when the maximum recommended daily dose is no greater than 200 micrograms (as a single dose) in a pack containing 200 actuations or less
- 117 Morphine; in medicines for oral use containing not more than 0.2% of morphine, when combined with 1 or more active ingredients in such a way that the substance cannot be recovered by readily applicable means or in a yield that would constitute a risk to health, when sold in a pack approved by the Minister or the Director-General for distribution as a pharmacy-only medicine
- 118 Naphazoline; except for ophthalmic use when sold in practice by an optometrist registered with the Optometrists and Dispensing Opticians Board
- 119 Naproxen; in solid dose form containing 250 milligrams or less per dose form in packs of not more than 30 tablets or capsules
- 120 Niclosamide

- 121 Nicotine; for inhalation except when sold from a smoking cessation clinic run under the auspices of a registered medical practitioner, nurse, pharmacist, or psychologist
- 122 Nizatidine; in medicines for the symptomatic relief of heartburn, dyspepsia, and hyperacidity or to be used on the recommendation of a registered medical practitioner, when sold in the manufacturer's original pack containing not more than 14 days' supply
- 123 Noscapine
- 124 Nystatin; for dermal use except when sold in practice by a podiatrist registered with the Podiatrists Board; except in medicines for tinea pedis only or when sold in practice by a podiatrist registered with the Podiatrists Board
- 125 Omeprazole; in divided solid dosage forms for oral use containing 20 milligrams or less with a maximum daily dose of 20 milligrams for the short-term symptomatic relief of gastric reflux-like symptoms in sufferers aged 18 years and over when sold in the manufacturer's original pack containing not more than 28 dosage units
- 126 Opium; in medicines for oral use containing not more than 0.2% of morphine, when combined with 1 or more active ingredients in such a way that the substance cannot be recovered by readily applicable means, or in a yield that would constitute a risk to health, when sold in a pack approved by the Minister or the Director-General for distribution as a pharmacy-only medicine
- 127 Oxetacaine; for internal use
- 128 Oxiconazole; for dermal use except in medicines for tinea pedis only
- 129 Oxymetazoline; except for nasal use when sold at an airport; except for ophthalmic use when sold in practice by an optometrist registered with the Optometrists and Dispensing Opticians Board; except for nasal use in medicines containing 0.05% or less when sold in the manufacturer's original pack with a pack size of 20 millilitres or less
- 130 Pantoprazole; in divided solid dosage forms for oral use containing 20 milligrams or less with a maximum daily dose of 20 milligrams for the short-term symptomatic relief of gastric reflux-like symptoms in sufferers aged 18 years and over when sold in the manufacturer's original pack containing not more than 28 dosage units
- 131 Papaverine; except for injection
- 132 Paracetamol; in liquid form; in suppositories; in tablets or capsules containing 500 milligrams or less and in packs containing more than 10 grams and not more than 50 grams; in slow-release forms containing 665 milligrams or less and more than 500 milligrams; in powder form containing not more than 1 gram per sachet and more than 10 grams per pack; except in tablets or capsules containing 500 milligrams or less and in packs containing not more than 10

- grams; except in powder form in sachets containing 1 gram or less and in packs of not more than 10 grams
- 133 Paraformaldehyde; except in medicines containing 5% or less
- 134 Penciclovir; for external use for the treatment of herpes labialis; except in medicines for external use containing 1% or less in a pack containing 10 grams or less for the treatment of herpes labialis
- 135 Phedrazine
- 136 Phenazone; for external use
- 137 Pheniramine; for ophthalmic use except when sold in practice by an optometrist registered with the Optometrists and Dispensing Opticians Board; for oral use in medicines for adults and children over 6 years of age when combined in the same container with 1 or more other therapeutically active ingredients either when in the bedtime dose of a day/night pack containing pheniramine or when at least 1 of the other active ingredients is a sympathomimetic decongestant
- 138 Phenol; except in medicines other than for injection containing 3% or less
- 139 Phenylephrine; for nasal use in medicines containing more than 1%; for ophthalmic use in medicines containing 5% or less and more than 1%; for oral use in medicines containing more than 50 milligrams per recommended daily dose or in packs containing more than 250 milligrams of phenylephrine per pack; in medicines for the treatment of the symptoms of cough and cold in children aged 6–12 years; except for nasal or ophthalmic use in medicines containing 1% or less; except for oral use in medicines containing 50 milligrams or less per recommended daily dose and in packs containing 250 milligrams or less of phenylephrine per pack
- 140 Pholcodine; in medicines for oral use containing not more than 15 milligrams of pholcodine per solid dosage unit or per dose of liquid with a maximum daily dose not exceeding 100 milligrams of pholcodine, when combined with 1 or more active ingredients in such a way that the substance cannot be recovered by readily applicable means, or in a yield that would constitute a risk to health, when sold in a pack approved by the Minister or the Director-General for distribution as a pharmacy-only medicine
- 141 Piperazine
- 142 Podophyllotoxin; for external use for the treatment of warts other than anogenital warts in medicines containing 0.5% or less; except in medicines containing 1 milligram or less of podophyllin per litre or per kilogram
- 143 Podophyllum emodi; for external use for the treatment of warts other than anogenital warts in medicines containing 10% or less of podophyllin; except in medicines containing 1 milligram or less of podophyllin per litre or per kilogram

- 144 Podophyllum peltatum; for external use for the treatment of warts other than anogenital warts in medicines containing 10% or less of podophyllin; except in medicines containing 1 milligram or less of podophyllin per litre or per kilogram
- 145 Potassium; for internal use: in slow-release or enteric coated forms; except for internal use: in medicines containing 100 milligrams or less per recommended dose; in medicines containing more than 100 milligrams per recommended dose except in medicines for oral rehydration therapy, parenteral nutrition replacement, or dialysis; except in glucosamine sulphate complexed products containing 600 milligrams or less of potassium chloride per recommended dose; except for external use
- 146 Potassium chlorate; except in medicines containing 10% or less
- 147 Prilocaine; for dermal use in medicines containing 10% or less of local anaesthetic substances
- 148 Procyclidine; for dermal use in medicines containing 5% or less
- 149 Promethazine; for oral use in medicines for adults and children over 6 years of age when combined in the same container with 1 or more other therapeutically active ingredients either when in the bedtime dose of a day/night pack containing promethazine or when at least 1 of the other active ingredients is a sympathomimetic decongestant; for oral use in a sealed container of not more than 10 tablets or capsules for the prevention or treatment of motion sickness in adults and children over 2 years of age except when sold at a transport terminal or aboard a ship or aircraft
- 150 Propamidine; for ophthalmic use except when sold in practice by an optometrist registered with the Optometrists and Dispensing Opticians Board
- 151 Pyrantel
- 152 Pyrethrins; except in medicines containing 10% or less
- 153 Pyrithione zinc; except in medicines for treatment of the scalp containing 2% or less
- 154 Ranitidine; in medicines for the symptomatic relief of heartburn, dyspepsia, and hyperacidity or to be used on the recommendation of a registered medical practitioner when sold in the manufacturer's original pack containing not more than 14 days' supply; except in medicines containing 300 milligrams or less per dose unit when sold in the manufacturer's original pack containing not more than 7 days' supply
- 155 Salicylamide
- 156 Selenium; for oral use in medicines containing 300 micrograms or less and more than 150 micrograms per recommended daily dose; for external use except in medicines containing 3.5% or less of selenium sulphide
- 157 Sennosides



- 158 Silver; except in oral solutions containing 0.3% or less or other medicines containing 1% or less
- 159 Silver sulfadiazine; for external use in pack sizes of 50 grams or less
- 160 Sodium cromoglycate; for nasal use; for ophthalmic use except when sold in practice by an optometrist registered with the Optometrists and Dispensing Opticians Board
- 161 Sodium nitrite; except for use as an excipient
- 162 Sodium picosulphate; in oral laxative preparations
- 163 Squill; except in medicines containing 1% or less
- 164 Stramonium; for oral use in liquid form in medicines containing 0.03% or less and 0.3 milligrams or less per dose and not more than 1.2 milligrams per recommended daily dose of total solanaceous alkaloids; in solid dose form in medicines containing 0.3 milligrams or less per dose form and not more than 1.2 milligrams per recommended daily dose of total solanaceous alkaloids
- 165 Sulconazole; for dermal use
- 166 Sulfadiazine, silver; for external use in pack sizes of 50 grams or less
- 167 Terbinafine; for dermal use except in medicines for tinea pedis only or when sold in practice by a podiatrist registered with the Podiatrists Board
- 168 Tetrachloroethylene
- 169 Tetrahydrozoline; except for ophthalmic use when sold in practice by an optometrist registered with the Optometrists and Dispensing Opticians Board
- 170 Thiabendazole
- 171 Tioconazole; for dermal use except in medicines for tinea pedis only or when sold in practice by a podiatrist registered with the Podiatrists Board
- 172 Tramazoline
- 173 Triamcinolone; for the treatment or prophylaxis of allergic rhinitis in adults and children over 12 years of age and when in aqueous nasal sprays delivering up to 55 micrograms per actuation when the maximum recommended daily dose is no greater than 220 micrograms and the medicine has received the consent of the Minister or the Director-General to its distribution as a pharmacy-only medicine
- 174 Trimeprazine; for oral use in medicines for adults and children over 6 years of age when combined in the same container with 1 or more other therapeutically active ingredients either when in the bedtime dose of a day/night pack containing trimeprazine or when at least 1 of the other therapeutically active ingredients is a sympathomimetic decongestant
- 175 Triprolidine; for oral use in medicines for adults and children over 6 years of age when combined in the same container with 1 or more other therapeutically active ingredients either when in the bedtime dose of a day/night pack contain-

	ing triprolidine or when at least 1 of the other active ingredients is a sympathomimetic decongestant
176	Tuaminoheptane
177	Tymazoline
178	Xylenols; except in medicines containing 3% or less
179	Xylometazoline; except for nasal use when sold at an airport; except for ophthalmic use when sold in practice by an optometrist registered with the Optometrists and Dispensing Opticians Board
180	Zinc chloride; for dermal use in medicines containing more than 5%

Michael Webster,  
Clerk of the Executive Council.

### Explanatory note

*This note is not part of the regulations, but is intended to indicate their general effect.*

These regulations, which come into force on the 28th day after the date of their notification in the *Gazette*, replace Schedule 1 of the Medicines Regulations 1984 (the **principal regulations**). *New Schedule 1* sets out an updated list of specified medicines and classes of medicines that are declared to be prescription medicines, restricted medicines, or pharmacy-only medicines under the Medicines Act 1981 (the **Act**).

The updated list includes medicines that the Minister of Health has previously classified as prescription medicines, etc, by *Gazette* notice made under section 106 of the Act (*see* Classification of Medicines (*Gazette* 2018-go419), Classification of Medicines (*Gazette* 2018-go1290), Classification of Medicines (*Gazette* 2018-go4068), and Classification of Medicines (*Gazette* 2018-go4069)). *Gazette* notices made under section 106 override any inconsistent classification of medicines in the principal regulations, but they do not amend the principal regulations and they cease to have effect after a period of 6 months (if not revoked sooner).

Issued under the authority of the Legislation Act 2012.  
Date of notification in *Gazette*: 27 September 2018.

## Reprints notes

### **1**    *General*

This is a reprint of the Medicines Amendment Regulations 2018 that incorporates all the amendments to those regulations as at the date of the last amendment to them.

### **2**    *Legal status*

Reprints are presumed to correctly state, as at the date of the reprint, the law enacted by the principal enactment and by any amendments to that enactment. Section 18 of the Legislation Act 2012 provides that this reprint, published in electronic form, has the status of an official version under section 17 of that Act. A printed version of the reprint produced directly from this official electronic version also has official status.

### **3**    *Editorial and format changes*

Editorial and format changes to reprints are made using the powers under sections 24 to 26 of the Legislation Act 2012. See also <http://www.pco.parliament.govt.nz/editorial-conventions/>.

### **4**    *Amendments incorporated in this reprint*

Medicines Amendment Regulations (No 2) 2021 (LI 2021/228): regulation 5