

No.	Description of Article and Rate.	Per	Tenderer.
<i>Handles—continued.</i>			
777	Hoe, plantation, American	8/6	doz.
778	Mop, ferruled	3/	"
779	Pick, hickory	9/6	"
780	Rake	7/6	"
781	Scythe, American, with patent fastenings	30/	"
782	Shovel, long, American	10/6	"
Sledge-hammer, hickory—			
783	26 in.	6/	"
784	28 in.	6/6	"
785	30 in.	6/10	"
786	34 in.	7/4	"
787	36 in.	7/8	"
788	Tomahawk, hickory, 14 in.	3/10	"
789	Tomahawk, hickory, 16 in.	4/3	"
<i>Hasps and staples on plate, heavy, japanned—</i>			
790	1½ in. hasp	1/3	"
791	2 in. hasp	1/9	"
792	2½ in. hasp	2/3	"
793	3 in. hasp	2/6	"
794	3½ in. hasp	3/	"
<i>Heaters, patent smokeless, nickel finish—</i>			
795	100 c.p., capacity 12 hours	13/	each
796	200 c.p., capacity 9 hours	14/6	"
797	Wicks for ditto	/4	"
<i>Hinges—</i>			
Back-flap, wrought steel, solid joint—			
798	1½ in.	1/6	doz. pair
799	1¾ in.	1/8	"
800	2 in.	2/	"
801	2¼ in.	3/	"
802	2½ in.	4/	"
803	3 in.	4/6	"
Butt, brass, solid joint, brass pin, J. Cartland and Sons, No. 5150, or T. Sanders (Limited), No. 2318—			
804	1 in. x ½ in.	2/6	"
805	1½ in. x ¾ in.	3/6	"
806	2 in. x 1½ in.	4/6	"
807	2½ in. x 1¾ in.	7/8	"
808	3 in. x 1½ in.	11/	"
809	3½ in. x 2 in.	18/	"
810	4 in. x 2½ in.	23/	"
Butt, iron—			
811	2 in.	2/	"
812	2½ in.	2/4	"
813	3 in.	2/10	"
814	3½ in.	3/6	"
815	4 in.	4/	"
816	4½ in.	5/9	"
817	5 in.	7/6	"
818	6 in.	8/3	"
Butt, wrought steel—			
819	2 in.	/11	"
820	2½ in.	1/2	"
821	3 in.	1/10	"
822	3½ in.	2/6	"