

## No. 9.

*Saws, Circular, with Solid Teeth, for Wood.*

Diameter, in Inches.	Maximum sized Holes, in Inches.	Maximum thickness Gauge.	Price, each.	Extra Price for each Gauge thicker.	Diameter, in Inches.	Maximum sized Holes, in Inches.	Maximum thickness Gauge.	Price, each.	Extra Price for each Gauge thicker.
4	$\frac{3}{4}$	18	4/6	0/3	46	2	7	240/0	21/0
6	$\frac{3}{4}$	17	7/0	0/6	48	2	7	270/0	24/0
8	$\frac{7}{8}$	17	9/6	0/9	50	2	6	380/0	27/0
10	1	15	13/0	0/9	52	2	6	420/0	30/0
12	1	14	16/0	1/3	54	2	6	480/0	35/0
14	$1\frac{1}{8}$	14	20/0	1/6	56	2	6	570/0	40/0
16	$1\frac{1}{8}$	13	24/0	1/9	58	2	6	620/0	45/0
18	$1\frac{1}{4}$	12	30/0	2/0	60	2	5	680/0	50/0
20	$1\frac{5}{16}$	12	36/0	2/6	62	$2\frac{1}{4}$	5	760/0	55/0
22	$1\frac{5}{16}$	11	42/0	3/0	64	$2\frac{1}{4}$	5	860/0	60/0
24	$1\frac{3}{8}$	10	48/0	3/6	66	$2\frac{1}{4}$	5	980/0	65/0
26	$1\frac{3}{8}$	10	56/0	4/0	68	$2\frac{1}{4}$	5	1,100/0	70/0
28	$1\frac{1}{2}$	9	66/0	4/6	70	$2\frac{1}{4}$	4	1,250/0	80/0
30	$1\frac{1}{2}$	9	76/0	5/0	72	$2\frac{1}{4}$	4	1,400/0	90/0
32	$1\frac{5}{8}$	9	88/0	6/0	74	$2\frac{1}{4}$	4	1,600/0	100/0
34	$1\frac{5}{8}$	8	104/0	7/0	76	$2\frac{1}{4}$	4	1,820/0	120/0
36	$1\frac{5}{8}$	8	120/0	8/6	78	$2\frac{1}{4}$	4	2,100/0	140/0
38	$1\frac{5}{8}$	8	145/0	10/0	80	$2\frac{1}{4}$	4	2,220/0	145/0
40	2	8	160/0	12/0	82	$2\frac{1}{4}$	4	2,340/0	150/0
42	2	7	180/0	15/0	84	$2\frac{1}{4}$	4	2,460/0	160/0
44	2	7	215/0	18/0					

## STORES TO BE MANUFACTURED IN NEW ZEALAND.

TO BE SUPPLIED IN ACCORDANCE WITH THE TERMS AND CONDITIONS OF CONTRACT (No. 22) SIGNED BY THE GENERAL MANAGER OF THE NEW ZEALAND RAILWAYS AND DATED 1ST APRIL, 1913,

## AT AUCKLAND OR NEWMARKET.

No.	Description of Article and Rate.	Per	Tenderer.	
1	Baths, galvanized, with plug, chain, washer, and overflow, 6 ft. long, full width, 22 B.W.G., with feet	38/6	each	204 A. and T. Burt (Ltd.).
2	Baths, galvanized, with plug, chain, washer, and overflow, 6 ft. long, full width, 22 B.W.G., without feet	20/	„	44 Hardleys (Ltd.).
	Belting, leather, single (of the very best leather, leather-laced and copper-riveted at joints)—			
4	1 in. .. .. .	/3 $\frac{1}{2}$	ft.	251 John Burns and Co. (Ltd.).
5	1 $\frac{1}{2}$ in. .. .. .	/5 $\frac{1}{4}$	„	
6	2 in. .. .. .	/7 $\frac{1}{4}$	„	
7	2 $\frac{1}{2}$ in. .. .. .	/9 $\frac{1}{2}$	„	
8	3 in. .. .. .	1/0 $\frac{1}{2}$	„	
9	3 $\frac{1}{2}$ in. .. .. .	1/4	„	
10	4 in. .. .. .	1/6	„	
11	4 $\frac{1}{2}$ in. .. .. .	1/8	„	
12	5 in. .. .. .	2/1	„	
13	6 in. .. .. .	2/8	„	
14	8 in. .. .. .	3/11	„	204 A. and T. Burt (Ltd.).