

No.	Description of Article and Rate.	Per	Tenderer.
	Cocks, brass, H.P. water, stop, New Zealand pattern, male or female ends, as required, with threads to suit iron pipes—		
115	$\frac{1}{2}$ in.	1/7 each	239 J. Chambers and Son (Ltd.).
116	$\frac{3}{4}$ in.	2/5 „	208 Ashby, Bergh, and Co. (Ltd.).
117	1 in.	3/10 „	Ditto.
	Cocks, brass, range, complete screwed, brass lever—		
121	$\frac{1}{2}$ in.	1/6 „	239 J. Chambers and Son (Ltd.).
122	$\frac{3}{4}$ in.	2/5 „	208 Ashby, Bergh, and Co. (Ltd.).
123	1 in.	3/6 „	Ditto.
	Cocks, gun-metal, steam, plug—		
	Screwed, male or female ends as required, rough—		
124	$\frac{1}{4}$ in.	1/9 „	„
125	$\frac{1}{2}$ in.	2/3 „	„
126	$\frac{3}{4}$ in.	3/6 „	„
127	1 in.	5/6 „	„
	Bib, screwed, male or female ends as required—		
128	$\frac{1}{4}$ in.	2/ „	179 A. and T. Burt (Ltd.).
129	$\frac{1}{2}$ in.	3/3 „	„
130	$\frac{3}{4}$ in.	7/ „	„
131	1 in.	12/ „	„
	Flanged at one or both ends, rough—		
132	$\frac{1}{2}$ in.	5/6 „	208 Ashby, Bergh, and Co. (Ltd.).
133	$\frac{3}{4}$ in.	8/3 „	Ditto.
134	1 in.	15/ „	„
	Cocks, brass, draw-off or racking, screwed—		
135	$\frac{1}{2}$ in.	1/7 „	„
	Drain-pipes, stoneware, double-glazed, socketed*—		
142	3 in.	/4 ft.	178 Homebush Brick and Coal Company (Ltd.).
143	4 in.	/6 „	Ditto.
144	6 in.	/9 „	„
145	9 in.	1/2 „	„
146	12 in.	1/9 „	„
147	15 in.	2/6 „	„
148	18 in.	4/ „	„
	Drain-pipes, stoneware, double-glazed, straight (without socket)—		
149	3 in.	/3 $\frac{1}{2}$ „	„
150	4 in.	/4 $\frac{1}{2}$ „	„
151	6 in.	/7 „	„
152	9 in.	1/ „	„
	Drain-tiles, red, field—		
153	4 in.	18/ 100	„
154	6 in.	30/ „	„
155	9 in.	75/ „	„
156	Fire-bricks, standard size	140/ 1,000	„
157	Fire-clay	3/ cwt.	„
158	Flannel, scouring, to sample, English	/7 $\frac{1}{2}$ yard	202 Sargood, Son, & Ewen (Ltd.).

* NOTE.—Double junctions, square or V, to be charged as three pipes; single junctions, square or V, elbows, and heads, as two pipes.