



# SUPPLEMENT

TO THE

# NEW ZEALAND GAZETTE

OF

THURSDAY, 16 AUGUST 1984

*Published by Authority*

---

---

WELLINGTON: MONDAY, 20 AUGUST 1984

---

---

TARIFF DECISION LIST Nos. 710, 711 and 712

## TARIFF DECISION LIST No. 710

Decisions of the Minister of Customs Under the Customs Tariff (Subject to Amendment or Cancellation by Notification in the Gazette)

## APPROVALS

Port	Tariff Item No.	Goods	Rates of Duty		Part II Ref.	Con-cession Code	Effective	
			Normal	Pref.			From	To*
DN	15.12.009	Hydrogenated vegetable oil USP	Free	Free	15	916957B	10/81	6/92
DN	29.01.001	Refined Naphthalene flake	Free	Free	99	901605J	7/82	6/85
	30.03.031)	Medicaments						
	30.03.039)							
WN		Aeroseb Dex	Free	Free	25	917096A	12/81	6/87
WN		Bio-Tal (sodium thiamylal, for injection)	Free	Free	26	102331E	7/78	6/87
WN		Blogon	Free	Free	26	925328K	7/84	12/84
WN		Dienoestrol cream	Free	Free	25	100996G	7/78	12/84
WN		Dromoran tablets	Free	Free	25	925338G	7/84	3/86
WN		Fortum (cefazidime)	Free	Free	25	925336L	7/84	6/87
WN		Hedex aspirin capsules	Free	Free	25	925347F	7/84	12/84
WN		Indocid retard capsules, 75 mg in bulk	Free	Free	25	101303D	7/78	6/87
WN		Lexotan tablets	Free	Free	25	925346H	7/84	3/87
WN		Lomusol nasal spray 26 ml in plastic spray bottles	Free	Free	25	925349B	7/84	9/85
WN		Medrol acne lotion	Free	Free	26	102693D	7/78	6/87
WN		Milid tablets	Free	Free	25	925345K	7/84	3/87
WN		Ocusert pilo systems	Free	Free	25	101669F	7/78	6/87
WN		Trandate injection, 20 ml ampoules	Free	Free	25	102110K	7/78	6/87
WN	34.02.000	Ethokem—an ethylene oxide condensation product of tallow amine used as a specialist liquid cationic wetting agent	Free	Free	15	925324G	5/84	3/87
	34.02.000	Products, as may be approved, when imported in bulk and not being soaps or containing soap; APPROVED:						
DN		Lexemul 561	Free	Free	15	918234K	8/81	6/92
DN		Lipocol products C2, C4, C10, C20, L1, L4, L12, L23, M4, O2, O10, O20, S2, S10, S20, SC4, SC10, SC15, SC20	Free	Free	15	104121F	7/78	6/92
DN		Surco AOS, alkyl olefin sulphonate)	Free	Free	15	917085F	10/81	6/92
DN	35.04.000	Peptones and other protein substances (excluding enzymes of heading No. 35.07) and their derivatives; hide powder, whether or not chromed	Free	Free	15	104818L	7/78	6/92
AK	35.06.000	Cement, thermoplastic, in rod, pellet or in block form, for use in sole attaching and similar footwear making machines	Free	Free	15	927851G	5/84	6/92
	38.19.079	Chemical products and preparations etc.						
AK		Clayamine ARO	Free	Free	15	927895J	7/84	6/92
DN		Firetrol	Free	Free	99	105696E	7/78	6/92
DN	38.19.079	Parez resin 613, modified melamine formaldehyde type resin	Free	Free	15	912890F	5/84	6/87
WN	39.02.205	Novodur (ABS) L-FR (flame retardant moulding powder)	Free	Free	15	925324G	5/84	6/87
DN	39.02.241	Welding rod, 100% polyvinyl chloride composition	Free	Free	..	206720L	7/82	6/92
CH	39.02.391	Dura-surf pressure sensitive UHMW flexible tape of a thickness exceeding 0.25 mm and greater than 20 cm self adhesive	Free	Free	..	910209E	5/84	9/92
WN	39.02.401	Texolite insulation material used in the manufacture of sleeping bags	Free	Free	15	925323J	4/84	6/87
WN	39.07.439	Plastic fish boxes of a capacity of 24 and 70 litres	Free	Free	99	925033G	4/84	9/86
AK	39.07.599	Ampoule cracker, for use in hospitals for the safe breaking of ampoules containing medication	Free	Free	99	927894L	6/84	3/86
DN	40.08.032	Clicking boards, peculiar to use in making footwear	Free	Free	15	107577C	9/83	6/92
DN	40.08.032	Rubber foam, in sheets or rolls, backed or faced with textile, not perforated, when declared by a manufacturer for use by him, only in making insoles for footwear	Free	Free	15	107605B	7/78	3/91
DN	40.09.001	Hose, reinforced with wire braid, to operate at working pressures, in excess of 2750 kPa, when declared for hydraulic purposes but not including such hose in lengths with fittings attached	Free	Free	..	208412A	8/83	6/92
AK	40.14.002	Baselock rubber lettering and numbers	Free	Free	99	927907F	2/84	3/92
DN	41.10.000	Leatherboard, when declared; (1) by a manufacturer for use by him in making footwear, excluding leatherboard for use as outsole; or (2) by an importer that it will be sold only to a manufacturer for use by him in making footwear, excluding leatherboard for use as outsole	Free	Free	15	205333A	6/81	6/92
DN	51.04.013	Cotton yarn not put up for retail sale, when declared by a manufacturer for his use, only in making hosiery	Free	Free	15	901055G	9/81	9/92
DN	55.05.000	Cotton yarn and mixtures of the same containing polyester or rayon, not put up for retail sale, when declared by a manufacturer for his use, only in making hosiery	Free	Free	15	205651J	7/81	9/92
DN	59.12.029	Electro-statically flocked velvet upholstery cloth, comprising 100% nylon face, 75% polyester, 25% cotton woven back or 50% polyester, 50% cotton back	Free	Free	15	917372C	6/81	6/92
DN	59.04.021)	Braided rope, man-made fibres 16 strand and over exceeding 24 mm diameter, for use in fishing, marine and industrial applications	Free	Free	15	912706C	12/81	6/92
	59.04.029)							
DN	59.15.009	Sisaflex cotton sleeving, 3 mm × 0.5 mm	Free	Free	15	201584G	7/80	6/92
AK	69.09.009	Ceramic seals, for use in making mechanical seal units	Free	Free	15	927896G	5/84	3/92
DN	73.18.009	Welded drawn steel tubing	5	Aul Free	15	109393C	7/79	6/92
AK	73.20.021	Bellows type expansion joints excluding internal diameter sizes 9.525 mm to 102 mm inclusive	Free	Free	..	927849E	8/84	9/92
AK	73.20.035	Bellows type expansion joints excluding internal diameter sizes 102 mm to 152.40 mm inclusive	Free	Free	99	927850J	8/84	9/92

## TARIFF DECISION LIST No. 710—continued

## APPROVALS—continued

Port	Tariff Item No.	Goods	Rates of Duty		Part II Ref.	Concession Code	Effective	
			Normal	Pref.			From	To*
DN	73.40.069	Spools for typewriter, adding machine, cash register, and the like	Free	Free	15	109727L	7/78	6/92
DN	76.02.001	Aluminium wire tensile strength 303 160.00–358 280.00 kPa (44 000–52 000 p.s.i.)	Free	Free	15	109984B	7/78	6/92
AK	76.06.000	Aluminium tubing, 89 mm O.D., wall thickness 2 mm in alloy 5754	Free	Free	15	927929G	5/84	6/92
WN	83.01.001	Lockwood 570 series single and double cylinder mortice locks	5	Free	..	925325E	4/84	4/86
DN	83.02.009	Door latch mechanisms for front loading dishwashers	Free	Free	10	912894J	7/84	6/87
WN	84.10.029	Granco rotary ball pumps, positive displacements	Free	Free	10	925322L	5/84	3/87
AK	84.10.029	Helical rotor positive displacement pumps of stainless steel construction, viz; mono and mohno brand pumps, excluding those of cast iron construction	Free	Free	10	927910F	7/84	12/87
WN	84.10.029	K.S.B. type Etazet-duplex in line hot water circulator volute casing	Free	Free	10	925321B	5/84	9/86
DN	84.10.029	Pump, Part No. 7–450230R for Clark Torque Converter, Model C273T-88	Free	Free	15	912891D	4/84	3/87
DN	84.11.051	Steam compressor for processing plant	Free	Free	10	912892B	9/84	8/85
AK	84.11.061	Sirocco E.N.W. class D exhaust fan, 158.75 cm in diameter	Free	Free	..	927906H	4/84	3/92
DN	84.18.039	Frame filter and plate for use in making malt extract	Free	Free	10	912887F	7/84	9/85
AK	84.19.039	TAM brand, vertical form, fill and seal machines; models TWX1, TWXCS	Free	Free	10	927930L	11/83	9/91
DN	84.22.009	Power take off units, of a type not made in N.Z. for truck gearboxes, to drive hydraulic pump for tipping hoist	Free	Free	15	912893L	5/84	6/87
HO	84.23.079	One only, John Deere model 672A, 6 wheel drive road grader, for use as a prototype in the manufacture of similar machines	Free	Free	10	209662F	7/84	8/84
WN	84.45.009	OKK MCH-400 machining centre	Free	Free	10	925319L	5/84	9/86
WN	84.45.009	Pullmax bevelling machine model X-93 and X-94	Free	Free	10	925353L	5/84	6/86
WN	84.45.009	Startrite model V500f bandsawing, filing and polishing machine with 500 mm throat and 350 mm maximum cutting height	Free	Free	10	925317D	5/84	9/86
WN	84.45.009	Textile card grinding machinery	Free	Free	10	925316F	5/84	3/87
DN	84.47.009	Loser wood working machines; cross cut and chamfering machine, model AA220	Free	Free	10	112374C	7/78	6/92
DN		dowel moulding machine, model VF120	Free	Free	10	112376K	7/78	9/92
DN		dowel sanding machine, model RS340	Free	Free	10	112377H	7/78	6/92
DN		rod milling machines, models RF410, RF412	Free	Free	10	112379D	7/78	6/92
DN		round rod manufacturing machines, model RF420	Free	Free	10	112380H	7/78	6/92
DN		square stock loading units MG343, MG422	Free	Free	10	112382D	7/78	6/92
DN		tenoning machine, model S2421	Free	Free	10	112383B	7/78	6/92
DN	84.59.059	Camfick brickforks (2 only)	Free	Free	10	912885K	7/84	6/85
DN	84.59.059	Eyeletting machines	Free	Free	10	112618A	7/78	6/92
DN	84.59.059	PFORPF—star grafting machines	Free	Free	10	205868F	10/81	6/92
DN	84.59.059	Turbo-oxyder floating transportable air injector, for use in effluent ponds	Free	Free	10	918166A	8/81	6/92
DN	84.61.021	Pressure safety valves, excess flow valves, stop valves, safety shut-off valves, specially for installation on liquid petroleum gas bulk storage tank installations	Free	Free	..	200878F	12/79	6/92
DN	84.61.029	Valve component parts for incorporation into shower mixing	Free	Free	10	912889B	6/84	6/87
DN	84.63.029	Control rod end bearings	Free	Free	10	113062F	7/78	6/92
DN	85.03.001	Primary cells and primary batteries of kinds approved by the Minister;	Free	Free	..			
DN		APPROVED:						
DN		Edison Carbinair ST, Y, 2–5-J-1, 3–5-J-1	Free	Free	..	113314E	7/78	6/92
DN	85.04.001	Accumulator, lead acid, of the following types; (1) Having a capacity not exceeding 24 ampere hours (at the 10 hour rate of discharge) (2) Exide series;	Free	Free	..	113455J	7/78	6/92
HO	85.11.009	Engine driven welding machines	Free	Free	10	209694D	12/83	12/87
AK	85.11.009	Manesty Mitchel 20 tray oven, for the manufacture of sterile category "A" pharmaceuticals	Free	Free	10	927923H	2/84	3/91
AK	85.15.221	Ceramic filters, on condition that goods are for use solely in the making of television broadcast receivers	Free	Free	..	927513E	1/84	6/88
AK	85.19.001	Starters for electric motors, as may be approved;	Free	Free	10			
DN		APPROVED:						
DN		Flame proof exceeding 7.5kW	Free	Free	10	113757D	7/78	6/92
AK	85.19.009	Components, peculiar for use in making Arrow-Hart relays, viz; Series 28 and 30	Free	Free	10	203159A	6/80	6/86
DN	85.19.031	Dyna plate grounding device	Free	Free	10	900506E	3/81	6/92
WN	85.19.031	oil switches and switch fuses	Free	Free	10	925314K	4/84	9/86
DN	85.19.055	Zinc oxide surge arresters for low voltage type VZE 400	Free	Free	10	114003F	4/79	6/92
DN	85.19.071	Rectangular 3 pin plug top, excluding 3 amp safety fuse	Free	Free	10	912896E	3/84	3/87
DN	85.19.071	Hitachi programmable control systems P120, P250, P1000, P2000, for manufacture of automated production lines in industry	Free	Free	10			
DN	85.19.079	Components of ripple control transmitters	Free	Free	10	114083D	7/78	6/92
DN	85.22.019	Argus display, power supply/data converter	Free	Free	10	900551L	9/81	6/92
DN	85.23.011	Insulated electric winding wire, when declared by manufacturers for use by them, only in making coils for electric power distribution transformers or electric motors	5	Aul Free DC Free	..	202864G	7/78	9/92
DN	85.23.029	PVC cable with tinned copper conductor for use up to 105°C as approved to Australian standards, for use in manufacture of electric dishwashers and freezers	Free	Free	10	912895G	5/84	6/87
WN	85.25.000	Insulators—beryllium oxide ceramic for use in manufacture of circulators	Free	Free	10	925313A	5/84	3/87
CH	90.10.002	DEK107 screw exposure unit	Free	Free	10	910228A	6/84	9/92
DN	90.24.011	Jeavons gas supply regulators, types; J48, J56, J77, J78 and J88	Free	Free	..	917603K	7/81	6/92

## TARIFF DECISION LIST No. 710—continued

## APPROVALS—continued

Port	Tariff Item No.	Goods	Rates of Duty		Part II Ref.	Concession Code	Effective	
			Normal	Pref.			From	To*
AK	90.28.009	Omnidata electrical measuring and recording instruments model nos. DP213 m DP219, DP220, DP320, and DP321	Free	Free	99	927892D	6/84	3/92
AK	90.28.009	Rosemount temperature transmitters and sensors	Free	Free	99	927893B	4/84	3/92
AK	90.28.009	Shimaden electronic indicating controllers	Free	Free	15	927909B	4/84	3/91
AK	90.29.000	Forged brass pressure gauge case assemblies 50 mm and 62 mm	Free	Free	15	927585B	11/83	9/90
DN	91.06.000	Diell orbitron lighted electronic display timers	Free	Free	15	912888D	5/84	6/87
DN	92.13.009	Parts, peculiar to record playing and changing units, when declared; (a) by a manufacturer for use by him only in making gramophones, radio-gramophones or television-gramophones, or modular and similar sound reproducing equipment	Free	Free	15	115509B	10/79	6/92

\*Approvals lapse on the dates indicated, the goods thereafter being dutiable according to their substantive Tariff classification. If continuation of an approval is desired for a further period, formal application should be made to the Collector at least 6 weeks prior to the date of expiry.

## MISCELLANEOUS

## Decisions Cancelled:

DN	15.12.009	Hydrogenated ... USP (CT)	..	..	..	916957B	..	..
DN	29.01.001	Refined ... flake	..	..	..	910605J	..	..
	30.03.031	Medicaments	..	..	..		..	..
	30.03.039		..	..	..		..	..
WN		Aeroseb Dex (CT)	..	..	..	917096A	..	..
WN		Bio-Tal ... injection (CT)	..	..	..	102331E	..	..
WN		Dienoestrol cream (CT)	..	..	..	100996G	..	..
WN		Lexotan tablet	..	..	..	925281K	..	..
WN		Medrol ... lotion (CT)	..	..	..	102693D	..	..
	34.02.000	Products, ... soap; APPROVED:	..	..	..		..	..
DN		Lexemul ... monostearate (CT)	..	..	..	918234K	..	..
DN		Lipocol ... SC20 (CT)	..	..	..	104121F	..	..
DN		Surco ... emulsifier	..	..	..	917085F	..	..
DN	35.04.000	Peptones ... chromed (CT)	..	..	..	104818L	..	..
	Whole Item		..	..	..		..	..
AK	35.06.000	Cement ... machines	..	..	..	104831H	..	..
DN	40.08.049	Rubber ... footwear	..	..	..	107605B	..	..
DN	40.09.001	Hose, ... attached (CT)	..	..	..	208412A	..	..
DN	41.10.000	Leatherboard, ... outsole (CT)	..	..	..	205333A	..	..
DN	55.05.000	Cotton ... fabrics	..	..	..	205651J	..	..
DN	55.05.000	Cotton ... hosiery	..	..	..	901055G	..	..
DN	59.04.021	Braided ... applications (CT)	..	..	..	912706C	..	..
	59.04.029		..	..	..		..	..
DN	73.18.009	Welded ... tubing (CT)	..	..	..	109393C	..	..
AK	73.20.021	Bellows ... joints	..	..	..	109433F	..	..
AK	73.20.035	Bellows ... joints	..	..	..	109442E	..	..
DN	76.02.001	Aluminium ... p.s.i. (CT)	..	..	..	109984B	..	..
AK	84.10.029	Mono ... pumps	..	..	..	922215E	..	..
AK	84.19.039	TAM ... TWX1	..	..	..	927092C	..	..
WN	84.45.009	Pullmax ... machine	..	..	..	112205D	..	..
WN	84.45.009	Pullmax ... machines	..	..	..	112204F	..	..
	84.47.009	Loser ... machines;	..	..	..		..	..
DN		cross ... AA220 (CT)	..	..	..	112374C	..	..
DN		dowel ... VF120 (CT)	..	..	..	112376K	..	..
DN		dowel ... RS340 (CT)	..	..	..	112377H	..	..
DN		rod ... RF412 (CT)	..	..	..	112379D	..	..
DN		round ... RF420 (CT)	..	..	..	112380H	..	..
DN		square ... MG422 (CT)	..	..	..	112382D	..	..
DN		tenoning ... S2421 (CT)	..	..	..	112383B	..	..
DN	84.59.059	Eyeletting machines (CT)	..	..	..	112618A	..	..
DN	84.59.059	Turbo ... ponds (CT)	..	..	..	918166A	..	..
DN	84.63.029	Control ... bearings (CT)	..	..	..	113062F	..	..
	85.03.001	Primary ... Minister; APPROVED:	..	..	..		..	..
DN		Edison ... 3-S-J-1 (CT)	..	..	..	113314E	..	..
DN	85.04.001	Accumulator ... types (1) Having ... 6LCBQ3	..	..	..	912871K	..	..
AK	85.15.221	Ceramic ... receivers	..	..	..	927514C	..	..
AK	85.19.009	Components, ... viz; Series 30	..	..	..		203159A	..
DN	85.19.031	Dyna ... fuses (CT)	..	..	..	900506E	..	..
DN	85.19.079	Components ... transmitters (CT)	..	..	..	114083D	..	..
DN	85.22.019	Argus ... converter (CT)	..	..	..	900551L	..	..
DN	85.23.011	Insulated ... motors (CT)	..	..	..	202864G	..	..
AK	90.29.000	Forged ... 62 mm	..	..	..	927433C	..	..
DN	92.13.009	Parts ... declared; (CT) (a) by ... equipment	..	..	..	115509B	..	..

NOTE: (CT) indicates concessions cancelled and re-issued in this list with extended end dates.)

Dated at Wellington this 16th day of August 1984.

P. J. McKONE, Comptroller of Customs.

## TARIFF DECISION LIST No. 711

Decisions of the Minister of Customs Under the Customs Tariff (Subject to Amendment or Cancellation by Notification in the Gazette)

## DETERMINATIONS

Port	Tariff Item No.	Goods	Rates of Duty		Part II Ref.	Concession Code	Effective	
			Normal	Pref.			From	To*
HO	90.28.001 Deter'n	Communications data monitors, for measuring, recording and adjusting the performance of data communications lines and networks	35	Aul Free Can 15 Pac Free	..	209703G	1/87	..
HO	90.28.001 Deter'n	Communications data monitors, for measuring, recording and adjusting the performance of data communications lines and networks	35	Aul 5 Can 15 Pac Free	..	209702J	1/86	12/86
HO	90.28.001 Deter'n	Communications data monitors, for measuring, recording and adjusting the performance of data communications lines and networks	35	Aul 10 Can 15 Pac Free	..	209701L	1/85	12/85
HO	90.28.001 Deter'n	Communications data monitors, for measuring, recording and adjusting the performance of data communications lines and networks	35	Aul 15 Can 15 Pac Free	..	209700B	1/84	12/84
HO	90.28.001 Deter'n	Data logging systems designed for the measuring, indicating of physical data such as temperature, humidity, voltage, current, power, and flow pressure	35	Aul Free Can 15 Pac Free	..	209698G	1/87	..
HO	90.28.001 Deter'n	Data logging systems designed for the measuring, indicating of physical data such as temperature, humidity, voltage, current, power, and flow pressure	35	Aul 5 Can 15 Pac Free	..	209697J	1/86	12/86
HO	90.28.001 Deter'n	Data logging systems designed for the measuring, indicating of physical data such as temperature, humidity, voltage, current, power, and flow pressure	35	Aul 10 Can 15 Pac Free	..	209699E	1/85	12/85
HO	90.28.001 Deter'n	Data logging systems designed for the measuring, indicating of physical data such as temperature, humidity, voltage, current, power, and flow pressure	35	Aul 15 Can 15 Pac Free	..	209696L	1/84	12/84
HO	90.28.001 Deter'n	Echo-sounding, ultra-sonic and detecting equipment having a maximum depth range of up to 110m, excluding hermetically sealed units	35	Aul 15 Can 15 Pac Free	..	209708H	1/84	12/84
HO	90.28.001 Deter'n	Echo-sounding, ultra-sonic and detecting equipment having a maximum depth range of up to 110m, excluding hermetically sealed units	35	Aul 10 Can 25 Pac Free	..	209709F	1/85	12/85
HO	90.28.001 Deter'n	Echo-sounding, ultra-sonic and detecting equipment having a maximum depth range of up to 110m, excluding hermetically sealed units	35	Aul 5 Can 15 Pac Free	..	209710K	1/86	12/86
HO	90.28.001 Deter'n	Echo-sounding, ultra-sonic and detecting equipment having a maximum depth range of up to 110m, excluding hermetically sealed units	35	Aul Free Can 15 Pac Free	..	209711H	1/87	..
HO	90.28.001 Deter'n	Electrical measuring, checking, analysing or automatically controlling instruments and apparatus; Bin and hopper level control	35	Aul Free Can 15 Pac Free	..	209707K	1/87	..
HO	90.28.001 Deter'n	Electrical measuring, checking, analysing or automatically controlling instruments and apparatus; Bin and hopper level control	35	Aul 5 Can 15 Pac Free	..	209706A	1/86	12/86
HO	90.28.001 Deter'n	Electrical measuring, checking, analysing or automatically controlling instruments and apparatus; Bin and hopper level control	35	Aul 10 Can 15 Pac Free	..	209705C	1/85	12/85
HO	90.28.001 Deter'n	Electrical measuring, checking, analysing or automatically controlling instruments and apparatus; Bin and hopper level control	35	Aul 15 Can 15 Pac Free	..	209704E	1/84	12/84
HO	90.28.001 Deter'n	Electronic differential thermostat switches designed to monitor or control the flow of gases, liquids or solids in the control of forced circulation solar heating systems, controlling loads up to	35	Aul 15 Can 15 Pac Free	..	209712F	1/84	12/84
HO	90.28.001 Deter'n	Electronic differential thermostat switches designed to monitor or control the flow of gases, liquids or solids in the control of forced circulation solar heating systems, controlling loads up to	35	Aul 10 Can 15 Pac Free	..	209713D	1/85	12/85
HO	90.28.001 Deter'n	Electronic differential thermostat switches designed to monitor or control the flow of gases, liquids or solids in the control of forced circulation solar heating systems, controlling loads up to	35	Aul 5 Can 15 Pac Free	..	209714B	1/86	12/86
HO	90.28.001 Deter'n	Electronic differential thermostat switches designed to monitor or control the flow of gases, liquids or solids in the control of forced circulation solar heating systems, controlling loads up to	35	Aul Free Can 15 Pac Free	..	209715L	1/87	..
HO	90.28.001	Electronic taximeters	25	Aul Free Can 10 Pac Free	..	209746L	1/84	..
HO	90.28.001 Deter'n	Energy management systems, peculiar to use for measuring analysing and controlling electrical demand	35	Aul 15 Can 15 Pac Free	..	209716J	1/84	12/84
HO	90.28.001 Deter'n	Energy management systems, peculiar to use for measuring analysing and controlling electrical demand	35	Aul 10 Can 15 Pac Free	..	209717G	1/85	12/85
HO	90.28.001 Deter'n	Energy management systems, peculiar to use for measuring analysing and controlling electrical demand	35	Aul 5 Can 15 Pac Free	..	209718E	1/86	12/86
HO	90.28.001 Deter'n	Energy management systems, peculiar to use for measuring analysing and controlling electrical demand	35	Aul Free Can 15 Pac Free	..	209719C	1/87	..
HO	90.28.001 Deter'n	Gas detection systems, peculiar for use in commercial and/or industrial environments, which measure and report concentrations of flammable or toxic gases in the air via alarm and/or analogue	35	Aul 5 Can 15 Pac Free	..	209724K	1/84	12/87

## TARIFF DECISION LIST No. 711—continued

## DETERMINATIONS—continued

Port	Tariff Item No.	Goods	Rates of Duty		Part II Ref.	Con-cession Code	Effective	
			Normal	Pref.			From	To*
HO	90.28.001 Deter'n	Gas detection systems, peculiar for use in commercial and/or industrial environments, which measure and report concentrations of flammable or toxic gases in the air via alarm and/or analogue	35	Aul Free Can 15	..	209725H	1/85	..
HO	90.28.001 Deter'n	Moving iron ammeters and voltmeters, flush mounting, quadrant scale, to accuracy class 1.5 and having face sizes from 72 mm to 144 mm square Moving coil and moving coil/rectifier ammeters and voltmeters, flush mounting, having face areas of between 5184 square millimeters and 9216 square millimeters and having sector, quadrant or circular scales NOTE: circular, sector and quadrant type scales are illustrated in Fig. 2 on pages 11 and 12 of B.S. 3693, PART 1, 1964, "The Design of Scales and Indexes"	35	Aul 15 Can 15 Pac Free	..	209720G	1/84	12/84
HO	90.28.001 Deter'n	Moving iron ammeters and voltmeters, flush mounting, quadrant scale, to accuracy class 1.5 and having face sizes from 72 mm to 144 mm square Moving coil and moving coil/rectifier ammeters and voltmeters, flush mounting, having face areas of between 5184 square millimeters and 9216 square millimeters and having sector, quadrant or circular scales NOTE: circular, sector and quadrant type scales are illustrated in Fig. 2 on pages 11 and 12 of B.S. 3693, PART 1, 1964, "The Design of Scales and Indexes"	35	Aul 10 Can 15 Pac Free	..	209721E	1/85	12/85
HO	90.28.001 Deter'n	Moving iron ammeters and voltmeters, flush mounting, quadrant scale, to accuracy class 1.5 and having face sizes from 72 mm to 144 mm square Moving coil and moving coil/rectifier ammeters and voltmeters, flush mounting, having face areas of between 5184 square millimeters and 9216 square millimeters and having sector, quadrant or circular scales NOTE: circular, sector and quadrant type scales are illustrated in Fig. 2 on pages 11 and 12 of B.S. 3693, PART 1, 1964, "The Design of Scales and Indexes"	35	Aul 5 Can 15 Pac Free	..	209722C	1/86	12/86
HO	90.28.001 Deter'n	Moving iron ammeters and voltmeters, flush mounting, quadrant scale, to accuracy class 1.5 and having face sizes from 72 mm to 144 mm square Moving coil and moving coil/rectifier ammeters and voltmeters, flush mounting, having face areas of between 5184 square millimeters and 9216 square millimeters and having sector, quadrant or circular scales NOTE: circular, sector and quadrant type scales are illustrated in Fig. 2 on pages 11 and 12 of B.S. 3693, PART 1, 1964, "The Design of Scales and Indexes"	35	Aul Free Can 15 Pac Free	..	209723A	1/87	..
HO	90.28.001 Deter'n	Portable electrically powered gas leak detector, gas detector and gas monitor and smoke warning alarms	35	Aul 15 Can 15 Pac Free	..	209726F	1/84	12/84
HO	90.28.001 Deter'n	Portable electrically powered gas leak detector, gas detector and gas monitor and smoke warning alarms	35	Aul 10 Can 15 Pac Free	..	209727D	1/85	12/85
HO	90.28.001 Deter'n	Portable electrically powered gas leak detector, gas detector and gas monitor and smoke warning alarms	35	Aul 5 Can 15 Pac Free	..	209728B	1/86	12/86
HO	90.28.001 Deter'n	Portable electrically powered gas leak detector, gas detector and gas monitor and smoke warning alarms	35	Aul Free Can 15 Pac Free	..	209729L	1/87	..
HO	90.28.001 Deter'n	Post payment self-service petrol dispensing systems	35	Aul 15 Can 15 Pac Free	..	209730D	1/84	12/84
HO	90.28.001 Deter'n	Post payment self-service petrol dispensing systems	35	Aul 10 Can 15 Pac Free	..	209731B	1/85	12/85
HO	90.28.001 Deter'n	Post payment self-service petrol dispensing systems	35	Aul 5 Can 15 Pac Free	..	209732L	1/86	12/86
HO	90.28.001 Deter'n	Post payment self-service petrol dispensing systems	35	Aul Free Can 15 Pac Free	..	209733J	1/87	..
HO	90.28.001 Deter'n	Power factor correction systems, including power factor controllers and ancillary equipment mounted in a common cubicle and designed to measure and automatically control the overall power factor in a 3-phase electrical installation, and such power factor controllers when imported separately	35	Aul 15 Can 15 Pac Free	..	209734G	1/84	12/84
HO	90.28.001 Deter'n	Power factor correction systems, including power factor controllers and ancillary equipment mounted in a common cubicle and designed to measure and automatically control the overall power factor in a 3-phase electrical installation, and such power factor controllers when imported separately	35	Aul 10 Can 15 Pac Free	..	209735E	1/85	12/85
HO	90.28.001 Deter'n	Power factor correction systems, including power factor controllers and ancillary equipment mounted in a common cubicle and designed to measure and automatically control the overall power factor in a 3-phase electrical installation, and such power factor controllers when imported separately	35	Aul 5 Can 15 Pac Free	..	209736C	1/86	12/86

## TARIFF DECISION LIST No. 711—continued

## DETERMINATIONS—continued

Port	Tariff Item No.	Goods	Rates of Duty		Part II Ref.	Con-cession Code	Effective	
			Normal	Pref.			From	To*
HO	90.28.001 Deter'n	Power factor correction systems, including power factor controllers and ancillary equipment mounted in a common cubicle and designed to measure and automatically control the overall power factor in a 3-phase electrical installation, and such power factor controllers when imported separately	35	Aul Free Can 15 Pac Free	..	209737A	1/87	..
HO	90.28.001 Deter'n	Ripple signal control equipment	35	Aul 15 Can 15 Pac Free	..	209738K	1/84	12/84
HO	90.28.001 Deter'n	Ripple signal control equipment	35	Aul 10 Can 15 Pac Free	..	209739H	1/85	12/85
HO	90.28.001 Deter'n	Ripple signal control equipment	35	Aul 5 Can 15 Pac Free	..	209740A	1/86	12/86
HO	90.28.001 Deter'n	Ripple signal control equipment	35	Aul Free Can 15 Pac Free	..	209741K	1/87	..
HO	90.28.001 Deter'n	Telemetry systems designed for the remote control, measuring and indicating of physical and electrical data, such as voltage, current, power and position status	35	Aul 15 Can 15 Pac Free	..	209742H	1/84	12/84
HO	90.28.001 Deter'n	Telemetry systems designed for the remote control, measuring and indicating of physical and electrical data, such as voltage, current, power and position status	35	Aul 10 Can 15 Pac Free	..	209743F	1/85	12/85
HO	90.28.001 Deter'n	Telemetry systems designed for the remote control, measuring and indicating of physical and electrical data, such as voltage, current, power and position status	35	Aul 5 Can 15 Pac Free	..	209744D	1/86	12/86
HO	90.28.001 Deter'n	Telemetry systems designed for the remote control, measuring and indicating of physical and electrical data, such as voltage, current, power and position status	35	Aul Free Can 15 Pac Free	..	209745B	1/87	..
HO	90.28.001 Deter'n	Variable speed controllers for a.c. motors, sizes 2.2kW, 4kW, 7.5kW, 22kW and 75kW	35	Aul 5 Can 15 Pac Free	..	209747J	1/84	12/84
HO	90.28.001 Deter'n	Variable speed controllers for a.c. motors, sizes 2.2kW, 4kW, 7.5kW, 22kW and 75kW	35	Aul Free Can 15 Pac Free	..	209748G	1/85	..
HO	90.28.001 Deter'n	Variable speed controllers for a.c. motors, sizes up to and including 215kW, EXCLUDING: sizes 2.2kW, 4kW, 7.5kW, 22kW and 75kW	35	Aul Free Can 15 Pac Free	..	209749E	1/84	..

\*Approvals lapse on the dates indicated, the goods thereafter being dutiable according to their substantive Tariff classification. If continuation of an approval is desired for a further period, formal application should be made to the Collector at least 6 weeks prior to the date of expiry.

## MISCELLANEOUS

## Decisions Cancelled:

HO	90.28.001 Deter'n	Communications ... networks	..	..	..	208293E	..	..
HO	90.28.001 Deter'n	Communications ... networks	..	..	..	208294C	..	..
HO	90.28.001 Deter'n	Communications ... networks	..	..	..	208295A	..	..
HO	90.28.001 Deter'n	Communications ... networks	..	..	..	208296K	..	..
HO	90.28.001 Deter'n	Data ... pressure	..	..	..	208298F	..	..
HO	90.28.001 Deter'n	Data ... pressure	..	..	..	208299D	..	..
HO	90.28.001 Deter'n	Data ... pressure	..	..	..	208300A	..	..
HO	90.28.001 Deter'n	Data ... pressure	..	..	..	208301K	..	..
HO	90.28.001 Deter'n	Echo-sounding, ... units	..	..	..	208303F	..	..
HO	90.28.001 Deter'n	Echo-sounding, ... units	..	..	..	208304D	..	..
HO	90.28.001 Deter'n	Echo-sounding, ... units	..	..	..	208305B	..	..
HO	90.28.001 Deter'n	Echo-sounding, ... units	..	..	..	208306L	..	..
HO	90.28.001 Deter'n	Electrical ... control	..	..	..	208308G	..	..
HO	90.28.001 Deter'n	Electrical ... control	..	..	..	208309E	..	..
HO	90.28.001 Deter'n	Electrical ... control	..	..	..	208310J	..	..
HO	90.28.001 Deter'n	Electrical ... control	..	..	..	208311G	..	..
HO	90.28.001 Deter'n	Electronic ... resistive	..	..	..	208313C	..	..

TARIFF DECISION LIST No. 711—continued  
MISCELLANEOUS—continued

Port	Tariff Item No.	Goods	Rates of Duty		Part II Ref.	Con-cession Code	Effective	
			Normal	Pref.			From	To*
HO	90.28.001 Deter'n	Electronic ... resistive	..	..	..	208314A	..	..
HO	90.28.001 Deter'n	Electronic ... resistive	..	..	..	208315K	..	..
HO	90.28.001 Deter'n	Electronic ... resistive	..	..	..	208316H	..	..
HO	90.28.001 Deter'n	Electronic taximeters	..	..	..	208366D	..	..
HO	90.28.001 Deter'n	Energy ... demand	..	..	..	208318D	..	..
HO	90.28.001 Deter'n	Energy ... demand	..	..	..	208319B	..	..
HO	90.28.001 Deter'n	Energy ... demand	..	..	..	208320F	..	..
HO	90.28.001 Deter'n	Energy ... demand	..	..	..	208321D	..	..
HO	90.28.001 Deter'n	Gas ... displays	..	..	..	208364H	..	..
HO	90.28.001 Deter'n	Gas ...displays	..	..	..	208365F	..	..
HO	90.28.001 Deter'n	Moving ... scales	..	..	..	208323L	..	..
HO	90.28.001 Deter'n	NOTE: circular ... Indexes"	..	..	..	208324J	..	..
HO	90.28.001 Deter'n	Moving ... scales	..	..	..	208325G	..	..
HO	90.28.001 Deter'n	NOTE: circular ... Indexes"	..	..	..	208326E	..	..
HO	90.28.001 Deter'n	Moving ... scales	..	..	..	208328A	..	..
HO	90.28.001 Deter'n	NOTE: circular ... Indexes"	..	..	..	208329K	..	..
HO	90.28.001 Deter'n	Portable ... alarms	..	..	..	208329K	..	..
HO	90.28.001 Deter'n	Portable ... alarms	..	..	..	208341J	..	..
HO	90.28.001 Deter'n	Portable ... alarms	..	..	..	208342G	..	..
HO	90.28.001 Deter'n	Post ... systems	..	..	..	208344C	..	..
HO	90.28.001 Deter'n	Post ... systems	..	..	..	208345A	..	..
HO	90.28.001 Deter'n	Post ... systems	..	..	..	208346K	..	..
HO	90.28.001 Deter'n	Post ... systems	..	..	..	208347H	..	..
HO	90.28.001 Deter'n	Power ... separately	..	..	..	208350H	..	..
HO	90.28.001 Deter'n	Power ... separately	..	..	..	208351F	..	..
HO	90.28.001 Deter'n	Power ... separately	..	..	..	208352D	..	..
HO	90.28.001 Deter'n	Power ... separately	..	..	..	208353B	..	..
HO	90.28.001 Deter'n	Ripple ... equipment	..	..	..	208355J	..	..
HO	90.28.001 Deter'n	Ripple ... equipment	..	..	..	208356G	..	..
HO	90.28.001 Deter'n	Ripple ... equipment	..	..	..	208357E	..	..
HO	90.28.001 Deter'n	Ripple ... equipment	..	..	..	208358C	..	..
HO	90.28.001 Deter'n	Telemetry ... status	..	..	..	208436J	..	..
HO	90.28.001 Deter'n	Telemetry ... status	..	..	..	208360E	..	..
HO	90.28.001 Deter'n	Telemetry ... status	..	..	..	208361C	..	..
HO	90.28.001 Deter'n	Telemetry ... status	..	..	..	208362A	..	..
HO	90.28.001 Deter'n	Variable ... 75kW	..	..	..	208368L	..	..
HO	90.28.001 Deter'n	Variable ... 75kW	..	..	..	208369J	..	..
HO	90.28.001 Deter'n	Variable ... 215kW, EXCLUDING: sizes ... 75kW	..	..	..	208156D	..	..

Dated at Wellington this 16th day of August 1984.

P. J. McKONE, Comptroller of Customs.



## TARIFF DECISION LIST No. 712

*Decisions of the Minister of Customs Under the Customs Tariff (Subject to Amendment or Cancellation by Notification in the Gazette)*  
DETERMINATIONS

Port	Tariff Item No.	Goods	Rates of Duty		Part II Ref.	Con- cession Code	Effective	
			Normal	Pref.			From	To*
HO	85.01.021 Deter'n	Current transformers having a capacity less than 1KVA	35 *	Can 25 DC 25 Pac Free Aul 10 Aul 5 Aul Free	..	209528K	6/84	6/94

\*Approvals lapse on the dates indicated, the goods thereafter being dutiable according to their substantive Tariff classification. If continuation of an approval is desired for a further period, formal application should be made to the Collector at least 6 weeks prior to the date of expiry.

## MISCELLANEOUS

*Decisions Cancelled:*

HO	85.02.021	Current ... 1KVA	..	..	..	209528K	..	..
----	-----------	------------------	----	----	----	---------	----	----

Dated at Wellington this 16th day of August 1984.

P. J. MCKONE, Comptroller of Customs.

