

SUPPLEMENT

TO THE

NEW ZEALAND GAZETTE

OF

THURSDAY, 30 JULY 1987

Published by Authority

WELLINGTON: TUESDAY, 4 AUGUST 1987

CUSTOMS NOTICES

(INCLUDING TARIFF INDUSTRY ASSISTANCE NOTICES)

NEW ZEALAND GAZETTE

Notice is hereby given that the following applications have been made in respect of the goods advertised in the Schedule to this notice. Any person wishing to lodge an objection must do so in writing, to the ** Port of lodgement indicated by the reference 1 number, before 20 August 1987. All submissions must include:

- the Tariff Industry Assistance (Advertisement) Notice number;
- the Tariff item;
- ----the Port; and
- ---Reference number.
- All submissions from local manufacturers must include:
 - the range of alternative goods made locally;
 - the grounds on which objection is made (including reasons why the local product is a suitable alternative);
 - present and potential output;
- details of factory cost in terms of materials, labour, overheads, including the proportion of domestic and imported content. All submissions objecting to a request for the imposition of duty must include:
 - reasons why the local product on which protection is sought is not a suitable alternative;
 - full technical details of the goods against which tariff protection is sought.
- Where further information is required in order to make a submission an objector should contact the applicant in writing and refer a 4 copy of the enquiry to the port where the application was lodged quoting the details in paragraph 1 above. Any submission not supported by the information required in the paragraphs above will not be regarded as a valid objection.

ariff		Name and Address	Part II	Ref.	Category of
tem	Description of Goods	of Applicant	Ref.	No.	Appn.
1.07.017	Sprite beverage base	Movements International Ltd PO Box 12045 PENROSE	99	AK 700217D	A
0.03.039	Aldecin nasal spray inhalers	Glaxo NZ Ltd Private Bag PALMERSTON NORTH	25	WN 720098	WA
3.06.039	CURRENT APPROVAL				
	Bath oil softgels of 300mg or over when imported in bulk	R P Scherer Pty Ltd PO Box 703 PAPAKURA	99	603145F	VA
8.06.039	REQUESTED APPROVAL Bath oils or bubble bath softgels of 300mg or over when imported in bulk		99	AK 700196H	VA
8.11.029	Dipel insecticide being H-3A-3B-HD1	Farmers Fertiliser Ltd Private Bag AUCKLAND	99	AK 700164K	A
8.11.041	Tropotox plus	May & Baker New Zealand Ltd PO Box 35060 NAENAE	99	WN 720088	A
8.19.089	Glocount tablets (250mg tablet of homidium bromide)	Chemiplas NZ Ltd C/-Burnard & Reynolds Ltd PO Box 1387 AUCKLAND	99	AK 700208E	A
8.19.089	Trigonox C $-$ being a catalyst for the polymerisation of unsaturated polyester resins	Swift New Zealand Ltd PO Box 2301 AUCKLAND	99	AK 700197F	Α
0.01.211	Beckamine 51-906 (P196/60)	A.C Hatrick (NZ) Ltd PO Box 2359 AUCKLAND	•••	AK 603390D	CA
.03.171	Letraline plastic self-adhesive acetate tape	AUCIDALIU	99	DN 206798G	R.U.C
.03.181	Film, reinforced with continuous fibres coated with a pressure sensitive adhesive in jumbo rolls		••	DN 480621C	R.U.C
.05.108	Pentalyn 261		99	DN 560327H	R.U.C
.07.301	Extruded polytetrafluoroethylene tube with a stainless steel single wire braid cover. Temperature rating 70oC to 232oC		••	DN 505243C	R.U.C
.07.301	Settler tubes for water filtration plant		••	DN 930833E	R.U.C
.07.311	Aprons, X-ray protective, of lead impregnated plastic		33	DN 207085F	R.U.C
.07.311	Pedi brand, Mars-Combi type, protective suits		• •	DN 540064D	R.U.C
.07.403) .07.404)	Bags, anti-static unprinted	Terminal Accessories Ltd PO Box 3854 AUCKLAND	99	AK 700188G	A
.07.421	Pressure formed PVC sheet 650 mm x 490 mm only		99	DN 505268J	R.U.C
07.449	Jausafe tamper-evident closures			DN 931207C	R.U.C
07.469	Shower drainage pans		33	DN 207084H	R.U.C
07.479	Polyproplene pipe fittings, of 2.5mm wall thickness only		99	DN 208668K	R.U.C
.07.489	Plastic fibre cudler mats		99	DN 540783E	R.U.C
07.519	Trunks, suitcases, hat-boxes, travelling-bags, not including goods of ABS plastic		33	DN 207091L	R.U.C
.07.549	Stockwell scientific histology cassettes		99	DN 930063F	R.U.C R.U.C
.07.629 .07.629	Acrylic dosimetry pellets Bottle like food trainer for strained baby foods, with rubber teat		99 99	DN 928805J DN 504954H	R.U.C
.07.629	Bulgin instrument control knobs type K491		99	DN 420052H	R.U.C
07.629	Conveyor system parts viz:- PVC cleats, tracking strips, and sidewalls		99	DN 503927E	R.U.C
.07.629	C-Zero cassette being an audio cassette tape shell without magnetic record tape loading	Direct Imports (NZ) Ltd PO Box 72 HASTINGS	55	WN 622313	A
.07.629	Flexi-liner PVC tank liners		99	DN 561035E	R.U.C
.07.629	Gas pipe leak repair sleeves		99	DN 504705G	R.U.C
.07.629	Allyester double insulated industrial enclosures and auxiliary components therefore		99	DN 912859L	R.U.C
.07.629	Heavy duty cable ties 530mm x 12mm		99	DN 931271E	R.U.C

1

4 August

)

ĵ

NEW ZEALAND GAZETTE

Tariff Industry Assistance (Advertisement) Notice No. 1987/28-continued

Tariff Item	Description of Goods	Name and Address of Applicant	Part II Ref.	Appn. Ref. No.	*Category of Appn.
9.07.629	Ileo-colostomy drainage bags, disposable	• • • • • • • • • • • • • • • • • • •	33	DN 207151H	R.U.
9.07.629	Inflatable infants changing tables	•	99	DN 521970B	R.U.
9.07.629	Interlocking moulded floor tiles		99	DN 505017A	R.U.
9.07.629	Nylonic precision ground thermoplastic balls		99	DN 462120E	R.U.
9.07.629	Ornament and decorative piece moulds		99	DN 521992C	R.U.
9.07.629	Plastic balls, unpierced, sizes 3mm to 8mm, on condition		99	DN 927650F	R.U.
	the goods are for use solely in biomedical assays				
9.07.629	Plastic modelling tools		99	DN 504829L	R.U.
07.629	Plastic seperator nozzles and ratio caps		99	DN 503627F	R.U.
.07.629 .07.629	Polymeric roof top chains Porous cellular ethylene vinyl acetate soap dispenser		99 99	DN 521081L DN 930320A	R.U. R.U.
.07.629	tips PVC conveyor belt cleats		99	DN 561084C	R.U.
.07.629	PVC valve balls, Lloyds approved, 65mm and 120mm		99	DN 931414J	R.U.
.07.629	Regenerated cellulose viskrings seals		99	DN 929518G	R.U.
.07.629	Resinwrap cable jointing kits		99	DN 521422L	R.U.
.07.629	Rope strung ship safety ladder		99	DN 580860L	R.U.
.07.629	Self illuminating safety and directional signs and lights		99	DN 540710K	R.U.
.07.629	Shapes, flat, of hardened casein, for use in making		33	DN 207183F	R.U.
07 620	buttons Spectacle cases		22	DN 2071930	D 11
07.629	•		33	DN 207182H	R.U.
.07.629	Spectacle frame tags		99	DN 521691F	R.U.
.07.629	Static mixing elements for liquids CURRENT APPROVAL		99	DN 521468J	R.U.
.07.629		3M New Zealand Ltd	99	E406900	17.4
	Turkey tender timers	3M New Zealand Ltd PO Box 33-246	33	540689H	VA
		Takapuna			
07 000		AUCKLAND			
.07.629	REQUESTED APPROVAL		00	W 200010D	
10.000	Time/temperature cooking indicators		99	AK 700218B	VA
.13.009	Physiological heat retainer (for sports & sports injuries)		99	DN 660485E	A
		& Consultants			
		C/-Campbell McRae Holdings Ltd PO Box 5556			
		DUNEDIN			
0.04.121	Nylon cable braid	Doppelmayr Lifts (NZ) Ltd	99	CH 640757K	Α
		C/-Independent Customs Agency Ltd			
		PO Box 5155			
		CHRISTCHURCH			
0.06.001	Rubber backed hosiery stretch lace of widths between	Bonds NZ Ltd	99	WN 622368	Α
	7cm to llcm inclusive	C/-Banner International Ltd			
		PO Box 1744			
		WELLINGTON			
3.40.089	Welded galvanised spring steel wire retaining rings	Dawson Reed & Co Ltd	99	CH 740024B	Α
		PO Box 294			
		CHRISTCHURCH			
.09.037	Sealed tubular blind rivets of either stainless steel	Emhart NZ Limited	99	AK 700161E	Α
	shell and stainless steel mandrel or monel shell and	PO Box 8574			
	stainless steel mandrel	AUCKLAND			
apter 84	CURRENT APPROVAL				
	Catalogued parts of machines may be admitted under	Comptroller of Customs	99	602755F	VA
	the Part I approval, Part II duty concession or	Private Bag			
	former Section 178 approval, granted in respect	WELLINGTON			
	of the parent machine. Catalogued parts of machines				
	which in their own right are entitled to duty free				
	entry under Part I of the Tariff are also covered				
	by this concession. This applies regardless of Tariff				
	classification with the following exceptions;				
	(1) Parts of general use				
	(2) Any part which is the subject of a specific				
	Determination of the Minister				
	(3) Ball, needle and roller bearings				
	(4) Electric motors				
	(5) Fans and blowers				
	(6) Parts of machines approved for entry under Part II				
	concessions 20, 33, 60, 70, 80, 81				
	(7) Buckets, shovels and grabs				
	(8) Hoses with fittings attached				
	(9) Articles of needleloom felt				
	(10) Interchangeable tools, e.g., tool bits, saw blades,				
	grinding wheels				
	(11) Tyres and tubes				
	(12) Electric accumulators				
	(13) Electric lamps and tubes				
	(14) Knives and cutting blades				
	(15) Engines				
	(16) Transmission shafts - flexible				
	(17) Spark plugs				
apter 84	REQUESTED APPROVAL				
	Catalogued parts of machines may be admitted under		99	HO 780044E	VA
	the Part I approval, Part II duty concession or				
	former Section 178 approval, granted in respect				
	of the parent machine. Catalogued parts of machines				

of the parent machine. Catalogued parts of machines which in their own right are entitled to duty free

NEW ZEALAND GAZETTE

ariff tem	Description of Goods	Name and Address of Applicant	Part II Ref.	Appn. Ref. No.	*Category of Appn.
	entry under Part I of the Tariff are also covered by this concession. This applies regardless of Tariff classification with the following exceptions;				
	 Parts of general use Any part which is the subject of a specific Determination of the Minister 				
	Determination of the Minister (3) Ball, needle and roller bearings				
	(4) Electric motors(5) Fans and blowers(6) Parts of machines approved for entry under Part II				
	concessions 20, 33, 60, 70, 80, 81 (7) Buckets, shovels and grabs and parts thereof (8) Hoses with fittings attached				
	 (9) Articles of needleloom felt (10) Interchangeable tools, e.g., tool bits, saw blades, grinding wheels 				
	(11) Tyres and tubes (12) Electric accumulators				
	(13) Electric lamps and tubes(14) Knives and cutting blades				
	(15) Engines (16) Transmission shafts - flexible (17) Spark plugs				
.06.061	Rolls Royce pistons, liners and connecting rod	B Shieff 2a Westbourne Road Remuera AUCKLAND	99	AK 700173J	A
.06.061	Rolls Royce shell bearings RH2140	B Shieff 2a Westbourne Road Remuera AUCKLAND	99	AK 7001740	A
15.009	CURRENT APPROVAL APV parafreeze plate freezers peculiar to use in the fast freezing packaged goods	RMC Engine Cleaner C/-Walsh & Anderson Customs	99	207509E	S VA
	-	Agency Ltd PO Box 1268 WELLINGTON			
15.009	REQUESTED APPROVAL Horizontal and vertical plate freezers		99	WN 720124	VA
17.009	Counter convection steamers	Moffat Appliances Ltd PO Box 10-001 CHRISTCHURCH	99	CH 740031E	
17.009	Hot oil fryers with motorized hood and conveyor lift	Mexican Supplies Limited C/-PO Box 1744 WELLINGTON	99	WN 720097	A
17.009	Pulp airbourne dryer	Caxton Paper Mills Ltd PO Box 3844 AUCKLAND	99	AK 7001980	A (
21.049	Trigger operated sprayer unit	Holt Lloyd New Zealand Ltd PO Box 11049 Ellerslie AUCKLAND 5	99	AK 700166F	A
22.019	Hoist components and spare parts for Istobal 2 post electric car hoist excluding electric motors	Supreme Hoists (NZ) Ltd PO Box 122 KATIKATI	99	AK 7001671	WA WA
22.019	Overhead powered trolley system	Byron Machinery Co Ltd C/-Pengellys Private Bag AUCKLAND	99	AK 700168E	B A
.22.019	Ski lift spare and service parts regardless of classification but excluding parts for general use and those which are determined by the Minister	Dopplemayer Ski Lifts (NZ) Ltd C/-Independent Customs Agency Ltd 62 Vagues Road Papanui CHRISTCHURCH 5	99	CH 7400371) A
22.019	CURRENT APPROVAL Table top and slat band chain;	Dial Industries Ltd	99	201962A	VA
	EXCLUDING: Steel acetal, nylon or polyproplyene straight running slat band chain, not exceeding 85mm wide of hinge type constructions	PO Box 34062 Birkenhead AUCKLAND 10			
22.019	REQUESTED APPROVAL Table top and slat band chain EXCLUDING: Steel acetal, nylon or polyproplyene straight running slat	•	99	AK 7002221	, VA
. 23	band chain not exceeding 196mm wide of hinge type constructions Land and road graders designed for towing behind vehicles	Pools Plantation	99	HO 780056J	A
		PO Box 1 WAITATI	99	AK 700187J	
25.045	Belt and P.T.O driven fairway gang mowers	Kawakawa Engineering Ltd Whangae Road KAWAKAWA			
25.045	Reel mowers for attachment to tractors of less than 24 horse power	Turf Line Ltd PO Box 38-392 Howick	99	AK 700169L	. WA

NEW ZEALAND GAZETTE

Tariff Industry Assistance (Advertisement) Notice No. 1987/28-continued

Tariff Item	Description of Goods	Name and Address of Applicant	Part II Ref.	Appn. Ref. No.	*Category of Appn.
84.45.000	CURRENT APPROVAL	AUCKLAND			
	Hand operated bending machines solely for use in the forming of valu guide rails into radius turns	Comptroller of Customs Private Bag WELLINGTON	99	679814E	VA
34.45.000	REQUESTED APPROVAL Conveyor rail portable bending machines		99	NO 6709145	VA
34.59.059	Commercial waste disposal units weighing 20kg or more	Parex Industries Ltd C/-Trade Consultants Ltd PO Box 4287 AUCKLAND	99 99	HO 679814E AK 700170D	
34.59.059	Reciprocating stirrers	Watson Victor Limited PO Box 1180 WELLINGTON	99	WN 720136	A
34.61.039	Ball valves or spherical plug valves viz; -Flanged ball valves sizes- 2''-6'' inclusive class 150 ANSI 2'' only class 600 ANSI	Comptroller of Customs Private Bag WELLINGTON	99	HO 780042J	A
34.61.039	Diaphragm valves for vacuum and pressure gases up to 6.8bar (100 lbf/sq.in.)	Thermoplastic Engineering Co Ltd PO Box 25-038 HATAITAI	99	HO 780045C	A
4.62.000	CURRENT APPROVAL Ball roller or needle roller bearings, peculiar for use		99	4616000	VA
34.62.000	in the repair of dental handpieces REQUESTED APPROVAL			461600G	
34.62.000	Dental handpiece ball roller or needle roller bearings CURRENT APPROVAL		99	HO 461600G	VA
84.62.000	Bearing assembly for use with pulprefiner model R642 REQUESTED APPROVAL		99	931374F	VA
34.62.000	Pulprefiner bearing assemblies CURRENT APPROVAL		99	HO 931374F	VA
84.62.000	Non-metallic ball bearings on condition that the goods are for use solely under corrosive conditions		99	208721K	VA
	REQUESTED APPROVAL Non-metallic ball bearings		99	но 208721к	VA
4.62.000	CURRENT APPROVAL Slew ring bearings for log loaders		99	925514F	VA
4.62.000	REQUESTED APPROVAL Log loader slew ring bearings		99	HO 925514F	VA
4.63.001	CURRENT APPROVAL Crankshafts and camshafts for engines, when declared by an		99	113035J	,
4.63.001	importer that they will not be used in the repair of cycle or motor vehicle engines REQUESTED APPROVAL		55	1150555	VA
4.63.001	Crankshafts and camshafts for engines other than those for repairing cycle or motor vehicle engines CURRENT APPROVAL		99	HO 113035J	VA
4.03.001	Crankshafts and camshafts for internal combustion engine suited for use on tractor engines, when declared that they will be so used		60 99 99	113036G 113037E 113038C	
4.63.001	REQUESTED APPROVAL Crankshafts and camshafts for internal combustion engines (tractor engines only)		60 99 99	HO 113036G HO 113037E HO 113038C	VA
4.63.001	CURRENT APPROVAL Crankshafts and camshafts for internal combustion		99	113039A	VA
	engines, when declared by an importer that they will be used on approved bases, self-propelled, of headings 84.22 and 84.23			110000	TA I
4.63.001	REQUESTED APPROVAL Crankshafts and camshafts for internal combustion engines (ie. those bases, self-propelled, of headings 84.22 and 84.23)		99	HO 113039A	VA
4.63.011	CURRENT APPROVAL 2 and 3 cam epicyclical speed reducer with overrun dog clutch mechanism, for use in making seed drills		99	924426D	VA
4.63.011	REQUESTED APPROVAL 2 and 3 cam epicyclical speed reducer with overrun dog clutch mechanism		99	HO 924426D	VA
4.63.011	CURRENT APPROVAL Clark powershift transmission series 18000 and 28000, for		99	460248L	VA
4.63.011	use in making machinery only REQUESTED APPROVAL Clark powershift transmission series 18000 and 28000 CURPERT APPROVA		99	HO 460248L	VA
4.63.011	CURRENT APPROVAL Crankshafts for John Heine metal presses		99	204155D	VA
4.63.011	REQUESTED APPROVAL Metal press crankshafts		99	HO 204155D	VA
4.63.011	CURRENT APPROVAL Component part set, gearbox assembly, only for Vibrax fertiliser distributor		99	202169C	VA
4.63.011	REQUESTED APPROVAL Fertiliser distributor component part set, gearbox assembly		99	HO 202169C	VA
4.63.011	CURRENT APPROVAL				
	Gearbox assemblies (excluding power take off shafts) on		99	480679E	VA

)

)

NEW ZEALAND GAZETTE

I.

1

m 63.011 63.011 63.011 63.011 63.011 63.011	Description of Goods condition they are used as components in the manufacture of hay tedders/rakes REQUESTED APPROVAL Hay tedder/rake gearbox assemblies (excluding power take off shafts) CURRENT APPROVAL Gear box assembly, shaft mounted metric, for handling raw materials REQUESTED APPROVAL	of Applicant	Ref. 99	No	Appn.
63.011 63.011 63.011 63.011 63.011	of hay tedders/rakes REQUESTED APPROVAL Hay tedder/rake gearbox assemblies (excluding power take off shafts) CURRENT APPROVAL Gear box assembly, shaft mounted metric, for handling raw materials		99		
63.011 63.011 63.011 63.011 63.011	Hay tedder/rake gearbox assemblies (excluding power take off shafts) CURRENT APPROVAL Gear box assembly, shaft mounted metric, for handling raw materials		99		
63.011 63.011 63.011 63.011	off shafts) CURRENT APPROVAL Gear box assembly, shaft mounted metric, for handling raw materials		99		
53.011 53.011 53.011 53.011	CURRENT APPROVAL Gear box assembly, shaft mounted metric, for handling raw materials			HO 480679E	VA
33.011 53.011 53.011 53.011 53.011	Gear box assembly, shaft mounted metric, for handling raw materials				
33.011 33.011 33.011	raw materials		99	927805C	VA
33.011 33.011 33.011				5478050	VA.
33.011 33.011					
53.011 53.011	Gear box assembly, shaft mounted metric		99	HO 927805C	VA
33.011	CURRENT APPROVAL				
3.011	Gear reducers for poultry and pig automatic feeding systems		99	540475E	VA
	REQUESTED APPROVAL				
	Gear reducers CURRENT APPROVAL		99	HO 540475E	VA
3.011	Pinion gear or sinterediron, when declared		99	202928G	VA
3.011	(1) by a manufacturer for use by him, only in making		00	2020200	14
3.011	wringer washers; or				
3.011	(2) by an importer for sale by him, only to a manufacturer				
3.011	for use by him, only in making wringer washers				
	REQUESTED APPROVAL				
	Wringer washer pinion gear of sintered iron		99	HO 202928G	
3.011	Pinion gear or sinterediron, when declared		99	HO 560199B	WA
	 by a manufacturer for use by him, only in making wringer washers; or 				
	(2) by an importer for sale by him, only to a manufacturer				
	for use by him only in making wringer washers				
	(3) by an importer for use by him and for sale by him,				
	only in repairing wringer washers				
3.011	CURRENT APPROVAL				•
	Perrot gear boxes, peculiar for use on Perromat sprinkling		99	462261J	VA
0.011	machines				
3.011	REQUESTED APPROVAL		99	10 4600611	
3.011	Perrot gear boxes CURRENT APPROVAL		99	HO 462261J	VA
3.011	Reduction gear set for use with industrial robots		99	930330J	VA
3.011	REQUESTED APPROVAL				14
	Industrial robot reduction gear sets		99	HO 930330J	VA
3.011	CURRENT APPROVAL				
	Right angle gear drives for use in manufacture of frost		99	930756H	VA
	protection wind machines				
3.011	REQUESTED APPROVAL				
	Right angle gear drives		99	HO 930756H	VA
3.011	2 cam epicyclicol speed reducer with overrun dog clutch mechanism, for use in making seed drills		99	HO 924141J	WA
3.021	CURRENT APPROVAL				
0.001	Bettcher flexishaft and flexishaft casings for use only		99	928489D	VA
	with Whizard machines				
3.021	REQUESTED APPROVAL				
	Bettcher flexishaft and flexishaft casings		99	HO 928489D	VA
3.029	CURRENT APPROVAL			0050450	
	Bearings and seals of sintered metal used in the		99	925245C	VA
3.029	manufacture of typhoon waste masters REQUESTED APPROVAL				
,	Bearings and seals of sintered metal		99	HO 925245C	VA
3.029	Borg Warner agricultural gear boxes of the following		99	HO 200347D	WA
	series only; 10-30, 10-31, 10-50, 10-54, 10-55, 14-08,				
	14-09, WA57, WA67, WA69, WA83 and WA98 when declared				
	that the goods shall only be used in making agricultural				
2 020	machinery CURRENT APPROVAL				
3.029	BTR Silentbloc flexible bearings, for industrial use only		99	926388J	VA
3.029	REQUESTED APPROVAL			920300J	YA
	BTR silentbloc flexible bearings		99	HO 926388J	VA
3.029	CURRENT APPROVAL				
	Cam operated index drive for station control of		99	927817G	VA
	manufacturing machines				
3.029	REQUESTED APPROVAL		00	NO 007017-	
3.029	Cam operated index drive CURRENT APPROVAL		- 99	HO 927817G	VA
	Clutch and safety overload devices for use on agricultural		99	907470J	VA
	power take-off shafts			00/4/00	10
3.029	REQUESTED APPROVAL				
	Agricultural power take-off shaft clutch and safety		99	HO 907470J	VA
	overload devices				
3.029	CURRENT APPROVAL				
	Clutches, excluding those designed principally for use		99	462467L	VA
	with vehicles or aircraft, for use on industrial motors				
3.029	REQUESTED APPROVAL		~~		• - ·
0.00	Industrial motor clutches		99	HO 462467L	VA
3.029	CURRENT APPROVAL Component parts as may be approved for use in the		99	400844J	VA
	manufacture of Disley Electrical Lateral Irrigation systems		00	1009441	٧A
	APPROVED:				

)

NEW ZEALAND GAZETTE

riff em	Description of Goods	Name and Address of Applicant	 Part II Ref.	Appn. Ref. No.	*Categor of Appn.
	Centre pivot drive gearboxes				
	Gearboxes 2000				
	CD centre drive gearboxes				
	Super strength drive line couplers				
.63.029	REQUESTED APPROVAL		99	HO 400844J	VA
	Electrical Lateral Irrigation system component parts, as may be approved;		99	n0 400844J	VA
	APPROVED:				
	Multi-mount 700T and 710T				
	Centre pivot drive gearboxes				
	Gearboxes 2000				
	CD centre drive gearboxes				
	Super strength drive line couplers				
.63.029	CURRENT APPROVAL				
	Fibreglide self lubricating bearings for use in industrial		99	209950A	N VA
00.000	applications				
.63.029	REQUESTED APPROVAL Self lubricating bearings		99	HO 209950A	VA
.63.029	CURRENT APPROVAL		33	NO 209950A	
.00.025	Gear reducers, when declared by a manufacturer for use		99	930781J	VA
•	in the making, or as spare parts of Cooling Towers			0007010	***
.63.029	REQUESTED APPROVAL				
	Cooling tower gear reducers		99	HO 930781J	VA
.63.029	CURRENT APPROVAL				
	Gearboxes, specially designed for use with marine engines		99	1130720	VA VA
.63.029	REQUESTED APPROVAL				
	Marine engine gearboxes		99	HO 113072C	VA VA
.63.029	CURRENT APPROVAL				
	Hydraulic or fluid couplings, for use in transmission		99	916911D	O VA
.63.029	between revolving shafts				
.00.029	REQUESTED APPROVAL Revolving shaft transmission hydraulic or fluid couplings		99	HO 916911D	VA
.63.029	CURRENT APPROVAL		33	HO 910911D	, M
	Peerless T drives and Peerless right angle drive and		99	927283G	VA
	heads, on condition that they will be used only in		00	0272000	
	making lawnmowers and agricultural and horticultural				
	equipment				
.63.029	REQUESTED APPROVAL				
	Peerless T drives and Peerless right angle drive and heads		99	HO 927283G	VA
.63.029	CURRENT APPROVAL				
	Peerless transaxles, series 600, when declared for use in		99	205619E	VA VA
	making self-propelled riding mowers	•			
.63.029	REQUESTED APPROVAL				
.63.029	Peerless transaxles, series 600		99	HO 205619E	
.03.029	Power take-offs and parts thereof for driving equipment		99	HO 500123E	WA WA
.63.029	on special purpose vehicles Power take-offs and parts thereof, of types not made in		99	HO 931368A	WA
	New Zealand, for use only in making or repairing of		55	10 3010004	. "A
	agricultural vehicles used for lime and fertiliser				
	spreading and for weed spraying and similar off-highway				
	equipment only				
.63.029	Power take-off units, for use with motor vehicle gear		99	HO 113084G	WA
	boxes, when declared by a manufacturer that they will be				
00.000	used by him, only in the making of fire appliances		0.5		
.63.029	Power take-off units, on condition that they are for		99	HO 461367J	WA
63 030	use only in making and repairing refuse vehicles				
.63.029	CURRENT APPROVAL Rack and pinion units for use in ventilation systems of		00	3104705	
	glass houses (commercial)		99	210479C	VA
.63.029	REQUESTED APPROVAL				
	Glass house ventilation system rack and pinion units	•	99	HO 210479C	VA
.63.029	CURRENT APPROVAL				14
	Reduction gearheads for use solely with DC micromotor		99	540369D	VA
	Faulhaber system used in medical applications				
.63.029	REQUESTED APPROVAL				
			99	HO 540369D	VA
	DC micromotor Faulhaber system reduction gearheads				
.63.029	DC micromotor Faulhaber system reduction gearheads CURRENT APPROVAL				
	DC micromotor Faulhaber system reduction gearheads CURRENT APPROVAL Safety guards for use with power take-off units		99	460855A	. VA
	DC micromotor Faulhaber system reduction gearheads CURRENT APPROVAL Safety guards for use with power take-off units REQUESTED APPROVAL				
63.029	DC micromotor Faulhaber system reduction gearheads CURRENT APPROVAL Safety guards for use with power take-off units REQUESTED APPROVAL Power take-off unit safety guards		99 99	460855A HO 460855A	
63.029	DC micromotor Faulhaber system reduction gearheads CURRENT APPROVAL Safety guards for use with power take-off units REQUESTED APPROVAL Power take-off unit safety guards CURRENT APPROVAL		99	HO 460855A	VA
.63.029	DC micromotor Faulhaber system reduction gearheads CURRENT APPROVAL Safety guards for use with power take-off units REQUESTED APPROVAL Power take-off unit safety guards CURRENT APPROVAL Shafting, flexible, with a rating exceeding 235 kW per				VA
63.029 63.029	DC micromotor Faulhaber system reduction gearheads CURRENT APPROVAL Safety guards for use with power take-off units REQUESTED APPROVAL Power take-off unit safety guards CURRENT APPROVAL		99	HO 460855A	VA
. 63 . 029 . 63 . 029 . 63 . 029 . 63 . 029	DC micromotor Faulhaber system reduction gearheads CURRENT APPROVAL Safety guards for use with power take-off units REQUESTED APPROVAL Power take-off unit safety guards CURRENT APPROVAL Shafting, flexible, with a rating exceeding 235 kW per 100 r.p.m. for use in connecting power units to machines		99	HO 460855A	VA VA
.63.029 .63.029	DC micromotor Faulhaber system reduction gearheads CURRENT APPROVAL Safety guards for use with power take-off units REQUESTED APPROVAL Power take-off unit safety guards CURRENT APPROVAL Shafting, flexible, with a rating exceeding 235 kW per 100 r.p.m. for use in connecting power units to machines REQUESTED APPROVAL		99 99	HO 460855A 205639K	VA VA
63.029 63.029 63.029	DC micromotor Faulhaber system reduction gearheads CURRENT APPROVAL Safety guards for use with power take-off units REQUESTED APPROVAL Power take-off unit safety guards CURRENT APPROVAL Shafting, flexible, with a rating exceeding 235 kW per 100 r.p.m. for use in connecting power units to machines REQUESTED APPROVAL Shafting, flexible, with a rating exceeding 235 kW per 100 r.p.m. CURRENT APPROVAL		99 99	HO 460855A 205639K	VA VA
63.029 63.029 63.029 63.029 63.029	DC micromotor Faulhaber system reduction gearheads CURRENT APPROVAL Safety guards for use with power take-off units REQUESTED APPROVAL Power take-off unit safety guards CURRENT APPROVAL Shafting, flexible, with a rating exceeding 235 kW per 100 r.p.m. for use in connecting power units to machines REQUESTED APPROVAL Shafting, flexible, with a rating exceeding 235 kW per 100 r.p.m. CURRENT APPROVAL Sprocket castings to be used to making patterns		99 99	HO 460855A 205639K	VA VA VA
63.029 63.029	DC micromotor Faulhaber system reduction gearheads CURRENT APPROVAL Safety guards for use with power take-off units REQUESTED APPROVAL Power take-off unit safety guards CURRENT APPROVAL Shafting, flexible, with a rating exceeding 235 kW per 100 r.p.m. for use in connecting power units to machines REQUESTED APPROVAL Shafting, flexible, with a rating exceeding 235 kW per 100 r.p.m. CURRENT APPROVAL Sprocket castings to be used to making patterns REQUESTED APPROVAL		99 99 99	HO 460855A 205639K HO 205639K	VA VA VA
63.029 63.029 63.029 63.029 63.029 63.029	DC micromotor Faulhaber system reduction gearheads CURRENT APPROVAL Safety guards for use with power take-off units REQUESTED APPROVAL Power take-off unit safety guards CURRENT APPROVAL Shafting, flexible, with a rating exceeding 235 kW per 100 r.p.m. for use in connecting power units to machines REQUESTED APPROVAL Shafting, flexible, with a rating exceeding 235 kW per 100 r.p.m. CURRENT APPROVAL Sprocket castings to be used to making patterns REQUESTED APPROVAL Sprocket castings sprocket castings		99 99 99	HO 460855A 205639K HO 205639K	VA VA VA VA
63.029 63.029 63.029 63.029	DC micromotor Faulhaber system reduction gearheads CURRENT APPROVAL Safety guards for use with power take-off units REQUESTED APPROVAL Power take-off unit safety guards CURRENT APPROVAL Shafting, flexible, with a rating exceeding 235 kW per 100 r.p.m. for use in connecting power units to machines REQUESTED APPROVAL Shafting, flexible, with a rating exceeding 235 kW per 100 r.p.m. CURRENT APPROVAL Sprocket castings to be used to making patterns REQUESTED APPROVAL Sprocket castings procket castings CURRENT APPROVAL		99 99 99 99 99 99	Но 460855A 205639K Но 205639K 930669C Но 930669C	VA VA VA VA VA
63.029 63.029 63.029 63.029 63.029 63.029	DC micromotor Faulhaber system reduction gearheads CURRENT APPROVAL Safety guards for use with power take-off units REQUESTED APPROVAL Power take-off unit safety guards CURRENT APPROVAL Shafting, flexible, with a rating exceeding 235 kW per 100 r.p.m. for use in connecting power units to machines REQUESTED APPROVAL Shafting, flexible, with a rating exceeding 235 kW per 100 r.p.m. CURRENT APPROVAL Sprocket castings to be used to making patterns REQUESTED APPROVAL Pattern making sprocket castings CURRENT APPROVAL Torque converters, other than for use in the transmissions		99 99 99 99	HO 460855A 205639K HO 205639K 930669C	VA VA VA VA VA
63.029 63.029 63.029 63.029 63.029 63.029	DC micromotor Faulhaber system reduction gearheads CURRENT APPROVAL Safety guards for use with power take-off units REQUESTED APPROVAL Power take-off unit safety guards CURRENT APPROVAL Shafting, flexible, with a rating exceeding 235 kW per 100 r.p.m. for use in connecting power units to machines REQUESTED APPROVAL Shafting, flexible, with a rating exceeding 235 kW per 100 r.p.m. CURRENT APPROVAL Sprocket castings to be used to making patterns REQUESTED APPROVAL Sprocket castings procket castings CURRENT APPROVAL		99 99 99 99 99 99	Но 460855A 205639K Но 205639K 930669C Но 930669C	VA VA VA VA VA

NEW ZEALAND GAZETTE

Tariff ltem	Description of Goods	Name and Address of Applicant	Part II Ref.	Appn. Ref. No.	*Category of Appn.	
84.63.029	CURRENT APPROVAL					
	Transmital '500' series drives, reduction gearboxes for driving concrete bowl mixers used in the manufacture of transit type concrete mixer trucks		99	520473	K VA	
84.63.029	REQUESTED APPROVAL Concrete bowl mixer reduction gearboxes		99	HO 520473	K VA	
84.63.029	CURRENT APPROVAL					
84.63.029	ZF Hydromechanical concrete mixer drives for mixer bowls, having capacities between 1 and 10 cubic metres REQUESTED APPROVAL		99	209613	H VA	
	Concrete mixer bowl mixer hydromechanical drives with capacities between 1 and 10 cubic metres		99	HO 209613	H VA	
84.65.001	CURRENT APPROVAL Lubricators, peculiar to use on vacuum pumps for milking machines		99	926744	B VA	
84.65.001	REQUESTED APPROVAL Milking machine vacuum pump lubricators		99	HO 926744	B VA	
84.65.009	CURRENT APPROVAL					
	Clutch levers, when declared by a manufacturer for use by him, only in making and repairing mowers and cultivators		99	202641	E VA	
84.65.009	REQUESTED APPROVAL		99	HO 202641	E VA	
84.65.009	Clutch levers CURRENT APPROVAL					
84.65.009	Coin doors complete with mechanism meter and locks, for use making coin operated electronic video games REQUESTED APPROVAL		99	923698	J VA	
	Coin doors complete with mechanism meter and locks CURRENT APPROVAL		99	HO 923698	J VA	
84.65.009	Components as may be approved for the manufacture of		99	500497	H VA	
	rotating equipment seal assemblies of sizes greater than 4'' viz: cores, sealing ring faces, mating rings,					
84 65 000	face seats, friction rings, rubber mouldings, metal pressings, springs, stacks, face inserts province proposition					
84.65.009	REQUESTED APPROVAL Rotating equipment seal assembly (sizes greater than 4'') component parts, as may be approved; viz: cores, sealing		99	HO 500497	H VA	
	ring faces, mating rings, face seats, friction rings, rubber mouldings, metal pressings, springs, stacks,					
84.65.009	face inserts Cushion tyred wheel assembly, size 400mm, branded with		99	HO 4401711	K WA	
84.65.009	and '8', used solely in depth control and drive wheel for gear assembly of Duncan 750 Tillseeders CURRENT APPROVAL					
84.65.009	Evans Nim-Cor air shafts, for use in paper machinery REQUESTED APPROVAL		99	9226480	G VA	
	Evans Nim-Cor air shafts		99	HO 9226480	G VA	
84.65.009 84.65.009	CURRENT APPROVAL Expanding air shafts, for winding coiled materials REQUESTED APPROVAL		99	917703	F VA	
84.65.009	Expanding air shafts Fuel snubbers, water snubbers and back pressure		99 99	HO 917703 HO 929963		
64.03.009	regulators, water pump discharge snubbers and water pump intake snubbers, peculiar to use for making and/or		00	10 020000	1 MA	
	repairing Clayton Steam cleaners and Clayton Steam generators					
84.65.009	CURRENT APPROVAL Gas burner lines solely for use in the fabrication and		99	910313	K VA	
84.65.009	manufacture of commercial dryers REQUESTED APPROVAL			NO D C C C C C C C C C C		
84.65.009	Commercial dryer gas burner lines CURRENT APPROVAL		99	HO 9103131		
	Honeywell pneumatic switches; SP470, SP970 series only for use in commercial air conditioning control systems		99	931106.	J VA	
84.65.009	only REQUESTED APPROVAL Honeywell pneumatic switches; SP470, SP970 series only		99	НО 931106.	J VA	
84.65.009	CURRENT APPROVAL Keys, peculiar to use for preventing pulleys from		99	113133		
84.65.009	revolving on shafts REQUESTED APPROVAL		00	UO 110100		
84.65.009	Keys (preventing pulleys from revolving on shafts) Rims when declared for use with heavy industrial vehicles, agricultural vehicles and machinery		99 99	HO 1131333 HO 9293870		
84.65.009	CURRENT APPROVAL Solid tungsten carbide seal rings — unground, for the		99	9307064	A VA	
84.65.009	manufacture of mechanical seal units REQUESTED APPROVAL Solid tungsten carbide seal rings-unground		99	HO 9307064	A VA	
84.65.009	CURRENT APPROVAL Sunnex anti-vibration mountings and noise eliminators, for		99	4603881		
84.65.009	machinery REQUESTED APPROVAL					
84.65.009	Anti-vibration mountings and noise eliminators Vibration eliminators for refrigeration plants and		99 99	HO 4603881 HO 4612201		

ł

I

NEW ZEALAND GAZETTE

riff em	Description of Goods	Name and Address of Applicant	Part II Ref.	Appn. Ref. No.	*Categor of Appn.
	air-conditioning plants				
apter 85	CURRENT APPROVAL Articles and materials, as may be approved, when		99	462468J	VA
	declared by a manufacturer, for use by him, only in		55	1021005	14
	making or repairing hearing aid appliances				
	APPROVED:				
	Cable electric Chokes				
	Condensors				
	Covers plug				
	Ear pieces or receivers				
	Listening coils				
	Microphones Plugs or terminals				
	Potentiometers				
	Resistors				
	Studs	•			
	Switch levers Transistors				
	Transistor holders				
	Transformers				
pter 85	REQUESTED APPROVAL				
	Hearing aid appliance articles and materials as may be approved;		99	HO 462468J	VA
	APPROVED:				
	Cable electric				
	Chokes				
	Condensors Covers plug				
	Ear pieces or receivers				
	Listening coils				
	Microphones				
	Plugs or terminals				
	Potentiometers Resistors				
	Studs				
	Switch levers				
	Transistors				
	Transistor holders Transformers				
pter 85	CURRENT APPROVAL				
	Articles and materials, as may be approved, when declar	ed	99		
	by a manufacturer for use by him only in making or				
	repairing mobility and sensory aids for the blind; APPROVED:				
	Adaptors			113177L	VA
	Buzzers			113178J	VA
	Capacitors			113179G	
	Jack plugs			113180L	VA
	Mains cord and plug, 115 volt Switches			113181J 113182G	VA VA
	Toggle switches			113183E	VA
	Transformers			113184C	VA
pter 85	REQUESTED APPROVAL				
	Blind persons mobility and sensory aid component parts may be approved;	as	99		
	APPROVED:				
	Adaptors			HO 113177L	VA
	Buzzers			HO 113178J	VA
	Capacitors Jack plugs			HO 113179G HO 113180L	VA VA
	Mains cord and plug, 115 volt			HO 113180L HO 113181J	VA VA
	Switches			HO 113182G	VA
	Toggle switches			HO 113183E	VA
01.001	Transformers CURRENT APPROVAL			HO 113184C	VA
,	Electric motors, Rotork 3 phase, 108 to 4.5 kW,		99	202393J	VA
	not continuous rates, peculiar for use with valve				
	actuators				
01.001	REQUESTED APPROVAL Valve actuator electric motors, 3 phase, 108 to 4.5kW		00	10 2022021	174
	not continous rates		99	HO 202393J	VA
1.001	CURRENT APPROVAL				
	Electric motors, single or three phase, on condition		99	931044E	VA
	that they are used only in the manufacture or repair of Red lacket submersible sume				
01.001	Red Jacket submersible pumps REQUESTED APPROVAL				
	Submersible pump electric motors, single or three phase	• · · · · · · · · · · · · · · · · · · ·	99	HO 931044E	VA
01.001	CURRENT APPROVAL				10
51.001	Electric motors, 220 volts, 3 phase, peculiar for use i	n	99	203227K	VA
/1.001					
	Dixie Union vacuum packaging machines				
	Dixie Union vacuum packaging machines REQUESTED APPROVAL		99	HO 203227K	VA
01.001	Dixie Union vacuum packaging machines		99 99	HO 203227K HO 113199A	

NEW ZEALAND GAZETTE

1

1

.01.001	Description of Goods	Name and Address of Applicant		Part II Ref.	Appn. Ref. No	*Category of Appn.
	CURRENT APPROVAL		• <u> </u>			
	Three stage AC/DC bypass electric motors for use in			99	209402K	VA
01 001	making shampoo-N-Vac machines REQUESTED APPROVAL					
.01.001	3 stage AC/DC bypass electric motors			99	HO 209402K	VA
.01.001	CURRENT APPROVAL			55	10 2034020	VA.
	Universal brush motors 370w to 1860w inclusive peculiar to			99	922361E	VA
	toolcraft wood-working machinery					
.01.001	REQUESTED APPROVAL					
	Brush motors 370W to 1860W inclusive			99	HO 922361E	VA
.01.001	CURRENT APPROVAL					
	Universal electric motors, 800W or 850W, on condition that			99	209868H	VA
	the motors are for use solely in the manufacture of vacuum cleaners					
01.001	REQUESTED APPROVAL					
01.001	Electric motors, 800W or 850W			99	но 209868н	VA
01.001)	CURRENT APPROVAL					
01.009)	Clutch motors, on condition that the goods are for use			99	209377E	VA
	solely on industrial sewing machines					
01.001)	REQUESTED APPROVAL					
01.009)	Clutch motors			99	HO 209377E	VA
01.001)	CURRENT APPROVAL					
01.009)	Electronically controlled positioning and drive motors,			99	560565C	VA
•	with electro magnetic clutch, for use in assembling of industrial sewing machines					
01.001)	industrial sewing machines REQUESTED APPROVAL					
01.001)	Electronically controlled positioning and drive motors,			99	HO 560565C	VA
	with electro magnetic clutch					• • •
01.001)	Parts of motors, as may be approved, on condition that			99	HO 209867K	WA
01.009)	the goods will be imported:					
	(1) by a manufacturer for use by him only in the					
	manufacture or repair of electric motors; or					
	(2) by an importer for sale by him only to a					
	manufacturer for use in the manufacture or repair of					
01.001)	electric motors CURRENT APPROVAL					
01.009)	Submersible motors, on condition that they will be used			99	931740G	VA
01.000)	solely in a submersible application			55	3317400	14
01.001)	REQUESTED APPROVAL					
01.009)	Submersible motors			99	HO 931740G	VA
01.001)	CURRENT APPROVAL					
01.009)	Universal brush motors exceeding 300 watts up to 1100			99	929740F	VA
	watts, for use solely in making air blowers					
01.001)	REQUESTED APPROVAL					
01.009) 01.009	Brush motors exceeding 300 watts up to 1100 watts CURRENT APPROVAL			99	HO 929740F	VA
01.009	Axon electric motors 7000 rpm, 85W 220/240V for use in			99	925186D	VA
	making hand dryers				0.001000	
.01.009	REQUESTED APPROVAL					
	Electric motors 7000 rpm, 85W 220/240V			99	HO 925186D	VA
01.009	CURRENT APPROVAL					
	Elco 3 FGB 100-40/6V 102 Electric motors six speed			99	502649A	VA
	1370 r.p.m, 1240 r.p.m, 1100 r.p.m, 990 r.p.m, 820 r.p.m,					
	710 r.p.m, 100 watt output single phase to be used in the manufacture of Air Conditioners					
01.009	REQUESTED APPROVAL					
	Electric motors six speed 1370 r.p.m, 1240 r.p.m, 1100			99	HO 502649A	VA
	r.p.m, 990 r.p.m, 820 r.p.m, 710 r.p.m, 100 watt output					
	single phase					
01.009	CURRENT APPROVAL					
	Electric motors, 230V, 50 H2, 240W, 7000r.p.m for use			99	521048J	VA
	in the manufacture of hair dryers					
01.009	REQUESTED APPROVAL Electric motors, 230V, 50 Hz, 240W, 7000 r.p.m.			99	HO 521048J	VA
01.009	CURRENT APPROVAL			35	HU 3210483	. 14
01.000	Motors, frame size 63, 3 phase squirrel cage type, up to			99	209414C	VA
	and including 0.18kW, 400/415 volts, 50hz, for use in					
	making geared motor units					
01.009	REQUESTED APPROVAL					
	Motors, frame size 63, 3 phase squirrel cage type, up to			99	HO 209414C	VA
01.009	and including 0.18kW, 400/415 volts, 50hz			00		W.A
	Parts, as may be approved, on condition that these parts are for use only in the manufacture of 48 frame			99	HO 502584C	WA
	electric motors					
	APPROVED:					
	(i) Stator and rotor lamination assemblies					
	(ii) End shields					
	NOTE: This concession is only available for the					
	NOTE: This concession is only available for the the parts specified where the finished motor is for					
	NOTE: This concession is only available for the the parts specified where the finished motor is for incorporation into circulation units for spa baths					
01.009	NOTE: This concession is only available for the the parts specified where the finished motor is for incorporation into circulation units for spa baths CURRENT APPROVAL			00	0055055	
	NOTE: This concession is only available for the the parts specified where the finished motor is for incorporation into circulation units for spa baths CURRENT APPROVAL Single phase 1/4 h.p. 186 watt shaded pole motors,			99	2077678	VA
	NOTE: This concession is only available for the the parts specified where the finished motor is for incorporation into circulation units for spa baths CURRENT APPROVAL			99	207767B	VA

)

NEW ZEALAND GAZETTE

ariff tem	Description of Goods	Name and Address of Applicant	Part II Ref.	Appn. Ref. No.	Category of Appn.
5.01.009	CURRENT APPROVAL				
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Single phase series wound commutator type electric motors, with external dimensions to suit Stuart Turner		. 99	929937J	VA
5.01.009	centrifugal pumps REQUESTED APPROVAL		00	10 0300371	124
.01.009	Single phase series wound commutator type electric motors Universal electric motors on condition that the goods will be used solely in the making of Lutz barrel pumps		99 99	HO 929937J HO 210347J	VA WA
.01.022	CURRENT APPROVAL		99	460114K	174
	ASEA single phase current transformers, peculiar to use for protection and metering of powerstation and substation equipment, suitable for supply voltages of 66kV and over		99	400114K	VA
.01.022	REQUESTED APPROVAL Single phase current transformers suitable for supply voltages of 66 kV and over		99	HO 460114K	VA
.01.022	CURRENT APPROVAL Burroughs modular power peripherals, for providing power and alarm facilities for computer systems		99	206952A	VA
01.022	REQUESTED APPROVAL Computer system modular power peripherals		99	HO 206952A	VA
01.022	CURRENT APPROVAL Danfoss type 52L ignition transformers 240 volt to 10,000		99	113243B	VA
	volt, peculiar to use with fully automatic liquid fuel gas burners				
.01.022	REQUESTED APPROVAL Ignition transformers 240 volt to 10,000 volt		99	HO 113243B	VA
.01.022	Transformers 240 volt to 10,000 volt viz; Elco/Parmeko, peculiar to use with fully automatic liquid fuel burners and gas burners		99	HO 580908J	WA
01.022	CURRENT APPROVAL Voltage (12 kV) transformers, type UCM-12, peculiar to use for inclusion in making control equipment		99	113248C	VA
01.022	REQUESTED APPROVAL Voltage (12 kV) transformers		99	HO 113248C	VA
01.022) 01.031)	CURRENT APPROVAL 'C' cores and clamps, peculiar to use in making		99	200662G	VA
01.022)	transformers for colour TV sets REQUESTED APPROVAL		55	2006626	VA
01.022)	Transformer 'C' cores and clamps CURRENT APPROVAL		99	HO 200662G	VA
01.022) 01.035) 01.059)	Parts peculiar to use in making inductive coils and transformers for communication and other allied electronic		99	460048H	VA
01.039)	equipment: Yokes				
	Insulated coil formers Coil bases and sub-assemblies of these items				
.01.022) .01.035)	REQUESTED APPROVAL Inductive coil and transformer parts as may be approved;		99	HO 460048H	VA
.01.059)	electronic equipment APPROVED: Yokes				
	Insulated coil formers Coil bases and				
01.035	Sub-assemblies of these items CURRENT APPROVAL				
01.035	Diode split transformers peculiar to use in colour television receivers		99	925782K	VA
01.035	REQUESTED APPROVAL Diode split transformers		99	HO 925782K	VA
01.035	CURRENT APPROVAL Legrant bell, chime and signalling transformers for Din		99	931248L	VA
01.035	rail mountings only REQUESTED APPROVAL				
01.035	Bell, chime and signalling transformers CURRENT APPROVAL		99	HO 931248L	VA
01.035	Miniature high performance audio frequency transformer, type 217, for use in making communication equipment only REQUESTED APPROVAL		99	924269E	VA
01.035	Miniature high performance audio frequency transformers Parts, peculiar for use in making coils and transformers,		99 99	HO 924269E HO 462415H	VA WA
01.035	for television and audio equipment, made in New Zealand CURRENT APPROVAL Transformer laminations, for use in making impedence		99	922650J	VA
01.035	matching transformers, to conform to BS2857 Class A REQUESTED APPROVAL				10
.01.035	Transformer laminations CURRENT APPROVAL		99	HO 922650J	VA
.01.035	Transformers designed solely as power supply for illuminators, used to provide lighting for microscopes REQUESTED APPROVAL		99	206538L	VA
.01.041	Microscope illuminator transformers CURRENT APPROVAL		99	HO 206538L	VA
	Battery chargers designed specifically for recharging		99	930518B	VA

NEW ZEALAND GAZETTE

Tariff Industry Assistance (Advertisement) Notice No. 1987/28-continued Part Appn. *Category Tariff Name and Address II Ref. of Description of Goods Item of Applicant Ref No. Appn. 85.01.041 REQUESTED APPROVAL Hearing aid battery charges CURRENT APPROVAL 99 HO 930518B VA 85.01.041 Battery chargers, having an output of less than 0.5 580954B 99 VA amperes for batteries not exceeding 12 volts for use with nickel cadmium batteries sizes ''AA'', ''C'', ''D'' and 9 volt only 85.01.041 REQUESTED APPROVAL Battery charges, having an output of less than 0.5 amperes 99 HO 580954B VA for batteries not exceeding 12 volts 85.01.041 Battery charges, for national cordless power tools for 99 HO 931393B WA recharging nickel cadmium batteries 85.01.041 Hearing aid battery chargers 99 HO 929808J WA 85.01.059 Alternators on condition that they are used only in the 99 HO 930978A ₩A manufacture and repair of electric gang mowers 85.01.059 CURRENT APPROVAL Alternators, peculiar for use in making generating sets 202322K 99 VA 85.01.059 REQUESTED APPROVAL Generating set alternators 99 HO 202322K ŶA 85.01.059 CURRENT APPROVAL Electric generators peculiar to use in lift assemblies 99 560436C VA 85.01.059 REQUESTED APPROVAL HO 560436C Lift assembly electric generators 99 VA 85.01.059 CURRENT APPROVAL Generators, commonly used in the making of generating sets 113275L 99 VA REQUESTED APPROVAL 85.01.059 HO 113275L Generating set generators 99 VA 85.01.059 CURRENT APPROVAL Triplers (or multipliers) when declared; 930424L 99 VA (a) by a manufacturer; (b) by an importer for sale by him, to a manufacturer or a repairer that they will be used only in the making or repair/maintenance of television receivers or electronic measuring systems 85.01.059 REQUESTED APPROVAL Triplers or multipliers HO 930424L 99 VA 85.02.000 CURRENT APPROVAL Electro magnetic actuators and parts for pneumatic air 99 460253G VA valves 85.02.000 **REQUESTED APPROVAL** Pneumatic air valve electro magnetic actuators and parts 99 HO 460253G VA 85.02.000 Magnets, peculiar for use in the assembly of loudspeakers Parts of the goods of Brussels Tariff Nomenclature 99 HO 460681H WA 85.02.000 99 HO 113301C WA 85.02.000 85.03.000 CURRENT APPROVAL Plastic rim vent seals for use solely in the manufacture 99 931381J VA of dry cell batteries 85.03.000 REQUESTED APPROVAL Dry cell battery plastic rim vent seals 99 HO 931381J VA 85.04.011 CURRENT APPROVAL Accumulator, lead acid, of the following types; 210180H VA (1) Having a capacity not exceeding 24 ampere hours (at the 10 hour rate of discharge) (2) Exide series: 2 volt cells type Prince; 12v Maganese batteries PSB-12V 12 volt battery type 6XVFA, 7AK 2 volt cells type NW9, NW11, NW13, NW15, WEF9A (3) Exide diesel starting batteries, types: 6 volt, 3RSKB 118 8 volt, 4RSKA 92 8 volt, 8DK 216 4 volt, 2RSKB 158 8 volt, 4RK 240 8 volt, 4XVFR9 when declared for use on railway locomotives Exide 6 volt 713/3HMFG17-KBL Exide 6 volt 769/3FMX41-21 G.S. 6 volt CB2-6 Lucas 6 volt SC7E Dunlop Oldham series MKM Dunlop Oldham 6LCBQ3 2 volt, permanently sealed, rechargeable batteries, peculiar for use in underwater diving and lighting systems and underwater cameras 85.04.011 REQUESTED APPROVAL HO 210180H VA Accumlator, lead acid, of the following types; . . (1) Having a capacity not exceeding 24 ampere hours (at the 10 hour rate of discharge) (2) Exide series; 2 volt cells type Prince; 12v Maganese batteries PSB-12V 12 volt battery type 6XVFA, 7AK

}

T

NEW ZEALAND GAZETTE

ariff tem	Description of Goods	Name and Address of Applicant	 Part II Ref.	Appn. Ref. No.	*Categor of Appn.
	2 volt cells type NW9, NW11, NW13, NW15, WEF9A				
	(3) Exide diesel starting batteries, types:				
	6 volt, 3RSKB 118				
	8 volt, 4RSKA 92 8 volt, 8DK 216				
	4 volt, 2RSKB 158				
	8 volt, 4RK 240				
	8 volt, 4XVFR9				
	when declared for use on railway locomotives				
	Exide 6 volt 713/3HMFG17-KBL				
	Exide 6 volt 769/3FMX41-21				
	G.S. 6 volt CB2-6				
	Lucas 6 volt SC7E				
	Dunlop Oldham series MKM				
	Dunlop Oldham 6LCBQ3				
	Underwater diving, lighting system and camera 2 volt				
	permanently sealed, rechargeable batteries				
.04.011	CURRENT APPROVAL				
	Alexander rechargeable batteries, for use with		••	929283H	VA
	specialised medical equipment, viz:				
	6 volt 1.2 amp/hour 5 cell				
	12 volt 1.2 amp/hour				
	24 volt 1.2 amp/hour 21 cell 12 volt 2.2 amp/hour 10 cell				
.04.011	REQUESTED APPROVAL				
.01.011	Rechargeable batteries, viz:			HO 929283H	VA
	6 volt 1.2 amp/hour 5 cell		••	но <i>3232</i> 00П	٧A
	12 volt 1.2 amp/hour				
	24 volt 1.2 amp/hour 21 cell				
	12 volt 2.2 amp/hour 10 cell				
.04.011	CURRENT APPROVAL				
	Alexander rechargeable battery packs for use with			929284F	VA
	specialised medical equipment viz:				
	12 volt 3.5 amp/hour				
	12 volt 500 milliampere/hour 3 cell				
.04.011	REQUESTED APPROVAL				
	Rechargeable battery packs viz:		••	HO 929284F	VA
	12 volt 3.5 amp/hour				
	12 volt 500 milliampere/hour 3 cell				
.04.011	CURRENT APPROVAL				
04 011	Battery separators, for making batteries		••	210189A	VA
.04.011	REQUESTED APPROVAL			20 0101004	
.04.011	Battery separators CURRENT APPROVAL		••	HO 210189A	VA
.01.011	Cell box mud ribs for industrial boxes			210190E	VA
.04.011	REQUESTED APPROVAL		••	2101302	10
	Industrial box cell box mud ribs			HO 210190E	VA
.04.011	CURRENT APPROVAL				
	Component parts, as may be approved, for making stationary			210191C	VA
	batteries				
.04.011	REQUESTED APPROVAL				
	Stationary battery component parts as may be approved			HO 210191C	VA
.04.011	CURRENT APPROVAL				
	Component parts for making lead-acid accumulators as may		••	210192A	VA
	be approved				
.04.011	REQUESTED APPROVAL				
	Lead acid accumulator component parts as may be approved		••	HO 210192A	VA
.04.011	CURRENT APPROVAL			0100105	•••
	Stone chance marine lighting batteries, types ML19, MW17, and SM13, when declared by an importer that they are for		••	210216B	VA
	sale only to Harbour Boards or the Marine Division of the				
	Ministry of Transport for use in navigation buoys, beacons				
	and the like				
04.011	REQUESTED APPROVAL				
	Stone chance marine lighting batteries, types ML19, MW17,			HO 210216B	VA
	and JW13				
04.011	CURRENT APPROVAL				
	Storage batteries specially designed for use with miners		••	500869H	VA
	cap lamps				
04.011	REQUESTED APPROVAL				
	Miners cap lamp storage batteries		••	но 500869н	VA
05.009	CURRENT APPROVAL				
	Component parts as may be approved for the manufacture of		99		
	electric line trimmers				
	APPROVED:			0010010	87.4
05 000	Cutting head components			931031C	VA
05.009	REQUESTED APPROVAL		00		
	Electric line trimmer component parts, as may be approved; APPROVED:		99		
				HO 931031C	174
06.005	Cutting head components CURRENT APPROVAL			HO 331031C	VA
10.000	CORRENT APPROVAL Component parts as may be approved for use in the		99	500196L	VA
	manufacture of hand food mixers			200130L	٧A
	APPROVED:				
	· · · · · · · · · · · · · · · · · · ·				

NEW ZEALAND GAZETTE

1

ariff tem	Description of Goods	Name and Address of Applicant	Part II Ref.	Appn. Ref. No.	*Category of Appn.
	Cord clamp		 		
	Ejector				
	Beaters				
5.06.005	REQUESTED APPROVAL		~~	No 5001001	
	Hand food mixer component parts, as may be approved;		99	HO 500196L	VA
	APPROVED: Switch motor				
• ·	Cord clamp				
	Ejector				
	Beaters				
06.019	CURRENT APPROVAL				
	Components, as may be approved for making electric knives		99	927601H	VA
	A list of the approved components is available from the				
	Collector of Customs, Auckland				
.06.019	REQUESTED APPROVAL		99	HO 927601H	VA
	Electric knife component parts, as may be approved. A list of approved components is available from the		99	HU 927601H	VA
	Collector of Customs, Auckland				
.06.019	CURRENT APPROVAL				
	Component parts, as may be approved, for use in the		99	930083L	VA
	manufacture of domestic vacuum cleaners				
	APPROVED:				
	Dust indicator unit, filter unit, connector pipe,				
	extension pipe unit, cord reel unit, floor tools, blower				
.06.019	REQUESTED APPROVAL		00	NO 0200001	174
	Vacuum cleaner component parts as may be approved;		99	HO 930083L	VA
	APPROVED: Dust indicator unit, filter unit, connector pipe,				
	extension pipe unit, cord reel unit, floor tools, blower				
.06.019	Component parts for the manufacture of vacuum cleaners		99	HO 520319J	WA
	as may be approved. List of approved parts may be				
	obtained from Collector of Customs, Wellington				
.06.019	Rechargeable oral waterjet	Philips NZ Ltd	99	WN 720093	Α
		PO Box 2097			
		WELLINGTON			
.06.019	CURRENT APPROVAL		~~	4000041	
	Shrink guns, peculiar to use for shrinking plastic		99	460864L	VA
00 010	materials				
.06.019	REQUESTED APPROVAL Plastic material shrink guns		99	HO 460864L	VA
.08.011	CURRENT APPROVAL		00	10 1000012	***
	Distributors for motor vehicles		99	480391E	VA
.08.011	REQUESTED APPROVAL				
	Motor vehicle distributors		99	HO 480391E	VA
.08.021	CURRENT APPROVAL				
	Generators and alternators for motor vehicles		99	580370F	VA
.08.021	REQUESTED APPROVAL		99	HO 580370F	VA
.08.039	Motor vehicle generators and alternators CURRENT APPROVAL		99	no 360370r	YA .
.00.035	Control Arriver for the second s		99	113520B	VA
.08.039	REQUESTED APPROVAL				
	Spark plug centre electrodes		99	HO 113520B	VA
.08.039	CURRENT APPROVAL				
	Extruded steel shells of spark plugs, used in the		99	927889D	VA
	manufacture of spark plugs				
.08.039	REQUESTED APPROVAL		00		
00 000	Spark plug extruded steel shells		99	HO 927889D	VA VA
.08.039	CURRENT APPROVAL Spark plug cores and associated gaskets when declared		99	1135211	VA
	(1) by an importer that they will be sold only to		55	1133211	. 14
	manufacturers for use by them in the making of spark plugs				
	(2) by a manufacturer for use by him only in the making				
	of spark plugs				
.08.039	REQUESTED APPROVAL				
	Spark plug cores and associated gaskets		99	HO 1135211	, VA
.09.041	CURRENT APPROVAL				
	Searchlights, when declared by an importer for use only		99	210227F	I VA
5.09.041	with fire-fighting appliances REQUESTED APPROVAL				
	Searchlights		99	HO 210227H	I VA
.11.001	Parts of Antex soldering irons, on condition that they		99	HO 460865J	
	are for use only in making (and not repairing)				
	soldering irons				
.11.019	CURRENT APPROVAL				_
	Automatic infrared solder fusing machine used in making		99	9292821	K VA
	printed circuit boards				
5.11.019	REQUESTED APPROVAL		00	UA 000000	7 174
\$ 11 010	Automatic infrared solder fusing machine		99	HO 9292821	K VA
5.11.019	CURRENT APPROVAL		99	461117	K VA
	CO2 welding guns and associated leads, peculiar for use with MIG/MAG welding systems		53	4011171	ы YA
5.11.019	REQUESTED APPROVAL				
	MIG/MAG welding system CO2 welding guns and associated		99	HO 461117	K VA
	leads				
	CURRENT APPROVAL				

)

ł

ł

NEW ZEALAND GAZETTE

Tariff Item	Description of Goods	Name and Address of Applicant	Part II Ref.	Appn. Ref. No.	*Category of Appn.
	Components for electric arc furnaces, viz; copper water		99	926608K	VA
85.11.019	tiles for use in hot-spots, areas REQUESTED APPROVAL Electric arc furnace components viz; copper water tiles		99	HO 926608K	VA
5.11.019	CURRENT APPROVAL Electronic induction furnace, with a maximum capacity of		99	926315C	
5.11.019	5kg, for use in smelting precious metals REQUESTED APPROVAL	· · · · · · · ·	99	НО 926315С	
5.11.019	Electronic induction furnaces, with a maximum capacity of 5kg CURRENT APPROVAL				
5.11.019	Electric induction industrial melting furnace, for use in the production of metal castings REQUESTED APPROVAL		99	929850K	VA
	Electric induction industrial melting furnaces		99	HO 929850K	
5.12.029	Electric heater textile marker	John H Walker & Co Ltd C/-Colebrook Bros. Ltd PO Box 1296 AUCKLAND	99	AK 700209C	A
5.13.019	Subscriber loop bearer systems in accordance with NZPO tender $700/2116$	Telecom Corporation of NZ Ltd Corporate Commercial (Contracts) Private Bag	99	WN 622153	A
5.15.112	Synthesizer receivers	WELLINGTON Monaco Distributors Ltd C/-PO Box 3986	99	AK 700213A	A
5.17.000	Programmable signs	AUCKLAND Standard Telephones & Cables (NZ) Limited PO Box 40-140	99	WN 622121	WA
		Lane Street UPPER HUTT			
5.19.031	CURRENT APPROVAL Circuit breakers; 10 KA to 100 KA breaking capacity EXCLUDING:	Email Industries Ltd C/-Trade Consultants Ltd	99	604178H	VA
.19.031	Moulded case circuit breakers with a breaking capacity less than 35 KA at 400 V REQUESTED APPROVAL	PO BOX 4287 AUCKLAND			
	Protective circuit breakers to 100 KA breaking capacity EXCLUDING: Protective circuit breakers with a breaking capacity of less than and including 30 KA at 400 V or 29 KA at 415 V		99	AK 700212C	VA
.25.009	or 25 kA at 480 V or 35 kA at 380 V Ceramic horizontal line post insulators $115/138$ KV c/w with ancillary devices for clamping and load limiting	Dulmison NZ Ltd PO Box 51–092 Pakuranga	99	AK 700207G	A
.02.039	Dragster ''Rail'' chassis fabricated from chrome Molybdenum steel tube complete with body panelling	AUCKLAND Comptroller of Customs Private Bag	99	HO 780055L	A
.03.005	steering gear, seat and instruments excluding wheels, engine and transmission Two METZ turntable ladder fire appliances	WELLINGTON New Zealand Fire Service	99	WN 720101	A
		C/-Gordon & Peters Ltd PO Box 3349 WELLINGTON			
.14.019	Food and drink trolleys specially designed for use in aircraft galleys	Ansett New Zealand PO Box 14139 CHRISTCHURCH	99	CH 640844D	A
apter 89	Spare and service parts for the vessel ''Will Watch'' This applies regardless of classification with the following exceptions:	Sealord Products Ltd PO Box 11 NELSON	9 9	WN 622309	A
	 Parts of general use Any part which is subject to a specific determination of the Minister 				
	 (3) Ball, needle and roller bearings (4) Electric motors (5) Fans and blowers 				
	 (6) Parts of machines approved for entry under part II, concessions 20, 33, 60, 70, 80, 81 (7) Buckets, shovels and grabs 				
	 (8) Hydraulic hoses with fittings attached (9) Articles of needleloom felt (10) Interchangeable tools, e.g. tool bits, saw blades, 				
	grinding wheels (11) Tyres and tubes (12) Electric accumulators (13) Electric lamps and tubes				
	 (14) Knives and cutting blades (15) Engines 				
.28.009	Electronic control systems for guided missiles	Support Branch (DCT) Ministry of Defence Private Bag	99	WN 720127	A
.03.009	Electrically operated and computer controlled vertically revolving filing systems	WELLINGTON Viko Holdings Ltd PO Box 220 AUCKLAND	99	AK 700100C	A

NEW ZEALAND GAZETTE

1

1

Tariff Industry Assistance (Advertisement) Notice No. 1987/28-continued

Tariff Item	Description of God	ods			Name and Address of Applicant	Part II Ref.	Appn Ref. No.		*Category of Appn.
97.03.009	Kitchen sets comp	ising p	ots, p	ans, stove and teasets	Every Educaid Limited C/-Allan Roberts Limited PO Box 918 CHRISTCHURCH	99	CH 7	40021H	A
97.03.009	Money banks				Every Educaid Limited C/-Allan Roberts Limited PO Box 918 CHRISTCHURCH	99	СН 7	40014E	A
97.03.009				trowels, sloops, forks, sieves, sandwheels and	Every Educaid Limited C/-Allan Roberts Limited PO Box 918 CHRISTCHURCH	99	CH 7	40017K	A ^r
97.03.009	Toy telephones				Every Educaid Limited C/-Allan Roberts Limited PO Box 918 CHRISTCHURCH	99	CH 7	40022F	Α
97.03.009	Yo-Yos				Every Educaid Limited C/-Allan Roberts Limited PO Box 918 CHRISTCHURCH	99	CH 7	40015C	A
97.04.009	l only Tulipe lot	to prize	drawi	ng machine	Interim Lotteries Commission Per ASC Flowers Customs Ltd PO Box 2841 WELLINGTON	99	WN 6	22202	A
• Catego	ry of Application:	A	-	Application for Approval					
		CA	-	Application for Continuat					
		VA	-	Application for Variation					
		WA	-	Application for Withdrawa					
		D	-	Application for Determina					
		VD WD	_	Application for Variation Application for Withdrawa					
		RUC	_	Revocation of Unused Conc					
		CUPA	-	Continuation of Unpublish					
•• Port:		HO	_	Comptroller of Customs, P					
10111		AK	_	Collector of Customs, Box					
		WN	-	Collector of Customs, Pri	•				
		СН		Collector of Customs, Box					

Dated at Wellington this 30th day of July 1987.

M.W. TAYLOR, Comptroller of Customs.

)

AK

85.01.022

NEW ZEALAND GAZETTE

TARIFF INDUSTRY ASSISTANCE (DECISION) NOTICE NO. 1987/28

Decisions of the Minister of Customs in respect of Part I and Part II of the Customs Tariff

Notice is hereby given that the following decisions have been made in respect of the goods published in the Schedules to this notice.
 SCHEDULE 2 - Decisions cancelled. The cancellations listed in this schedule take effect seven days from *Gazette* date unless otherwise specified, eg, WEF (date).

3 SCHEDULE 3 - Limited Decisions

(a) Approvals given under Schedule 3 are restricted to the applicant for whom the approval was originally given and are not available for general use.

This Notice only serves to inform the importing/manufacturing community of the approvals existence.

(b) Schedule 3 and 4 will not be published in the Consolidated List of Decisions.

It should be noted that any concession or determination can be subject to amendment or cancellation by notification in the *Gazette*. Where the month of the start date and end date is shown the day of the start date is the first day of that month and the day of the

SCHEDULE 1

end date is the last day of that month - eg, 3/84 to 9/86 is 1/3/84 to 30/9/86.

General Decisions Approved Part Tariff Rates of Duty Ref. Effective II Normal Pref Ref From Item Description of Goods No. То AK 23.07.009 Lutavit H2 Free Free 99 603865E 5/87 . . 30.03.031) Medicaments 30.03.039) Penstrep vet WN 26 630205L 5/87 Free Free . . 34.02.000 Products, as may be approved, when imported in bulk and not being soaps or containing soap; APPROVED AK Catiomaster C Free Free 99 604004H 6/87 AK Mulgofen ON 660 Free Free 99 604052H 6/87 . . Plurafac LF types 603984H AK 6/87 Free Free 99 . . 36.05.011 603459E Caps, toy pistol 4/87 AK Free Free 99 38.19.089 Chemical products and preparations etc. Free 604044G 6/87 AK Hodag 20-0 99 Free . . AK Sokalan CP5 603985F 6/87 Free Free 99 . . Free AK Vapour phase inhibitors/volatile corrosion inhibitors Free 99 603982A 6/87 ... AK 39.01.351 Polyethylene terephthalate window film Free Free 99 604005F 6/87 . . AK 39.02.211 Latekoll D Free 603987B 6/87 .. 39.07.333 504237C 2/86 но Grooming wash mitts Free Free 99 . . 40.09.031 Hose reinforced with wire braid to operate at working pressures 602688F AK Free 2/87 in excess of 2500 kPa and above, but not including such hose in length with fittings attached HO 40.13.003 Electricians gloves and gauntlets to BSS697/60 with a Free Free 99 520629E 6/85 . . working voltage of over 1100 volts HO 40.13.003 Electricians rubber gloves to specification ASTM Free Free 99 503400A 1/86. . D120 class II 20,000 proof test voltage HO 40.13.003 Electricians gloves and gauntlets, to BSS 697/60, with a 560161E Free 7/85 Free 99 working voltage of over 1100 volts но 40.13.003 Lead lined radiation resistant gloves 505570K 5/8699 Free Free . . HO 41.02.019 Men's weight calf leather, for making footwear 621759B 3/87 Free 99 Free ... (1.1mm thickness and above) 41.04.019 HO Goat and kid leather Free Free 99 640627A 1/87. . AK 44.14.000 Balsa wood sawn lengthwise, not exceeding 5mm thickness Free Free 99 603981C 6/87 ••• AK 48.07.157 Saturated adhesive tape backing paper in rolls of not less Free Free 99 603765J 5/87 . . than 4000m in length AK 60.01.151 Chainette hand knitting yarn 99 603193F 3/87 Free Free . . CH 60.01.151) Knitted polymer hay baling netting 99 740052H 7/86 Free Free . . 60.01.152WN 84.06.061 Pistons, piston rings, engine exhaust and inlet valves as Free Free 99 622122L 5/87 . . may be approved: APPROVED: Toyota parts as follows: Part No. Description 13101-KE006 Piston 13101-KE051 Piston 13101-KP601 Piston 13101-RA052 Piston 00250-SP002 Piston and ring set 11131-AE851 Seat, valve 11135-AE851 Seat, valve 13101-AE851 Piston 13101-KE006-B Piston 13101-KE052 Piston 13101-Proto Piston assembly (rally) 13101-TA002 Piston 13102-AE851 Piston O/S 11131-KE002 Seat valve 38mm 11135-KE002 Seat valve 33mm 13101-EP701 Piston 13011-EP701 Piston AK 84.11.069 Jet flow air movers and fume diluters (containing no 604053F 5/87 Free Free 99 mechanical parts) being mine and tunnel ventilation and fume dilution systems Automatic press cycle control horizontal fruit presses with 84.27.000 AK Free Free 99 604059E 5/87 .. 2 tonnes per hour output and over 84.40.029 AK Fur cleaning machine 5/87 604001C Free Free 99 . . 84.59.059 AK Mufflermaker machine 604002A 6/87 Free Free 99 . . AK 84.59.059 Vibrators, concrete, electric, normal frequency/high Free 604050A 6/87 Free 99 . . frequency having 3000-6000 vibrations per minute capacity CH 84.59.059 Windshield repair kits Free Free 640837A 6/87 99 . .

99

Free

Free

604054D

1/87

..

Kraftelectronic 80 kv, 1600 MA transformer/rectifiers for

NEW ZEALAND GAZETTE

1

(

	Tariff Item	Description of Goods	Rates of Normal	Duty Pref.	Part II Ref.	Ref. No.	Effect From	ive To
		cement dust precipitator						
N	85.13.019	Component parts of PABX exchanges NOTE: All parts must be entered under their own substantive Tariff item, but will be admitted under the above concession EXCLUSIONS: (a) This concession does not cover parts of general use as	Free	Free	99	621510G	1/87	
		defined in the Customs Tariff (b) Excludes bare P.C.B's						
N	85.13.019	(c) Excludes metal cabinets, shelving and brackets Wescom foreign exchange loops relays repeater,	Free	Free	99	622336C	11/86	
)	85.15.112	signalling and terminating equipment Radio broadcast receivers excluding:	Free	Free	99	682291G	1/87	
		(a) Car radio broadcast receivers (b) Tuner amplifiers (c) Radio cassette recorders (until 30 June 1987)						
¢	85.19.031	Circuit breakers; 33 kv and over excluding those in outdoor or indoor type	Free	Free	99	700200K	6/87	••
		enclosures or with attachments or ancillary equipment						
	85.22.039	Facsimilie mobile interface transmission units	Free	Free	99	604056L	6/87	••
(,	85.22.039 85.22.039	Metal/plastic tool marking equipment	Free	Free	99	604064A	6/87	••
[)	85.23.049	Multi-band, program controlled signal processors Alpine car audio neoprene rubber sheathed cable	Free Free	Free Free	99 99	640826F 681486H	3/87 11/85	12/87
,	00.20.040	with connector	1166	1166	55	00140011	11/00	12/0/
)	85.23.049	Anti static wrist straps	Free	Free	99	640589E	2/87	
)	85.23.049	Bantam patch cords	Free	Free	99	520605H	6/85	
	85.23.049	Belden type 9688 cable	Free	Free	99	601182K	9/86	••
	85.23.049	Cable and wire thermocouple and compensating, EXCLUDING:	Free	Free	99	521517L	2/86	••
		PVC and polythene insulated and sheathed extension cable of standard limits of error with or without additional protection and incorporating solid or flexible						
	85.23.049	conductors Cable assembly comprising lm of twin conductors	Free	Free	99	601405E	10/86	
	85.25.049	having a DC resistance of 0.7+ 0.3 ohms, terminated with crocodile clips and a battery adapter for	riee	riee	99	001405E	10/80	••
		charging 7.2 volt 1200 mAh nickle cadmium model car batteries from 12 volt car batteries						
	85.23.049	Cable R.S. brand, types 367/561 and 367/599 peculiar for use in the repair of ultrasonic foetal	Free	Free	99	540441L	11/85	••
	85.23.049	monitors Cables, Canare brand, types; L-2 T2S, 1-4E6S, GS-6,	Free	Free	99	540039C	2/85	
	85.23.049	L-PE802, 1202, 1602, 2402, 3202S Cables with specialised fittings attached, when declared by an	Free	Free	99	480826G	6/85	
	85.23.049	importer for use only with medical and scientific equipment Charger leads for electronic audible balls	Free	Free	50	500514A	9/85	
	85.23.049	Components for Wampfler conductor systems including conductor bar over 115 amps with or without connector	Free	Free	99	501429J	5/85	••
	85.23.049	and insulation cover Cord sets, a core, 125 volts/15 amps rated, PVC or rubber sheathed and complying with UL 62/498, with a 2 pin ('male') connector fitted to one end, expressly for use	Free	Free	99	540110A	5/85	
		by a manufacturer in the production of electric heaters for 110 volts A.C (mains operation)						
	85.23.049	Cross-linked cellular PE insulated AL tape shield and PVC jacketed wire UL style 1631 Elevator trailing cable multi core type	Free Free	Free Free	99 99	580196G 501061G	7/85 7/85	••
	85.23.049 85.23.049	Enamelled copper winding wire insulated with high	Free	Free	99	502271B	11/85	••
		temperature polyester, amide modified in accordance with IEC 251/VSM23731 in sizes.0415-5.0mm						
	85.23.049	Fibre optic connectors	Free	Free	99	522323H	5/86	
	85.23.049	Flat ribbon cable UL approved style No. 2468	Free	Free	99	621635J	2/87	••
	85.23.049	Fusible link cable	Free	Free	99	480827E	1/86	••
	85.23.049	Gas insulated cable systems and accessories regardless of Tariff classification	Free	Free	99	681004H	10/86	••
	85.23.049 85.23.049	Ground cord assemblies Highly flexible audio cables utilizing a non-metallic	Free Free	Free Free	99 99	580677B 581783J	8/85 2/86	• • • •
		screen made of conductive thermoplastic	Dura	En a c	00	E00100.	a / 05	
	85.23.049 85.23.049	High temperature teflon hook up wire High voltage and temperature fibreglass covered wire (complying to L. standard 1010 subject 758) conductor — 13/0.18mm	Free Free	Free Free	99 99	580199A 480825J	7/85 6/85	•••
		insulation – H.T. vinyl chloride (120oC 3 kV) overall diameter – $2mm$, when declared:						
		 (a) by manufacturer for use by him only in making colour television receivers; or (b) by an importer for sale by him only to a manufacturer for use 						
		by him only in making colour television receivers						
	85.23.049 85.23.049	Hitachi flat cable Johnson patch cords — mini hook type as may be approved: Length	Free Free	Free Free	99 99	461735F 520983J	7/85 12/85	•••
		(1) Mini hook to mini hook Part No 417-9902-012 12''						
		Part No 417-9903-012 12'' (2) Mini hook to miniature stacking banana plug						

NEW ZEALAND GAZETTE

Tariff Item	Description of Goods	Rates of Normal	Duty Pref.	Part II Ref.	Ref. No.	Effect: From	ive To
 	Part No 417-4903-018 18''						
	(3) BNC female to mini-hooks molded breakout						
	Part No 417-7930-001						
85.23.049	Linear crystal oxygen free copper cable	Free	Free	99	520163C	12/84	••
85.23.049	Linear heat sensor cable	Free	Free	99	580804K	1/86	••
85.23.049	Loadcell installation cable peculiar for use in the	Free	Free	99	580127D	5/85	••
	connection of loadcells in industrial weighing systems	-	-	~~		0 / 0 0	
85.23.049	Low voltage electric heating cable comprising	Free	Free	99	640551H	9/86	••
	7 strands of copper strip helically wound on a						
	nine thousand denier rayon core and sheathed						
05 01 040	with 105oC PVC to maximum 0.4 of 2.5mm	=	Aul Enco	00	580380C	9/85	
85.23.049	Magnet winding wire insulated with modified polyurethane	5	Aul Free	99	3803800	9/60	••
85.23.049	(155oC) class - all sizes Wilti conductor collo bruine cilicon contest conductors	Free	Enco	99	6800031	5/86	
85.23.049	Multi conductor cable having silver coated conductors	Free	Free	99	680992J	5/80	••
	and braid wire, utilising teflon insulation and a teflon type jacket						
85.23.049	Multi contact brand highly flexible cable containing	Free	Free	99	680515K	8/86	
03.23.049	conductors each made up of more than 500 strands of less	Fiee	FIEE	99	0000106	0/00	• •
	than 0.1mm diameter plain copper wire						
85 22 040		Free	Free	99	580417F	6/85	
85.23.049	Oil filled cable systems up to 220 kV and accessories	FIEE	Free	99	360417F	0/00	••
RE 33 040	regardless of the Tariff Classification		Aul Ence	20	4000010	1/00	
85.23.049	Other kinds of insulated electric wire, cable, bars, strip and		Aul Free	33	480831C	1/86	••
	the like, whether or not fitted with connectors excluding those						
	of a kind commonly used with:						
	(a) tractors for articulated vehicles, being tractors that are						
	designed for operation solely or principally on the highway; or (b) variables of \$7.02 other than air suchianed variables or						
	(b) vehicles of 87.02 other than air cushioned vehicles or						
05 00 040	assembled convertibles road/rail motor coaches	Enor	Enco	00	E000024	1/00	
85.23.049	Pipe trace heating cable, silicon rubber insulated	Free	Free	99	580803A	1/86	••
05 00 010	and sheathed, tinned copper braided, BASEEFA approved	Two -	Enor	00	CADDOEN	11/00	
85.23.049	Portable telephone extension reels	Free	Free	99 00	640385K	11/86	••
85.23.049	Power supply cords approved to UL for USA with or	Free	Free	99	502953J	10/85	••
05 00 040	without plugs or sockets	Para	F m = -		5015445	10/05	
85.23.049	Prefabricated wiring harness systems of NZ manufacture	Free	Free	99	501544J	10/85	• •
	re-imported after assembly in Australia and fitted with						
	components (ie junction boxes and the like) for use						
0	in the reticulation of light and power in buildings		-		0000077	0/05	
85.23.049	PVC insulated hookup wire UL approved style No. 1015	Free	Free	99	622307K	2/87	••
85.23.049	RCA TAC 200 portable radio transceiver extension	Free	Free	99	620806B	9/86	••
	microphone cable assemblies complete with moulded						
05 00 040	plug (helically spiralled)	F			F 40F BE 4	0/05	
85.23.049	Replacement cable - Neoprene rubber sheathed	Free	Free	99 00	540575A	9/85	• •
85.23.049	Resistive heating cable insulated with silicone	Free	Free	99	581784G	7/85	••
	rubber and covered with a protective fibreglass						
85.23.049	layer Signal cable particular for use with magnetic flow meter	Free	Free	99	500056E	6/85	
00.20.040	systems	1166	1166	33	3000302	0/00	••
85.23.049	Single conductor copper wire insulated with KYNAR i.e.	Free	Free	99	580777J	1/86	
00.20.045	polyvinylidene flouride, or TEFZEL i.e. ethylene and	1166	1166	33	3807773	1,00	••
	tetraflour – ethylene copolmer						
85.23.049	Single core welding cable - double insulated	Free	Free	99	580238F	7/85	
85.23.049	SJTO cord sets	Free	Free	99	640726K	4/87	
85.23.049	Solid copper and stainless steel insulated bar, for electrical	Free	-	99		6/85	••
00.20.045	conductor suitable for currents of 200 amps and over	1166	Free	55	480823B	0/00	••
85.23.049	Solid copper conductor bar, 0.8mm x 4mm, undulated and	Free	Free	99	505881D	5/86	
20.201010	silver plated				000010	0,00	••
85.23.049	Speech impaired persons electronic vocal aid Heater wire,	Free	Free	99	603807H	5/87	••
50.20.010	silicone rubber covered 1.8 OHM/FT autoclavable 150 deg	1100			0000071	0/07	••
	celcius steam U.L. approved for medical equipment				5010940	11/05	
85,23,049	celcius steam U.L. approved for medical equipment Tapered fibreelass rods with wire insert	Free	Free	99			
85.23.049	Tapered fibreglass rods with wire insert	Free .	Free	99	501984C	11/85	••
85.23.049	Tapered fibreglass rods with wire insert EXCLUDING:	Free .	Free	99	5019840	11/03	••
	Tapered fibreglass rods with wire insert EXCLUDING: Coaxial cable fly lead	·					
85.23.049 85.23.049	Tapered fibreglass rods with wire insert EXCLUDING: Coaxial cable fly lead Teflon or PVC insulated cable carrying UL number 2493	Free _. Free	Free Free	99 99	500676H	4/85	
85.23.049	Tapered fibreglass rods with wire insert EXCLUDING: Coaxial cable fly lead Teflon or PVC insulated cable carrying UL number 2493 peculiar for use in the connection of flow meters	Free	Free	99	500676H	4/85	
	Tapered fibreglass rods with wire insert EXCLUDING: Coaxial cable fly lead Teflon or PVC insulated cable carrying UL number 2493 peculiar for use in the connection of flow meters Telephone exchange wiper cords comprising:	·					
85.23.049	Tapered fibreglass rods with wire insert EXCLUDING: Coaxial cable fly lead Teflon or PVC insulated cable carrying UL number 2493 peculiar for use in the connection of flow meters Telephone exchange wiper cords comprising: an assembly of tinsel conductors each with a	Free	Free	99	500676H	4/85	
85.23.049 85.23.049	Tapered fibreglass rods with wire insert EXCLUDING: Coaxial cable fly lead Teflon or PVC insulated cable carrying UL number 2493 peculiar for use in the connection of flow meters Telephone exchange wiper cords comprising: an assembly of tinsel conductors each with a covering of woven fabric	Free Free	Free	99 99	500676H 682250K	4/85 6/86	
85.23.049	Tapered fibreglass rods with wire insert EXCLUDING: Coaxial cable fly lead Teflon or PVC insulated cable carrying UL number 2493 peculiar for use in the connection of flow meters Telephone exchange wiper cords comprising: an assembly of tinsel conductors each with a covering of woven fabric Temperature sensing alarm circuit coaxial cable utilizing	Free	Free	99	500676H	4/85 6/86	
85.23.049 85.23.049	Tapered fibreglass rods with wire insert EXCLUDING: Coaxial cable fly lead Teflon or PVC insulated cable carrying UL number 2493 peculiar for use in the connection of flow meters Telephone exchange wiper cords comprising: an assembly of tinsel conductors each with a covering of woven fabric Temperature sensing alarm circuit coaxial cable utilizing a dielectric of doped high molecule PVC, exhibiting a	Free Free	Free	99 99	500676H 682250K	4/85 6/86	
85.23.049 85.23.049	Tapered fibreglass rods with wire insert EXCLUDING: Coaxial cable fly lead Teflon or PVC insulated cable carrying UL number 2493 peculiar for use in the connection of flow meters Telephone exchange wiper cords comprising: an assembly of tinsel conductors each with a covering of woven fabric Temperature sensing alarm circuit coaxial cable utilizing a dielectric of doped high molecule PVC, exhibiting a negative temperature co-efficient of resistance, capable	Free Free	Free	99 99	500676H 682250K	4/85 6/86	
85.23.049 85.23.049 85.23.049	Tapered fibreglass rods with wire insert EXCLUDING: Coaxial cable fly lead Teflon or PVC insulated cable carrying UL number 2493 peculiar for use in the connection of flow meters Telephone exchange wiper cords comprising: an assembly of tinsel conductors each with a covering of woven fabric Temperature sensing alarm circuit coaxial cable utilizing a dielectric of doped high molecule PVC, exhibiting a negative temperature co-efficient of resistance, capable of repeated exposure to 105C	Free Free Free	Free Free Free	99 99 99	500676H 682250K 601558B	4/85 6/86 10/86	
85.23.049 85.23.049 85.23.049 85.23.049	Tapered fibreglass rods with wire insert EXCLUDING: Coaxial cable fly lead Teflon or PVC insulated cable carrying UL number 2493 peculiar for use in the connection of flow meters Telephone exchange wiper cords comprising: an assembly of tinsel conductors each with a covering of woven fabric Temperature sensing alarm circuit coaxial cable utilizing a dielectric of doped high molecule PVC, exhibiting a negative temperature co-efficient of resistance, capable of repeated exposure to 105C Thermon heating cables	Free Free Free Free	Free Free Free Free	99 99 99 99	500676H 682250K 601558B 502169D	4/85 6/86 10/86 7/85	
85.23.049 85.23.049 85.23.049	Tapered fibreglass rods with wire insert EXCLUDING: Coaxial cable fly lead Teflon or PVC insulated cable carrying UL number 2493 peculiar for use in the connection of flow meters Telephone exchange wiper cords comprising: an assembly of tinsel conductors each with a covering of woven fabric Temperature sensing alarm circuit coaxial cable utilizing a dielectric of doped high molecule PVC, exhibiting a negative temperature co-efficient of resistance, capable of repeated exposure to 105C Thermon heating cables Three and four core PVC insulated and sheathed retractile	Free Free Free	Free Free Free	99 99 99	500676H 682250K 601558B	4/85 6/86 10/86	
85.23.049 85.23.049 85.23.049 85.23.049 85.23.049	Tapered fibreglass rods with wire insert EXCLUDING: Coaxial cable fly lead Teflon or PVC insulated cable carrying UL number 2493 peculiar for use in the connection of flow meters Telephone exchange wiper cords comprising: an assembly of tinsel conductors each with a covering of woven fabric Temperature sensing alarm circuit coaxial cable utilizing a dielectric of doped high molecule PVC, exhibiting a negative temperature co-efficient of resistance, capable of repeated exposure to 105C Thermon heating cables Three and four core PVC insulated and sheathed retractile cords peculiar for 230 volts A.C. (mains) operation	Free Free Free Free Free	Free Free Free Free Free	99 99 99 99 99 99	500676H 682250K 601558B 502169D 540125K	4/85 6/86 10/86 7/85 9/85	
85.23.049 85.23.049 85.23.049 85.23.049	Tapered fibreglass rods with wire insert EXCLUDING: Coaxial cable fly lead Teflon or PVC insulated cable carrying UL number 2493 peculiar for use in the connection of flow meters Telephone exchange wiper cords comprising: an assembly of tinsel conductors each with a covering of woven fabric Temperature sensing alarm circuit coaxial cable utilizing a dielectric of doped high molecule PVC, exhibiting a negative temperature co-efficient of resistance, capable of repeated exposure to 105C Thermon heating cables Three and four core PVC insulated and sheathed retractile cords peculiar for 230 volts A.C. (mains) operation Tinned copper, solid or stranded copper wire silicone	Free Free Free Free	Free Free Free Free	99 99 99 99	500676H 682250K 601558B 502169D	4/85 6/86 10/86 7/85	
85.23.049 85.23.049 85.23.049 85.23.049 85.23.049	Tapered fibreglass rods with wire insert EXCLUDING: Coaxial cable fly lead Teflon or PVC insulated cable carrying UL number 2493 peculiar for use in the connection of flow meters Telephone exchange wiper cords comprising: an assembly of tinsel conductors each with a covering of woven fabric Temperature sensing alarm circuit coaxial cable utilizing a dielectric of doped high molecule PVC, exhibiting a negative temperature co-efficient of resistance, capable of repeated exposure to 105C Thermon heating cables Three and four core PVC insulated and sheathed retractile cords peculiar for 230 volts A.C. (mains) operation Tinned copper, solid or stranded copper wire silicone rubber insulated with glass braid and silicone	Free Free Free Free Free	Free Free Free Free Free	99 99 99 99 99 99	500676H 682250K 601558B 502169D 540125K	4/85 6/86 10/86 7/85 9/85	··· ··· ··
85.23.049 85.23.049 85.23.049 85.23.049 85.23.049	Tapered fibreglass rods with wire insert EXCLUDING: Coaxial cable fly lead Teflon or PVC insulated cable carrying UL number 2493 peculiar for use in the connection of flow meters Telephone exchange wiper cords comprising: an assembly of tinsel conductors each with a covering of woven fabric Temperature sensing alarm circuit coaxial cable utilizing a dielectric of doped high molecule PVC, exhibiting a negative temperature co-efficient of resistance, capable of repeated exposure to 105C Thermon heating cables Three and four core PVC insulated and sheathed retractile cords peculiar for 230 volts A.C. (mains) operation Tinned copper, solid or stranded copper wire silicone rubber insulated with glass braid and silicone varnished to suit temperature rating 1800C continuous	Free Free Free Free Free	Free Free Free Free Free	99 99 99 99 99 99	500676H 682250K 601558B 502169D 540125K	4/85 6/86 10/86 7/85 9/85	··· ··· ··
85.23.049 85.23.049 85.23.049 85.23.049 85.23.049 85.23.049	Tapered fibreglass rods with wire insert EXCLUDING: Coaxial cable fly lead Teflon or PVC insulated cable carrying UL number 2493 peculiar for use in the connection of flow meters Telephone exchange wiper cords comprising: an assembly of tinsel conductors each with a covering of woven fabric Temperature sensing alarm circuit coaxial cable utilizing a dielectric of doped high molecule PVC, exhibiting a negative temperature co-efficient of resistance, capable of repeated exposure to 105C Thermon heating cables Three and four core PVC insulated and sheathed retractile cords peculiar for 230 volts A.C. (mains) operation Tinned copper, solid or stranded copper wire silicone rubber insulated with glass braid and silicone varnished to suit temperature rating 180oC continuous sizes 0.3mm2 and sizes larger than 4.0mm2	Free Free Free Free Free	Free Free Free Free Free	99 99 99 99 99 99	500676H 682250K 601558B 502169D 540125K 580131B	4/85 6/86 10/86 7/85 9/85 7/85	··· ··· ··
85.23.049 85.23.049 85.23.049 85.23.049 85.23.049	Tapered fibreglass rods with wire insert EXCLUDING: Coaxial cable fly lead Teflon or PVC insulated cable carrying UL number 2493 peculiar for use in the connection of flow meters Telephone exchange wiper cords comprising: an assembly of tinsel conductors each with a covering of woven fabric Temperature sensing alarm circuit coaxial cable utilizing a dielectric of doped high molecule PVC, exhibiting a negative temperature co-efficient of resistance, capable of repeated exposure to 105C Thermon heating cables Three and four core PVC insulated and sheathed retractile cords peculiar for 230 volts A.C. (mains) operation Tinned copper, solid or stranded copper wire silicone rubber insulated with glass braid and silicone varnished to suit temperature rating 1800C continuous sizes 0.3mm2 and sizes larger than 4.0mm2 Twisted pair data communication cable, International	Free Free Free Free Free	Free Free Free Free Free	99 99 99 99 99 99	500676H 682250K 601558B 502169D 540125K	4/85 6/86 10/86 7/85 9/85	··· ··· ··
85.23.049 85.23.049 85.23.049 85.23.049 85.23.049 85.23.049 85.23.049	Tapered fibreglass rods with wire insert EXCLUDING: Coaxial cable fly lead Teflon or PVC insulated cable carrying UL number 2493 peculiar for use in the connection of flow meters Telephone exchange wiper cords comprising: an assembly of tinsel conductors each with a covering of woven fabric Temperature sensing alarm circuit coaxial cable utilizing a dielectric of doped high molecule PVC, exhibiting a negative temperature co-efficient of resistance, capable of repeated exposure to 105C Thermon heating cables Three and four core PVC insulated and sheathed retractile cords peculiar for 230 volts A.C. (mains) operation Tinned copper, solid or stranded copper wire silicone rubber insulated with glass braid and silicone varnished to suit temperature rating 1800C continuous sizes 0.3mm2 and sizes larger than 4.0mm2 Twisted pair data communication cable, International Business Machines part numbers 4716748 and 4716743	Free Free Free Free Free Free	Free Free Free Free Free Free	99 99 99 99 99 99 99	500676H 682250K 601558B 502169D 540125K 580131B 681640B	4/85 6/86 10/86 7/85 9/85 7/85 3/87	
85.23.049 85.23.049 85.23.049 85.23.049 85.23.049 85.23.049	Tapered fibreglass rods with wire insert EXCLUDING: Coaxial cable fly lead Teflon or PVC insulated cable carrying UL number 2493 peculiar for use in the connection of flow meters Telephone exchange wiper cords comprising: an assembly of tinsel conductors each with a covering of woven fabric Temperature sensing alarm circuit coaxial cable utilizing a dielectric of doped high molecule PVC, exhibiting a negative temperature co-efficient of resistance, capable of repeated exposure to 105C Thermon heating cables Three and four core PVC insulated and sheathed retractile cords peculiar for 230 volts A.C. (mains) operation Tinned copper, solid or stranded copper wire silicone rubber insulated with glass braid and silicone varnished to suit temperature rating 1800C continuous sizes 0.3mm2 and sizes larger than 4.0mm2 Twisted pair data communication cable, International Business Machines part numbers 4716748 and 4716743 Waterbed heater, flex sets with custom designed	Free Free Free Free Free	Free Free Free Free Free	99 99 99 99 99 99	500676H 682250K 601558B 502169D 540125K 580131B	4/85 6/86 10/86 7/85 9/85 7/85	··· ···
85.23.049 85.23.049 85.23.049 85.23.049 85.23.049 85.23.049 85.23.049 85.23.049	Tapered fibreglass rods with wire insert EXCLUDING: Coaxial cable fly lead Teflon or PVC insulated cable carrying UL number 2493 peculiar for use in the connection of flow meters Telephone exchange wiper cords comprising: an assembly of tinsel conductors each with a covering of woven fabric Temperature sensing alarm circuit coaxial cable utilizing a dielectric of doped high molecule PVC, exhibiting a negative temperature co-efficient of resistance, capable of repeated exposure to 105C Thermon heating cables Three and four core PVC insulated and sheathed retractile cords peculiar for 230 volts A.C. (mains) operation Tinned copper, solid or stranded copper wire silicone rubber insulated with glass braid and silicone varnished to suit temperature rating 180oC continuous sizes 0.3mm2 and sizes larger than 4.0mm2 Twisted pair data communication cable, International Business Machines part numbers 4716748 and 4716743 Waterbed heater, flex sets with custom designed and moulded plugs to fit temperature controllers	Free Free Free Free Free Free Free	Free Free Free Free Free Free Free	99 99 99 99 99 99 99 99	500676H 682250K 601558B 502169D 540125K 580131B 681640B 520268L	4/85 6/86 10/86 7/85 9/85 7/85 3/87 8/85	··· ·· ·· ··
85.23.049 85.23.049 85.23.049 85.23.049 85.23.049 85.23.049 85.23.049	Tapered fibreglass rods with wire insert EXCLUDING: Coaxial cable fly lead Teflon or PVC insulated cable carrying UL number 2493 peculiar for use in the connection of flow meters Telephone exchange wiper cords comprising: an assembly of tinsel conductors each with a covering of woven fabric Temperature sensing alarm circuit coaxial cable utilizing a dielectric of doped high molecule PVC, exhibiting a negative temperature co-efficient of resistance, capable of repeated exposure to 105C Thermon heating cables Three and four core PVC insulated and sheathed retractile cords peculiar for 230 volts A.C. (mains) operation Tinned copper, solid or stranded copper wire silicone rubber insulated with glass braid and silicone varnished to suit temperature rating 1800C continuous sizes 0.3mm2 and sizes larger than 4.0mm2 Twisted pair data communication cable, International Business Machines part numbers 4716748 and 4716743 Waterbed heater, flex sets with custom designed	Free Free Free Free Free Free	Free Free Free Free Free Free	99 99 99 99 99 99 99	500676H 682250K 601558B 502169D 540125K 580131B 681640B	4/85 6/86 10/86 7/85 9/85 7/85 3/87	·· ·· ··

NEW ZEALAND GAZETTE

Tariff Industry Assistance (Decision) Notice No. 1987/28-continued

	Tariff		Rates of	Duty	Part II	Ref.	Effect	ive
	Item	Description of Goods	Norma 1	Pref.	Ref.	No.		То
		thermocouple wire						
0	85.23.049	Wires and cables insulated with dual wall radiation	Free	Free	99	600015A	7/86	
		cross linked polyalkene polyvinylidine insulation						
0	85.23.049	Wiring kit comprising teflon sheathed cable,	Free	Free	99	602622C	2/87	
		unassembled plugs, cable extenders					-,	
ю	85.23.049	18 and 25 core composite cable comprising of a	Free	Free	99	600013E	2/86	
		coaxial cable centre surrounded by a second layer					-,	
		of 9 cores, screened, and a further layer of either						
		8 or 15 cores, double screened, peculiar for use in						
		installation of radar equipment						
ю	85.23.049	1000 volt wires, cables and flexibles, insulated with	Free	Free	99	640545C	11/86	
		black rubber, nitroxyl, acrylic vulcanised india rubber,						
		excluding when fitted with connectors						
к	87.06.155	Parts and accessories of motor vehicles of	Free	Free	99	603895G	6/87	
		Tariff headings 87.01, 87.02 and 87.03 of					0,0,	
		wholly or principally of unhardened vulcanised						
		rubber or artificial plastic material						
		EXCLUDING:						
		Air Dams						
		Spoilers						
		Bumpers, other than bumper ends and bumper rubbers						
		Headlight covers						
		Weathershields						
		Bonnetguards						
к	89.01.013	Olympic soling class racing yachts	Free	Free	99	604060J	6/87	
0	89.01.013	Inflatable kayaks	Free	Free	99	620897F	10/86	
0	89.01.013	Inflatable recreation vessel - comprising an inflatable	Free	Free	99	640455D	1/87	
		body with a small (4 kw approximately) engine mounted						
		toward the front of the vessel. The operator lies prone						
		on the vessel controlling speed/direction via a					•	
		handlebar attached to the motor						
0	89.01.013	Jet ski	Free	Free	99	602458A	1/87	
0	89.01.013	Passenger Hovercraft with a seating capacity	Free	Free	99	540433K	7/86	
		of 20 or more passengers						
0	89.01.013	Water skimming jet bikes	Free	Free	99	505266B	7/86	••
0	89.01.013	Yachts and other vessels for pleasure or sport;	34		99	681961D	7/87	• •
		Air cushion vessels						
К	89.05.009	High density polyethylene floating fish cage	Free	Free	99	603795L	5/87	••
K	90.24.029	Glycerine filled pressure gauge, pressure: 0-30,000 psi	Free	Free	99	604065K	5/87	••
		sizes: 38mm, 51mm, 63mm, 102mm, 153mm						
H	90.24.029	Thermostatically controlled ventilator	Free	Free	99	640797J	5/87	
K	94.03.009	Electrically operated and computer controlled vertically	Free	Free	99	700100C	2/87	
		revolving filing systems						

SCHEDULE 2

Decis	ions	Cancel	led

	Tariff Item	Description of Goods				Ref. No.		
ю	22.05.022) 22.06.022)	Wine Department				680825F		••
1 0	22.06.012	\$2 licence		••				
	30.03.031)	Medicaments						
	30.03.039)							
N		Penstrep vet	• •	••		630205C		••
	34.02.000	Products, soap; APPROVED:						
К		Plurafac LF700				600994J		• •
N	38.11.001	Lithium hypochlorite				461548E		• •
N	38.11.001	Sodium tablets				461550G		• •
N	38.11.029	Alpha technical	••	••	••	521179E		
N	38.11.029	A silica		••	••	202043C		
N	38.11.029	Biotrol XK		••		460510B	• •	• •
N	38.11.029	Cirrasol MPW				420619D	• •	• •
N	38.11.029	Coopex industry	• •	••		502152K	• •	• •
N	38.11.029	Dy-Fly bait				923216J	• •	• •
N	38.11.029	Furadan granules	• • •			923609A		• •
N	38.11.029	Furadan insecticide		••	••	460512J	••	• •
N	38.11.029	Kelthane MF	••	••	••	926476A		• •
N	38.11.029	Mirex	••	••	••	931841A	• •	
N	38.11.029	Mitin concentrate	••	• •	••	105078J	••.	••
N	38.11.029	Plictran 600F	••	••	••	462443C	••	••
N	38.11.029	Shell agent,		••	••	501804J	• •	••
N	38.11.031	Afrotin veg	••	• •	••	600077A	••	••
N	38.11.031	Caltan	••	••	••	400118E	••	••
N	38.11.031	Daracide GR 849	••	••	• •	931833L	••	• •
N	38.11.031	Karathane WD	••	••	• •	461884L	••	۰.
N	38.11.031	Kathon LX 1.5%	••	• •	••	505098H	••	••
N	38.11.031	Manzate D	• •	• •	•••	460635D	••	• •
N	38.11.031	Milgo	• •	• •	••	460305C	• •	· • •
N	38.11.031	Oleo oxide	••	••	••	501484A		••
N	38.11.031	Panoctine ingredient	••	••	••	522104J	••	••
N	38.11.031	Plantvax 75 W	• •	••	••	460517K	••	••
N	38.11.031	Proxel B.I.T.	•••	••	• •	462340B	••	••
N	38.11.031	Rebwachs fungicide	••	••	••	462445K	••	• •
N	38.11.031	Sanitized OAP	••	• •	••	200627J		

)

ł

NEW ZEALAND GAZETTE

	Tariff	sistance (Decision) Notice No. 1	 			Ref.		
	Item	Description of Goods	 	· · · · · · · · · · · · · · · · · · ·		No.		
DN	38.11.031	Sanitized GT 900	••	••	••	600443B	••	••
DN DN	38.11.031	Vapam Winsul 80WP	••	••	••	105185H 400678I	••	••
DN DN	38.11.031 38.11.041	Winsul SOWP Atlavar	•••	· ··	· · · ·	400678L 460081K	••	•••
DN	38.11.041	Semeron 25	••			105198K ~		••
DN	38.11.049	Ammate X		••		460638J		
DN	38.11.049	Buetril 20	••	••		105217K	••	••
DN	38.11.049	Caldon herbicide	••	••	••	461292C	••	••
DN	38.11.049	Casoron dichlobenil				501475B	••	••
DN	38.11.049	Croppers dyprop	••	••	••	461816F	••	••
DN DN	38.11.049 38.11.049	Elapon Krenite	••	••	••	501472H 105236F	••	. • •
DN	38.11.049	Oxytril P		••		105230F	• • • •	••
DN	38.11.049	Sodium dust				400174F	••	
DN	38.11.049	Solicam 80WP	••	••		400 299H		
DN	38.11.049	Solicam norflurazon	••	••	••	400301C	••	
DN	38.11.049	Surflan	••	••		503 9 73J	••	••
DN	38.11.049	Tillam E	••	••		462367D	••	••
DN DN	38.11.059 38.11.059	Atrinal sodium	••	••		501549K 462003J	••	••
DN	38.11.059	Degesch strip Diaphacin 120	••	••		105278A	••	••
DN	38.11.059	'Embark' suppressor				200635K		••
DN	38.11.059	Emulsifiable methylester		••		400302A	••	
DN	38.11.059	Etoxiat, etc	• •	• •	••	502512F	••	••
DN	38.11.059	Growth regulaid	••	••		522337H	••	••
DN	38.11.059	Kathom microbicide	••	••		927606J	••	••
DN DN	38.11.059 38.11.059	Royal agent Thiovit	.• •	••		501477J	••	••
1014	38.11.059	Chemical etc.	••	••	••	400117G	••	••
AK	00.101000	Cortec foam	• • •	••		504827D		
AK	39.01.351	Polyethene film				503636E		
HO	39.07.331)	Grooming mitts	••	••	••	504237C	••	••
	39.07.332)							
HO	40.13.001	Electricians volts	••	••		520629E	••	••
HO HO	40.13.001	Electricians voltage Electricians' volts	••	••		503400A 560161E	••	••
nu	40.13.001) 40.13.002)	Electricians vorts	• • •	••	••	SOUTOIE	••	••
ю	40.13.001)	Lead gloves				505570K		
	40.13.002)	0						
HO	41.02.009	Men's above)	••	••	••	621759B	••	••
но	41.04.009	Goat leather	••	••		640627A	••	••
AK	48.07.157	Saturated weight	••	••		603765J	••	••
WN AK	84.06.061 84.45.000	Pistons, 38mm Lock-former 20	••	••		620057F 679855B	••	••
AK	84.45.000	Rolloseam machines	••	••		679930C	•••	•••
но	84.63.029	Peerless lawnmowers				113082L		
HO	85.02.000	Electromagnetic heads		••		520115C		
		heads						
HO	85.04.011	Component approved	•••	••		520362H	••	••
HO	85.15.112	Radio 1987) Cordless handset	••	••		682291G	••	••
AK AK	85.15.259 85.19.031	Circuit over	•.•	••		601893K 604180K	•••	••
HO	85.23.031	Alpine connector	••	••		681486H		••
но	85.23.031	Bantam cords				520605H		
HO	85.23.031	Belden cable		••		60118 2K	••	••
HO	85.23.031	Cable conductors		••		521517L	••	••
HO	85.23.031	Cable batteries	•••	••		501405E	••	••
HO HO	85.23.031 85.23.031	Cables, 3202S Cables equipment	•••	••		540039C 180826G	••	••
HO	85.23.031	Components cover	••	••		501429J	• • • •	••
HO	85.23.031	Cord operation)	· · ·			540110A		
HO	85.23.031	Cross-linked 1631				580196G		••
HO	85.23.031	18 equipment	••	••		300013E	••	••
HO	85.23.031	Elevator type	••	••		501061G	••	••
HO HO	85.23.031 85.23.031	Enamelled0415-5.0mm Fibre connectors	••	••		502271B	••	••
10 10	85.23.031	Flat No. 2468	••	•••		522323H 521635J	••	••
ю	85.23.031	Fusible cable				80827E		
10	85.23.031	Gas classification	••		e	681004H		
łO	85.23.031	Ground assemblies	••	••		80677B	••	••
10	85.23.031	Heater equipment	••		-	03807H	. • •	••
10 10	85.23.031 85.23.031	Highly thermoplastic High wire	••			81783J	••	••
		High receivers	••			80199A 80825J		••
	80.23.03		••			61735F	••	••
ю	85.23.031 85.23.031	Hitachi cable				20983J		
10 10		Johnson 417-7930-001	• •					
10 10 10 10 10	85.23.031 85.23.031 85.23.031	Johnson 417-7930-001 Linear cable	••		5	20163C	••	••
10 10 10 10 10	85.23.031 85.23.031 85.23.031 85.23.031	Johnson 417-7930-001 Linear cable Linear cable		••	5	80804K	• • • •	••
10 10 10 10 10 10	85.23.031 85.23.031 85.23.031 85.23.031 85.23.031 85.23.031	Johnson 417-7930-001 Linear cable Linear cable Loadcell systems	• • • • • •	••	·· 5	80804K 80127D	• • • •	
10 10 10 10 10 10	85.23.031 85.23.031 85.23.031 85.23.031 85.23.031 85.23.031 85.23.031	Johnson 417-7930-001 Linear cable Linear cable Loadcell systems Magnet sizes	 	•••	5 5	80804K 80127D 80380C	••• •• ••	••
10 10 10 10 10 10 10	$\begin{array}{c} 85.23.031\\ 85.23.031\\ 85.23.031\\ 85.23.031\\ 85.23.031\\ 85.23.031\\ 85.23.031\\ 85.23.031\\ 85.23.031\end{array}$	Johnson 417-7930-001 Linear cable Linear cable Loadcell systems Magnet sizes Multi jacket	•• •• •• •• ••	••• •• ••	··· 5 ·· 5 ·· 5	80804K 80127D 80380C 80992J	 	••• •• ••
	$\begin{array}{c} 85.23.031\\ 85.23.031\\ 85.23.031\\ 85.23.031\\ 85.23.031\\ 85.23.031\\ 85.23.031\\ 85.23.031\\ 85.23.031\\ 85.23.031\\ \end{array}$	Johnson 417-7930-001 Linear cable Linear cable Loadcell systems Magnet sizes Multi jacket Oil classification	•• •• •• ••	 	··· 5 ·· 5 ·· 5 ·· 6	80804K 80127D 80380C 80992J 80417F	 	•••
10 10 10 10 10 10 10 10 10	$\begin{array}{c} 85.23.031\\ 85.23.031\\ 85.23.031\\ 85.23.031\\ 85.23.031\\ 85.23.031\\ 85.23.031\\ 85.23.031\\ 85.23.031\end{array}$	Johnson 417-7930-001 Linear cable Linear cable Loadcell systems Magnet sizes Multi jacket	•• •• •• •• ••	••• ••• ••• ••• •••	··· 5 ·· 5 ·· 6 ·· 5 ·· 5	80804K 80127D 80380C 80992J	 	••• •• ••
10 10 10 10 10 10 10 10 10 10 10 10 10 1	$\begin{array}{c} 85.23.031\\ 85.23.031\\ 85.23.031\\ 85.23.031\\ 85.23.031\\ 85.23.031\\ 85.23.031\\ 85.23.031\\ 85.23.031\\ 85.23.031\\ 85.23.031\\ \end{array}$	Johnson 417-7930-001 Linear cable Linear cable Loadcell systems Magnet sizes Multi jacket Oil classification Pipe approved	··· ··· ··· ···	•• •• •• •• ••	··· 5 ··· 5 ·· 6 ·· 5 ·· 5 ·· 5	80804K 80127D 80380C 80992J 80417F 80803A	••• •• •• ••	•••

(

t

	Tariff Item	Description of Goods				Ref. No.		
HO	85.23.031	PVC No. 1015	· · · · ·			622307K		
но	85.23.031	Replacement sheathed				540575A		
НО	85.23.031	Resistive layer				581784G		
но	85.23.031	Signal systems				500056E		
но	85.23.031	Single copolmer				580777J		
но	85.23.031	Single insulated				580238F		
НО	85.23.031	Solid over				480823B		
но	85.23.031	Solid plated				505881D		
но	85.23.031	Tapered lead	••			501984C		
но	85.23.031	Teflon meters				500676H		
но	85.23.031	Telephone fabric				682250K		
но	85.23.031	Temperature 105oC				601558B		
но	85.23.031	Thermon cables				502169D		
но	85.23.031	Three operation				540125K		
НО	85.23.031	Tinned 4.0mm2				580131B		
но	85.23.031	Twisted 4716743				681640B		
но	85.23.031	Waterbed controllers				520268L		
HO	85.23.031	Winding amide-imide		• •		522039E		
но	85.23.031	Wire, wire				480824L		
но	85.23.031	Wires insulation				600015A		
но	85.23.031	Wiring extenders				602622C		
но	85.23.031	1000 connectors	••			640545C		
но	85.23.039	Anti straps				640589E		
но	85.23.039	''Cable monitors''			• • •	540441L		
Ю	85.23.039	Charger balls				500514A		
но '	85.23.039	Low 2.5mm				640551H	••	
HO	85.23.039	''Multi contact'' wire				680515K		
но	85.23.039	Other coaches				480831C		
HO	85.23.039	RCA spiralled)				620806B		••
AK	87.06.155	Parts bonnetguards				603088C		••
но	87.06.199	Radiators coaches				210309F		
но	87.06.199	Steering covers				207330H		
HO	89.01.007	Inflatable kayaks				620897F		
но	89.01.007	Inflatable motor				640455D		
но	89.01.007	Jet ski			•••	602458A		
но	89.01.007	Passenger passengers	• •			540433K		
HO	89.01.007	Water bikes				505266B	• •	
HO	89.01.007	Yachts vessels		••		681961D		
AK	89.05.009	High polyethylene				603795L	••	

SCHEDULE 3 Limited Decisions Approved

	Towiff		Datas - C	Dutes	Part	D - 6	Fff a - +	4.4.4
	Tariff Item	Description of Goods	Rates of Normal	Duty Pref.	II Ref.	Ref. No	Effect From	1ve To
				-				
AK	39.07.629 .	Plastic finger nails	Free	Free	99	700215H	7/87	7/87
110	73.29.011	Goods in transit	Free	Free	99	780052F	4/87	4/87
HO	73.32.039	Hot strip mill chain			99 99	780052F 780047K	4/87	10/87
HO	73.32.039	Four only mill screw and nut screw for roughing mill of Hot Strip Mill	Free	Free	99	780047K	4/8/	10/8/
		One adjusting screw and nut for finisher side entry guide						
		and looper for Hot Strip Mill						
НО	73.32.029	One set of cap bolts for use with vertical edger of Hot Strip Mill	Free	Free	99	780048H	4/87	10/87
		Four sets of mill spindle cap bolts for use with mill spindle cross of Hot Strip Mill						
		Three sets of setting bolts for crop/shear/dividing shear of						
		combination mill						
		Four setting bolts for entry/exit crop shear of recoil line						
		Five sets of setting bolts for scrap chopper of pickle line						
		Eight sets of cartridge and shear knife setting bolt for						
		dividing/crop shear of rolling mill						
HO	73.32.029	Sixteen only shearknife setting	Free	Free	99	780053D	4/87	4/87
		Six only wrapper role setting bolt assemblies						
		One only flying shear setting bolt						
		Four only side guide adjusting screw and nut						
		Two only Edger spindle screws						
		Two only Edger spindle nuts						
HO	73.32.039	Two only connecting pins for use with top and bottom	Free	Free	99	780046A	4/87	10/87
		descaling headers of Hot Strip Mill						
		Four only trailing/connecting pins for use with coil						
		box entry side guide of Hot Strip Mill						
		Two only Pin and Nut for thrust guide for use with crop						
		shear side guide of Hot Strip Mill						
		Six only wrapper roll setting pins for use with down						
		collier of Hot Strip Mill						
HO	73.32.029	Two only screw and nut assemblies for finishing mill of Hot Strip Mill	Free	Free	99	780050K	4/87	10/87
но	74.15.059	Two only thrust guide pins	Free	Free	99	780049F	4/87	10/87
но	73.32.039	Two only trailing section pins for use with top and bottom	Free	Free	99	780054B	4/87	4/87
		descaling headers of Hot Strip Mill						., -
но	84.11.049	Heating and cooling chamber impellors and recirculation fans	Free	Free	99	780051H	4/87	4/87
WN	84.59.059	Eight only apron drive passenger bridges (for entry No. WNS700057H only)	Free	Free	99	720046D	4/87	7/87

)

Tariff Industry Assistance (Decision) Notice No. 1987/28-continued

SCHEDULE 4 Applications Declined

	Tariff		Ref.
	Item	Description of Goods	No
WN	30.03.039	Carboplatin 150mg	630250
WN	30.03.039	Carboplatin 150mg	630251
WN	30.03.039	Carboplatin 150mg	630252
WN	30.03.039	Carboplatin 150mg	630253
WN	32.09.059	Desmoderm finish A	720076
CH	39.02.249	Gaskets for UPVC windows and doors	740023D
CH	39.02.511	Acrylic alloy sheeting	740034K
AK	39.07.449	Plastic talc caps	604006D
CH	40.11.046	Racing slicks, dirt track and wet weather racing tyres	640658A
CH	48.04.002	Other paper and paperboard as may be determined by the	640697B
		Minister	
AK	76.08.000	Home security window blinds	700210G
CH	76.15.000	Aircraft oven shelves and dry ice inserts	64083 9H
WN	84.22.019	Planer/moulder ancillary in feeding/out feeding machines	621605G
WN	85.22.039	Classic audio mixing console	622348G
CH	85.15.201	TV/Clock/AM-FM radio, TV/Radio, TV/Cassette recorder,	640680H
		TV/Cassette recorder combination units: screen size 5''	640680H
		or less	
СЦ	85.17.000	Programmable signs	740035H
CH	85.19.009	Rotating arc 36 kv circuit breakers	640850J
CH	85.19.031	Circuit breakers; earth leakage, current operated tyres	640830D
		rated 10-400 amp	
CH	85.19.031	Circuit breakers; 10 ka to 100 ka breaking capacity	640829L
CH	85.19.031	Component parts of 5160 series miniature circuit breakers	640871A
WN	85.22.039	'Beta series' audio mixing console	622344
AK	98.08.001	Typewriter and similar ribbons	700227A

REVOCATION NOTICE

The Minister of Customs hereby gives notice, under Section 158 of the Customs Act 1966, that the following Tariff concessionary approvals are revoked with effect from 31 December 1987: ''All concessionary approvals which are not listed in the December 1987 edition of the ''Consolidated List of Decisions

"All concessionary approvals which are not listed in the December 1987 edition of the "Consolidated List of Decisions of the Minister of Customs Relating to the Customs Tariff of New Zealand".

Dated at Wellington this 30th day of July 1987.

M.W. TAYLOR, Comptroller of Customs.

Price \$1.76c (incl. G.S.T.)

BY AUTHORITY: V. R. WARD, GOVERNMENT PRINTER, WELLINGTON, NEW ZEALAND-1987

74613G-87PT