



---

The New Zealand  
**Gazette**

---

# **Customs Edition**

---

WELLINGTON: TUESDAY, 14 JUNE 1988

---

## **CUSTOMS NOTICES**

(INCLUDING TARIFF INDUSTRY ASSISTANCE NOTICES)

TARIFF INDUSTRY ASSISTANCE (ADVERTISEMENT) NOTICE NO. 1988/21  
Applications Advertised for Objection  
Closing Date for Objections 30 June 1988

- 1 Notice is hereby given that the following applications have been made in respect of the goods advertised in the Schedule to this notice. Any person wishing to lodge an objection must do so in writing, to the \*\* Port of lodgement indicated by the reference number, before 30 June 1988. All submissions must include:
- the Tariff Industry Assistance (Advertisement) Notice number;
  - the Tariff item;
  - the Port; and
  - Reference number.
- 2 All submissions from local manufacturers must include:
- the range of alternative goods made locally;
  - the grounds on which objection is made (including reasons why the local product is a suitable alternative);
  - present and potential output;
  - details of factory cost in terms of materials, labour, overheads, including the proportion of domestic and imported content.
- 3 All submissions objecting to a request for the imposition of duty must include:
- reasons why the local product on which protection is sought is not a suitable alternative;
  - full technical details of the goods against which tariff protection is sought.
- 4 Where further information is required in order to make a submission an objector should contact the applicant in writing and refer a copy of the enquiry to the port where the application was lodged quoting the details in paragraph 1 above.
- 5 Any submission not supported by the information required in the paragraphs above will not be regarded as a valid objection.

Tariff Item	Description of Goods	Name and Address of Applicant	Part II Ref.	Appn. Ref. No.	*Category of Appn.
2308.90.00	Animal laboratory feed pellets containing no meat and bone meal nor animal fat ingredients being fish meal and soya bean oil	University of Otago Department of Psychology C/-PO Box 5556 DUNEDIN	99	DN 660558D	A
2715.00.29	Flintkote type 5	Shell Oil (NZ) Ltd C/-NZ Express International Forwarders Ltd PO Box 1252 WELLINGTON	99	WN 721593	A
3003.90.09	Questran powder	Bristol-Myers NZ Ltd PO Box 9175 Newmarket AUCKLAND	25	WN 730163	A
3004.20.01	Oxytetrin LA injection	Pitman-Moore Animal Health Ltd PO Box 25 PALMERSTON NORTH	26	WN 730178	A
3004.39.09	Alophen tablets	Warner-Lambert NZ Ltd PO Box 430 AUCKLAND	26	WN 730173	A
3004.39.09	Glycerine suppositories	Warner-Lambert NZ Ltd PO Box 430 AUCKLAND	26	WN 730171	A
3004.39.09	Mylanta liquid	Warner-Lambert NZ Ltd PO Box 430 AUCKLAND	25	WN 730174	A
3004.39.09	Mylanta tablets	Warner-Lambert NZ Ltd PO Box 430 AUCKLAND	25	WN 730175	A
3004.50.09	ABDEC drops	Warner-Lambert NZ Ltd PO Box 430 AUCKLAND	26	WN 730169	A
3004.50.09	Metatone 500 ml	Warner-Lambert NZ Ltd PO Box 430 AUCKLAND	26	WN 730170	A
3004.50.09	Sealegs tablets	Glaxo NZ Ltd Private Bag PALMERSTON NORTH	26	WN 730179	A
3004.90.19	Axid capsules	Eli Lilly & Co NZ Ltd PO Box 97-046 South Auckland Mail Centre WIRI	26	WN 730181	A
3004.90.19	Ledertrexate	Cyanamid of NZ Ltd C/-Daniel Silva Tariff Consultant PO Box 305 AUCKLAND	25	WN 730180	A
3004.90.19	Retrovir 200mg I.V.	Wellcome NZ PO Box 22-258 Otahuhu AUCKLAND 6	26	WN 730182	A
3004.90.19	40,000 cans of Aldecin nasal spray only	Essex Laboratories (NZ) Ltd PO Box 18337 AUCKLAND 6	25	WN 730184	A
3402.13.00	Byk 307 being a polyether modified dimethyl polysiloxane copolymer used as a paint additive to increase surface slip and substrate wetting	A.C. Hatrick (NZ) Ltd PO Box 2359 AUCKLAND	99	AK 703204J	A
3402.90.00	Bykanol N being an anti-gelling additive and viscosity stabiliser based on ketoxime and amino-salts of acid phosphate esters	A.C. Hatrick (NZ) Ltd PO Box 2359 AUCKLAND	99	AK 703210C	A
3816.00.00	Durax LC 160	NZ Steel Ltd Private Bag AUCKLAND	99	AK 703181F	A
3916.90.00	Magic bath seal, counter seal and/or splash clip, being a	Ados Chemical Company Ltd	99	WN 721606	A

Tariff Industry Assistance (Advertisement) Notice No. 1988/21-continued

Tariff Item	Description of Goods	Name and Address of Applicant	Part II Ref.	Appn. Ref. No.	*Category of Appn.
	waterproof moulding or edging	PO Box 35-076 Naenae LOWER HUTT			
3917.40.00	Water mains pipe fittings of polyethylene comprising combination O ring and grip ring facility to create pressure seal of a push fit design	Portals Water Treatment (NZ) Ltd C/-Colebrook Bros Ltd PO Box 1296 AUCKLAND	99	AK 703214F	A
3919.10.00	Magic tub surround seal and/or flexible trim, being a waterproof moulding or edging	Ados Chemical Company Ltd PO Box 35-076 Naenae LOWER HUTT	99	WN 721605	A
3926.90.59	Handlebar tape	Specialised Cycles Ltd C/-Alpha Customs Services PO Box 360 NEW PLYMOUTH	99	WN 721290	A
5604.10.00	Rubberised textured yarn, textile covered	Norsewear Industries Ltd C/-Jarratt Sandes & Co Ltd PO Box 997 PLAMERSTON NORTH	99	WN 721524	A
6115.20.31	Sports socks of predominantly orlon construction	Campbell McRae Holdings Ltd PO Box 5556 DUNEDIN	99	DN 660559B	A
6211.42.00	Armoured body vests	Commissioner of Police Supply Section, 6th Floor 180 Molesworth Street WELLINGTON	99	WN 721527	A
6211.42.00	Body armour jackets and/or fragmentation vests	Support Branch (DCT) Ministry of Defence Private Bag WELLINGTON	99	WN 721611	A
6307.90.29	Magnetic memo holders	Harrison Textiles Ltd C/-Daniel Silva, Tariff Consultant PO Box 305 AUCKLAND 1	99	AK 703251L	A
6910.10.00	Marine toilet system complete with pump and flushing mechanism	Smith Markwell Ltd PO Box 21-155 Henderson AUCKLAND	99	AK 703252J	A
7419.99.19	Rich low brass lipstick base and cover	Elizabeth Arden NZ Ltd Private Bag Papaioetoe AUCKLAND	99	AK 703248L	A
8301.40.00	Retractable cable combination lock	Leisure Tech (NZ) Ltd PO Box 28157 Remuera AUCKLAND	99	AK 703211A	A
8409.99.01	Marine competition forged piston assemblies	B P Minerals C/-Mogalair Ltd PO Box 73-036 AUCKLAND AIRPORT	99	AK 703227H	A
8413.50.09	Varisco reciprocating self priming positive displacement diaphragm pumps for pumping thick liquids or sludge containing abrasives or solids	Cable-Price Corporation Ltd PO Box 10042 WELLINGTON	99	WN 721677	A
8413.60.09	Helical screw positive displacement pumps - stainless steel and/or cast iron	Cable-Price Corporation Ltd PO Box 10042 WELLINGTON	99	WN 721636	A
8413.60.09	CURRENT APPROVAL Mono helical rotor positive displacement pump		99	502956C	VA
8413.60.09	REQUESTED APPROVAL Helical rotor positive displacement pumps	Airedale Pump Co Ltd C/-PO Box 53-084 AUCKLAND	99	AK 703190E	VA
8413.60.09	CURRENT APPROVAL Mono marlin - mono bloc pump range		99	502959H	VA
8413.60.09	REQUESTED APPROVAL Helical rotor mono bloc type pumps	Airedale Pump Co Ltd C/-PO Box 53-084 AUCKLAND	99	AK 703189A	VA
8413.70.09	Versioni self priming stainless steel centrifugal pumps for food processing, dairy and drink industries	Cable-Price Corporation Ltd PO Box 10042 WELLINGTON	99	WN 721676	A
8418.10.00	Kerosene powered refrigerator/freezers	Electrolux Ltd C/-Gordon Peters Ltd PO Box 3349 WELLINGTON	99	WN 721641	A
8418.22.00	12 volt powered portable cool box	Electrolux Ltd C/-Gordon Peters Ltd PO Box 3349 WELLINGTON	99	WN 721649	A
8418.29.00	240v/LPG powered refrigerator/freezers	Electrolux Ltd C/-Gordon Peters Ltd PO Box 3349 WELLINGTON	99	WN 721639	A
8418.29.00	12v/LPG powered refrigerators	Electrolux Ltd	99	WN 721648	A

Tariff Industry Assistance (Advertisement) Notice No. 1988/21-continued

Tariff Item	Description of Goods	Name and Address of Applicant	Part II Ref.	Appn. Ref. No.	*Category of Appn.
8418.29.00	3 way powered (12v, 240v, LPG) chest type refrigerator	C/-Gordon Peters Ltd PO Box 3349 WELLINGTON Electrolux Ltd	99	WN 721646	A
8418.29.00	3 way powered (12v, 240v, LPG) chest type refrigerators or freezers	C/-Gordon Peters Ltd PO Box 3349 WELLINGTON Electrolux Ltd	99	WN 721637	A
8418.29.00	3 way powered one door refrigerator/freezers (12v, 240v LPG)	C/-Gordon Peters Ltd PO Box 3349 WELLINGTON Electrolux Ltd	99	WN 721638	A
8418.30.00	Kerosene or LP Gas powered freezers	C/-Gordon Peters Ltd PO Box 3349 WELLINGTON Electrolux Ltd	99	WN 721645	A
8418.69.00	One only Komo turbo runner freezing tunnel	Tegel Poultry Ltd PO Box 308 WELLINGTON	99	WN 721669	A
8422.30.09	Heat shrink labelling machine	Sutton Distributors Ltd C/-A.J. Brown & Co Ltd PO Box 1036 AUCKLAND	99	AK 703226K	A
8422.40.09	One only SITMA C705 automatic shrink wrapping machine	Government Printer Private Bag WELLINGTON	99	WN 721663	A
8428.90.00	Concrete placing booms	Russell Concrete Pumps Ltd PO Box 12-159 Penrose AUCKLAND	99	AK 703188C	A
8433.59.00	Wilted forage harvesters not incorporating mowing facilities	Farm Equipment Co Ltd PO Box 7064 WANGANUI	99	WN 721655	A
8438.40.00	Brewery machinery viz: malt crushing machine	N.Z. Breweries Ltd C/-MSAS Cargo Int. PO Box 357 AUCKLAND	99	AK 703202B	A
8439.10.01	Portable wood waste chipper	Morbark (NZ) Ltd PO Box 1312 ROTORUA	99	AK 703224C	A
84.59)	CURRENT APPROVAL		99	780143C	VA
84.60)	Machine-tools for working metal or metal carbides, not being machines falling within heading No. 84.49 or 84.50:				
84.61)	EXCLUDING:				
84.62)	(1) Bandsaws, with a physical cutting capacity in the horizontal positions, 45° or 90° as follows:				
84.63)	Cutting at 90°, round bar capacity up to 175mm diameter				
	Cutting at 90°, flat bar up to 280mm wide x 175mm high				
	Cutting at 45°, round bar capacity up to 130mm diameter				
	Cutting at 45°, flat bar up to 130mm wide x 175mm high excluding:				
	Automatically controlled bandsaws				
	(2) Box and plan folders, hand operated				
	(3) Buffing and contact grinding machines, not exceeding 304.8mm wheel diameter and 508mm belt width				
	(4) Chain saw sharpeners				
	(5) Drill presses, bench or floor mounting column type, belt driven, excluding types with power feed to drilling quill				
	(6) Drill presses, wall mounting, radial type not exceeding 22.22 capacity in mild steel.				
	(7) Dualfoam hydraulic press with facility to cast its own tools models 5E, 6, 7, 8 and 9				
	(8) Machinery, peculiar for use in making and repairing exhaust systems and other products made from metal tubing, not exceeding the following capacity:				
	swaging, 19mm-76mm;				
	expanding, 25mm-76mm;				
	bending, 19mm-76mm; and				
	forming bends of 60mm-140mm radii				
	EXCLUDING:				
	numerically controlled machine tools				
	(9) Metal circular saws hand operated with blades not exceeding 1016mm diameter excluding types specially suited for cutting precious metals				
	(10) Metalworking guillotines and shears, excluding:				
	(a) 762mm power operated guillotines especially suited for use in the photo-processing and engraving grade for cutting zinc, magnesium and copper sheets				
	(b) Reinforced steel bar cropping machines, with capacity exceeding 20mm				
	(c) Types with a straight cutting edge of 105mm or less				

Tariff Industry Assistance (Advertisement) Notice No. 1988/21-continued

Tariff Item	Description of Goods	Name and Address of Applicant	Part II Ref.	Appn. Ref. No.	*Category of Appn.
	(11) Metal Hacksaws with a rated square material cutting capacity of which any one measurement is 280mm or less, excluding automatically controlled hacksaws (12) Plate rolls and press brakes (including coil cradle straighteners) (13) Presses, hydraulic (14) Presses, mechanical, power operated and other, exceeding 30.5 tonnes but not exceeding 35 tonnes capacity (15) Presses, mechanical, power operated and other, not exceeding 30.5 tonnes capacity (16) Punch, crop and rivet presses, not exceeding 3.05 tonnes capacity (17) Rod reinforcing steel cutters, not exceeding 20mm mild steel capacity (18) Roll forming machines, including continuous spouting and continuous ridging machines (19) Shearing, punching and notching machines, hand and hydraulically operated (20) Sheet metal folding machines (21) Sheet metal rollers, hand operated, not exceeding 1220mm x 76.2mm x 1.6mm capacity (22) Swaging and crimping machines N.B. Any multi-purpose or composite machines incorporating any of the functions above are excluded from this concession				
84.59)	REQUESTED APPROVAL				
84.60)	Machine-tools for working metal or metal carbides, not being machines falling within heading No. 84.49 or 84.50:	Equipment Engineering Ltd	99	AK 703229	VA
84.61)	EXCLUDING:	20 Angle Street			
84.62)	(1) Bandsaws, with a maximum cutting capacity in the horizontal positions, 45° or 90° as follows: Cutting at 90°, round bar capacity up to 260mm diameter Cutting at 90°, flat bar up to 430mm wide x 260mm high Cutting at 45°, round bar capacity up to 260mm diameter Cutting at 45°, flat bar up to 280mm wide x 260mm high excluding: Automatically controlled bandsaws (2) Box and plan folders, hand operated (3) Buffing and contact grinding machines, not exceeding 304.8mm wheel diameter and 508mm belt width (4) Chain saw sharpeners (5) Drill presses, bench or floor mounting column type, belt driven, excluding types with power feed to drilling quill (6) Drill presses, wall mounting, radial type not exceeding 22.22 capacity in mild steel. (7) Dualfoam hydraulic press with facility to cast its own tools models 5E, 6, 7, 8 and 9 (8) Machinery, peculiar for use in making and repairing exhaust systems and other products made from metal tubing, not exceeding the following capacity; swaging, 19mm-76mm; expanding, 25mm-76mm; bending, 19mm-76mm; and forming bends of 60mm-140mm radii EXCLUDING: numerically controlled machine tools (9) Metal circular saws hand operated with blades not exceeding 1016mm diameter excluding types specially suited for cutting precious metals (10) Metalworking guillotines and shears, excluding: (a) 762mm power operated guillotines especially suited for use in the photo-processing and engraving grade for cutting zinc, magnesium and copper sheets (b) Reinforced steel bar cropping machines, with capacity exceeding 20mm (c) Types with a straight cutting edge of 105mm or less (11) Metal Hacksaws with a rated square material cutting capacity of which any one measurement is 280mm or less, excluding automatically controlled hacksaws (12) Plate rolls and press brakes (including coil cradle straighteners) (13) Presses, hydraulic (14) Presses, mechanical, power operated and other, exceeding 30.5 tonnes but not exceeding 35 tonnes capacity (15) Presses, mechanical, power operated and other, not exceeding 30.5 tonnes capacity (16) Punch, crop and rivet presses, not exceeding 3.05 tonnes capacity (17) Rod reinforcing steel cutters, not exceeding 20mm mild steel capacity (18) Roll forming machines, including continuous spouting and continuous ridging machines (19) Shearing, punching and notching machines, hand and hydraulically operated	Te Papapa AUCKLAND			
+ 84.63)					

## Tariff Industry Assistance (Advertisement) Notice No. 1988/21-continued

Tariff Item	Description of Goods	Name and Address of Applicant	Part II Ref.	Appn. Ref. No.	*Category of Appn.
	(20) Sheet metal folding machines (21) Sheet metal rollers, hand operated, not exceeding 1220mm x 76.2mm x 1.6mm capacity (22) Swaging and crimping machines (23) Metal cutting bandsaws in vertical positions with a maximum cutting throat depth up to 450mm + + N.B. Any multi-purpose or composite machines incorporating any of the functions above are excluded from this concession				
84.65	Machine-tools for working wood, cork, bone, ebonite (vulcanite), hard artificial plastic materials or other hard carving materials, other than machines falling within heading No. 84.67: EXCLUDING: Edgebanding machines which perform the following functions only viz:- the application of preglued edging tape coils of PVC, melamine or wood veneer to hand fed panels by means of glue reactivation, with or without a tape front and/or end cut off function (Edgebanding machines which have additional functions to those specified above will qualify for this concession provided the additional functions are relevant to edgebanding machines and are catalogued as being for the edgebanders concerned) Drill presses, bench or floor mounting column type, not exceeding capacities in mild steel up to and including 42mm. (Multi-purpose or composite machines incorporating this function fall within this exclusion) Plastic granulators not exceeding 22.37kW (30 h.p.) capacity Samco model LP15 vertical and bobbin sander Surface planers, buzzers or jointers with blade not exceeding 310mm Thicknessers, with a capacity up to and including 330mm. (Multi-purpose or composite machines incorporating this function fall within this exclusion) Woodturning lathes, for operation with tools held by the hand or semi-automatic (but not including fully automatic) Woodworking machinery; viz: End-matching machines Automatic firewood saws Bandsaws with throat capacity not exceeding 535mm (21in.) Box nailing machines Breast benches Circular breakdown saws Circular saw benches, hand-feed, including builders' treadle saw benches, with blade diameter not exceeding 360mm Cut-off saws, pendulum type with motor not exceeding 3.75 kW (5 h.p.) and with blade diameter not exceeding 500mm (20in.) Docking saws Dovetailing machines with single spindle and manual feed Drill presses, wall mounting, radial type not exceeding 22.2mm capacity in mild steel Horizontal dowel boring machines, not exceeding 25mm capacity in mild steel Log cut-off swing saws Post peelers Precision veneer trimming saws Radial arm saws, overhead crosscut saws, and trenching machines, powered by single phase electric motors Splitting saws Tenoning machines, single spindle Veneer presses manually operated, single daylight, for cold pressing Vertical breakdown saws Wood debarking machines, Rosser head not exceeding 1425mm (56in.) diameter and ring type not exceeding 1275mm (50in.) diameter NB: Any multi-purpose or composite machines incorporating a combination of the above functions are excluded from this concession	Comptroller of Customs PO Box 2218 WELLINGTON	99	HO 701540C	WA
84.65	Machine tools for working wood, cork, bone, hard rubber, hard plastic or similar hard materials excluding: (1) Fixed table general purpose sawbenches for sawblades up to and including 330mm diameter (2) Builders treadle sawbenches for sawblades up to and including 330mm diameter (3) Radial arm saws powered by single phase motors (4) Pendulum type crosscut saws including spida type for sawblades up to and including 450mm diameter (5) Thicknessers with a width capacity up to and including 330mm	Comptroller of Customs PO Box 2218 WELLINGTON	99	HO 780893D	A

Tariff Industry Assistance (Advertisement) Notice No. 1988/21-continued

Tariff Item	Description of Goods	Name and Address of Applicant	Part II Ref.	Appn. Ref. No.	*Category of Appn.
	(6) Surface planers, buzzers, or jointers with a blade not exceeding 310mm				
	(7) Bandsaws with a throat capacity not exceeding 475cm				
	(8) Woodlathes manually operated with or without copying device				
	(9) Horizontal dowel boring machines with manual feed				
	(10) Drill presses bench or floor mounting, column type, belt driven, manually operated				
	(11) Edgebanding single purpose machines which apply preglued edging tape coils of PVC, melamine or wood veneer to hand fed panels by means of glue reactivation				
	(12) Combination machines comprising:- Sawbench up to 280mm diameter sawblade with buzzer up to 160mm knife width whether or not including disc sander Dowel borer and disc sander Belt and disc sander with belts up to 150mm wide x 1220mm long: discs up to 230mm diameter				
	(13) Sawmilling machinery:- Automatic firewood saws Breast benches Circular breakdown saws Docking saws Log cut off swing saws Post peelers Splitting saws Vertical breakdown saws Wood debarking machines, Rosser head not exceeding 1425mm diameter and ring type not exceeding 1020mm diameter				
	(14) Plastic granulators not exceeding 22.37KW (30 HP) capacity				
8479.10.00	Burwell/nomata rapid rolldoor model 416 type 650	Fisher & Paykel Ltd 2 Spring Road PO Box 58-046 EAST TAMAKI	99	AK 703187E	A
8479.89.00	Hydraulic wrench system	NZ Synthetic Fuels Corp Ltd C/-PO Box 842 NEW PLYMOUTH	99	WN 721482	A
8485.10.00	CURRENT APPROVAL Ships propellers excluding propellers of a diameter up to and including 1778 cms (70 inch) made of bronze alloy and aluminium only		99	600126L	VA
8485.10.00	REQUESTED APPROVAL Ships propellers, excluding propellers of a diameter up to and including 177.8cm (70 inch)	Whangarei Customs Agency PO Box 888 WHANGAREI	99	AK 703150F	VA
8503.00.01)	Electric motor spares as may be approved; for the repair of Crompton Parkinson multiphase and single phase electric motors	A & T Burt Merchants Ltd PO Box 31-046 LOWER HUTT	99	WN 721654	A
8503.00.09)	APPROVED: (1) Endshields (2) Terminal box (3) Terminal box lid (4) Terminal board (5) Fan cover (6) Bearing cap (7) Eye bolt (8) Centrifugal switch mechanism				
8504.31.09	90kv high voltage electric power supply transformer	Gemma Jewellery 85 Middle Renwick Road BLLENHEIM	99	WN 721661	A
8506.19.00	CURRENT APPROVAL Activain 11 zinc air cells No. 312 HPZ      312 HPX 13 HPZ        13 HPX 675 HPZ       675 HPX		99	621836K	VA
8506.19.00	REQUESTED APPROVAL Activain 11 zinc air cells No. 312 HPZ      312 HPX 13 HPZ        13 HPX 675 HPZ       675 HPX 230 HPX	Mr N.A. Langdon Hearing Instruments 1st Floor National Bank Building 16/18 Johnsonville Road Johnsonville WELLINGTON	99	WN 721694	VA
8515.80.09	Plasma cutting systems	Weldwell (NZ) Ltd Sale Street PO Box 749 NAPIER	99	WN 721652	A
8515.90.19	Parts of plasma cutting systems	Weldwell (NZ) Ltd Sale Street PO Box 749 NAPIER	99	WN 721653	A
8529.10.19	Directive phased array antenna	Commissioner of Police Supply Section, 6th Floor 180 Molesworth Street	99	WN 721583	A

## Tariff Industry Assistance (Advertisement) Notice No. 1988/21-continued

Tariff Item	Description of Goods	Name and Address of Applicant	Part II Ref.	Appn. Ref. No.	*Category of Appn.
8544.11.01	Copper winding wire insulated with laquer or enamel under 0.160mm and over 1.60mm diameter	WELLINGTON Coils Specialists NZ Ltd PO Box 2365	99	780894B	A
8704.10.00	TWA52LDN series Nissan diesel dump truck complete with 8m <sup>3</sup> U section dump body	TAURANGA Nissan New Zealand Ltd PO Box 61133 Otara	99	AK 703186G	A
8714.20.00	Parts and accessories for ortho kinetic travel chairs	AUCKLAND Group Pharmaceuticals Ltd C/-G.N. Bowerman, Tariff Consultant Colebrook Bros Ltd PO Box 1296 AUCKLAND	99	AK 703225A	A
Chapter 90	CURRENT APPROVAL Electrical measuring, checking, analysing or automatically controlling instruments and apparatus; EXCLUDING: (1) Electric current controllers/indicators, up to 240v (2) Frequency meters, flush mounting pointer type with circular or quadrant scales, accuracy class of 0.5 and having face size of 72mm or 96mm square (3) Milk cryoscopes (4) Moving coil and moving coil/rectifier ammeters and voltmeters, including microammeters, milliameters and D.C. millivoltmeters for use with external shunts, flush mounting horizontal sector scales, accuracy class 2.5 and having body diameter of between 54 and 70mm (5) Moving coil and moving coil/rectifier ammeters and voltmeters, including milliameters and D.C. millivoltmeters, for use with external shunts, flush mounting with circular or quadrant scales accuracy class 1.5 and having face size of 72mm or 96mm square (6) Moving iron ammeters and voltmeters including milliameters, flush mounting and quadrant scales to accuracy class 1.5 and having face size of from 72mm to 144mm square inclusive (7) Temperature, pressure, humidity and moisture control and measuring devices (8) Industrial type batch and predetermining batch counters, but not including digital electronic frequencies above 1MHz (9) Variable speed controllers for A.C. motors, sizes up to and including 255 kw (10) Data logging systems designed for the measuring, indicating of physical data such as temperature, humidity, voltage, current, power and flow pressure EXCLUDING: Public water supply data logging equipment, (11) Echo-sounding, ultra-sonic and detecting equipment having a maximum depth range of up to 110m, excluding hermetically sealed units (12) Bin and hopper level control instruments and apparatus (13) Electronic differential thermostat switches designed to monitor or control the flow of gases, liquids or solids in the control of forced circulation solar heating systems, controlling loads up to 10hp or 7.5 kilowatts resistive (14) Electronic marine instruments for recording boat speed and distance other than Decca Logs and Seafarer Logs (15) Energy management systems, peculiar to use for measuring, analysing and controlling electrical demand (16) Gas detection systems, peculiar to use in commercial and/or industrial environments, which measure and report concentrations of flammable or toxic gases in the air via alarm and/or analogue (17) Moving iron ammeters and voltmeters, flush mounting, quadrant scale, to accuracy class 1.5 and having face sizes from 72mm to 144mm square (18) Moving coil and moving coil/rectifier ammeters and voltmeters, flush mounting, having face areas of between 5184 square millimeters and 9216 square millimeters and having sector, quadrant or circular scales NOTE: circular, sector and quadrant type scales are illustrated in Fig. 2 on pages 11 and 12 of BS 3693, PART 1, 1964, "The Design of Scales and Indexes." (19) Portable electrically powered gas leak detector, gas detector and gas monitor and smoke warning alarms (20) Post payment self-service petrol dispensing systems (21) Power factor correction systems, including power factor controllers and ancillary equipment mounted in a common cubicle and designed to measure and automatically control the overall power factor in a 3-phase electrical installation, and such power factor controllers when imported separately (22) Telemetry system designed for the remote control measuring and indicating of physical and electrical data,		99	740496E	VA



Tariff Industry Assistance (Advertisement) Notice No. 1988/21-continued

Tariff Item	Description of Goods	Name and Address of Applicant	Part II Ref.	Appn. Ref. No.	*Category of Appn.
Chapter 90	<p>such as voltage, current, power and position status</p> <p>(23) Electronic taximeters</p> <p>(24) Ripple signal control equipment excluding equipment designed for systems of 66KV and above</p> <p>REQUESTED APPROVAL</p> <p>Electrical measuring, checking, analysing or automatically controlling instruments and apparatus;</p> <p>EXCLUDING:</p> <p>(1) Electric current controllers/indicators, up to 240v</p> <p>(2) Frequency meters, flush mounting pointer type with circular or quadrant scales, accuracy class of 0.5 and having face size of 72mm or 96mm square</p> <p>(3) Milk cryoscopes</p> <p>(4) Moving coil and moving coil/rectifier ammeters and voltmeters, including microammeters, milliameters and D.C. millivoltmeters for use with external shunts, flush mounting horizontal sector scales, accuracy class 2.5 and having body diameter of between 54 and 70mm</p> <p>(5) Moving coil and moving coil/rectifier ammeters and voltmeters, including milliameters and D.C. millivoltmeters, for use with external shunts, flush mounting with circular or quadrant scales accuracy class 1.5 and having face size of 72mm or 96mm square</p> <p>(6) Moving iron ammeters and voltmeters including milliameters, flush mounting and quadrant scales to accuracy class 1.5 and having face size of from 72mm to 144mm square inclusive</p> <p>(7) Temperature, pressure, humidity and moisture control and measuring devices</p> <p>(8) Industrial type batch and predetermining batch counters, but not including digital electronic frequencies above 1MHz</p> <p>(9) Variable speed controllers for A.C. motors, sizes up to and including 255 kw</p> <p>(10) Data logging systems designed for the measuring, indicating of physical data such as temperature, humidity, voltage, current, power and flow pressure</p> <p>EXCLUDING:</p> <p>Public water supply data logging equipment,</p> <p>(11) Echo-sounding, ultra-sonic and detecting equipment having a maximum depth range of up to 110m, excluding hermetically sealed units</p> <p>(12) Bin and hopper level control instruments and apparatus</p> <p>(13) Electronic differential thermostat switches designed to monitor or control the flow of gases, liquids or solids in the control of forced circulation solar heating systems, controlling loads up to 10hp or 7.5 kilowatts resistive</p> <p>(14) Electronic marine instruments for recording boat speed and distance other than Decca Logs and Seafarer Logs</p> <p>(15) Energy management systems, peculiar to use for measuring, analysing and controlling electrical demand</p> <p>(16) Gas detection systems, peculiar to use in commercial and/or industrial environments, which measure and report concentrations of flammable or toxic gases in the air via alarm and/or analogue</p> <p>(17) Moving iron ammeters and voltmeters, flush mounting, quadrant scale, to accuracy class 1.5 and having face sizes from 72mm to 144mm square</p> <p>(18) Moving coil and moving coil/rectifier ammeters and voltmeters, flush mounting, having face areas of between 5184 square millimeters and 9216 square millimeters and having sector, quadrant or circular scales</p> <p>NOTE: circular, sector and quadrant type scales are illustrated in Fig. 2 on pages 11 and 12 of BS 3693, PART 1, 1964, "The Design of Scales and Indexes."</p> <p>(19) Portable electrically powered gas leak detector, gas detector and gas monitor and smoke warning alarms</p> <p>(20) Post payment self-service petrol dispensing systems</p> <p>(21) Power factor correction systems, including power factor controllers and ancillary equipment mounted in a common cubicle and designed to measure and automatically control the overall power factor in a 3-phase electrical installation, and such power factor controllers when imported separately</p> <p>(22) Telemetry system designed for the remote control measuring and indicating of physical and electrical data, such as voltage, current, power and position status</p> <p>(23) Electronic taximeters</p> <p>(24) Ripple signal control equipment</p>	<p>Plessey NZ Ltd</p> <p>C/-A.J. Brown &amp; Co Ltd</p> <p>PO Box 1036</p> <p>AUCKLAND</p>	99	AK 703218J	VA
+ 9404.10.00	Wooden spring slats for use in manufacture of beds	<p>Freelite (NZ) Ltd</p> <p>C/-Owens Customs Agency</p> <p>PO Box 4028</p> <p>MT MAUNGANUI</p>	99	AK 703228	A
9405.40.29	Lifebuoy lights	<p>Hutcheson Wilson &amp; Co Ltd</p> <p>C/-United Customs &amp; Carrying Co Ltd</p>	99	WN 721635	A

## Tariff Industry Assistance (Advertisement) Notice No. 1988/21—continued

Tariff Item	Description of Goods	Name and Address of Applicant	Part II Ref.	Appn. Ref. No.	*Category of Appn.
9505.90.00	One Hong Kong made southern style lion head (for use in traditional Chinese lion dance)	PO Box 664 WELLINGTON NZ Chinese Association (Hawke's Bay Branch) C/-The Secretary 7 Colenso Chambers Emerson Street NAPIER	99	WN 721673E	A
9506.32.00	Golf balls	Jones Brothers Ltd PO Box 38-368 56 Hutt Road Petone WELLINGTON	99	WN 721596	A
9506.91.00	Rowing ergometers	Roderick Graeme Trott PO Box 4470 AUCKLAND	99	WN 721467	A
* Category of Application:	A - Application for Approval				
	VA - Application for Variation of Approval				
	WA - Application for Withdrawal of Approval				
	D - Application for Determination				
	VD - Application for Variation of Determination				
	WD - Application for Withdrawal of Determination				
	RUC - Revocation of Unused Concessions				
	CUPA - Continuation of Unpublished Approval				
	+ - Denotes amendment or addition				
** Port:	HO - Comptroller of Customs, PO Box 2218, Wellington				
	AK - Collector of Customs, Box 29, Auckland				
	WN - Collector of Customs, PO Box 2218, Wellington				
	CH - Collector of Customs, Box 2098, Christchurch				
	DN - Collector of Customs, Private Bag, Dunedin				

Dated at Wellington this 9th day of June 1988.

M.W. TAYLOR, Comptroller of Customs.

TARIFF INDUSTRY ASSISTANCE (DECISION) NOTICE NO. 1988/21  
Decisions of the Minister of Customs in respect of Part I and Part II of the Customs Tariff

- 1 Notice is hereby given that the following decisions have been made in respect of the goods published in the Schedules to this notice.  
2 SCHEDULE 2 - Decisions cancelled. The cancellations listed in this schedule take effect seven days from *Gazette* date unless otherwise specified, eg, WEF (date).  
3 SCHEDULE 3 - Limited Decisions  
(a) Approvals given under Schedule 3 are restricted to the applicant for whom the approval was originally given and are not available for general use.  
This Notice only serves to inform the importing/manufacturing community of the approvals existence.  
(b) Schedule 3 and 4 will not be published in the Consolidated List of Decisions.  
4 It should be noted that any concession or determination can be subject to amendment or cancellation by notification in the *Gazette*.  
5 Where the month of the start date and end date is shown the day of the start date is the first day of that month and the day of the end date is the last day of that month - eg, 3/88 to 9/89 is 1/3/88 to 30/9/89.

SCHEDULE 1  
General Decisions Approved

Tariff Item	Description of Goods	Rates of Duty		Part II Ref.	Ref. No.	Effective	
		Normal	Pref.			From	To
DN 2507.00.00	Alphatex	5	AU Free	99	922571E	1/88	..
WN 3004.20.01	Terramycin Q-100	Free	Free	26	730146E	3/88	..
WN 3004.20.01	Terramycin L/A	Free	Free	26	730147C	3/88	..
WN 3004.90.19	Avil nasal spray	Free	Free	26	730165A	4/88	..
WN 3004.90.19	Freamine HBC 6.9%	Free	Free	26	730160L	4/88	..
WN 3004.90.19	Oxprenolol tablets	Free	Free	25	730136H	2/88	..
WN 3004.90.19	Triquilar ED 285C tablets	Free	Free	25	730158J	11/87	..
WN 3004.90.19	Triquilar 215C tablets	Free	Free	25	730159G	11/87	..
AK 3215.11.00	Non-contact printing system ink	Free	Free	99	702822K	4/88	..
WN 3808.10.19	Propoxur 80% premix	Free	Free	99	721365E	3/88	..
AK 3808.20.00	Polyram DF	Free	Free	99	702814J	4/88	..
AK 3815.12.00	Aodisc contact lens disc	Free	Free	99	702815G	4/88	..
WN 3907.20.09	Baysilone fluid OL, being a polyether - polysiloxane - copolymer	Free	Free	99	721301J	3/88	..
AK 3919.10.00	Adhesive backed vinyl non skid (marine) deck tape	5	AU 5 CA 5 LDC 5	99	703029A	1/88	..
AK 3921.90.01	41 micron thick reinforced regenerated cellulose film, consisting of two micro-thin cellulose film layers with a metallised polyester core, coated both sides with PVDC	Free	Free	99	702565D	1/88	..
AK 3921.90.01	43 micron thick reinforced regenerated cellulose film consisting of two micro-thin cellulose film layers with a biaxially oriented polypropylene core, coated both sides with PVDC	Free	Free	99	702566B	1/88	..
AK 4011.91.09)	Agricultural tractor tyres and tubes, and agricultural implement tyres and tubes, EXCLUDING	5	AU Free	99	701837B	1/88	..
AK 4011.99.00)	the following sizes or their equivalent (irrespective of ply rating, speed rating, tread type, pattern construction or constituent materials): EXPLANATORY NOTES: (1) Sizes have been listed in order from smallest to largest (2) Sizes cover equivalent radial tyres Tyres and Tubes 5.50-16 6.00-16 6.50-16 7.00-16 7.50-16 9.00-16 4.00-19 6.00-19 14.9/13-24 (14.9-24 13-24) 16.9/14-24 Tube Only 11.2/10-28 (11.2-28 10-28) 11.25-28 12.4/11-28 (12.4-28 11-28) 14.9/13-28 (14.9-28 13-28) 16.9/14-30 (16.9-30 14-30) 18.4/15-30 (18.4-30 15-30) 12.4/11-36 (12.4-36 11-36)						
AK 4803.00.11	Polypropylene or nylon reinforced paper	Free	Free	99	603358L	1/88	..
HO Chapter 51	Fabric for use in the manufacture of apparel as may be approved (NOTE: Details may be obtained from your nearest Collector of Customs)	Free	Free	99	780848J	1/88	..
AK 5701.10.09	Handknotted rugs of pure silk	Free	Free	99	702426G	2/88	..
AK 6117.80.29	Imitation chamouis crotch	Free	Free	99	702471B	3/88	..
WN 6307.90.29	Mattress repair kit	Free	Free	99	721331L	3/88	..
WN 6403.51.09	Moto cross boots, as may be approved; APPROVED BRAND NAMES: MS racing Alpine stars Gaerne	Free	Free	99	721372H	3/88	..
WN 7304.49.09	Tubes and pipes of stainless steel, round-seamless of nominal internal diameter, less than 100mm and/or nominal diameter 100mm or more viz: specialty stainless steel alloys 223 FAL, 253 MA, 254 SLX, 254 SMO, and 904 L	5	AU Free CA Free LDC Free	99	721386H	3/88	..
WN 7306.40.19	Tubes and pipes of stainless steel, round-welded of nominal	5	AU Free	99	721385K	3/88	..

## Tariff Industry Assistance (Decision) Notice No. 1988/21-continued

Tariff Item	Description of Goods	Rates of Duty		Part II Ref.	Ref. No.	Effective	
		Normal	Pref.			From	To
	internal diameter, less than 100mm and/or nominal internal diameter 100mm or more viz: specialty stainless steel alloys 223 FAL, 253 MA, 254 SLX, 254 SMO and 904 L						
AK 8414.59.09	Rotary positive displacement blower. Maximum pressure to PSIG maximum vacuum 10'' HG	Free	Free	99	702840H	7/88	..
AK 8414.80.01	Jun-Air dental compressors 0.83 litres/second delivery per pot at 827 KPA oil free, odourless tasteless air delivery, free of contaminants which could interfere with binding of dental materials with tooth tissue	Free	Free	99	702797E	3/88	..
AK 8414.80.01	Jun-Air dental compressors 1.453 litres/second delivery per pot at 827 KPA oil free, tasteless air delivery, free of contaminants which could interfere with binding of dental materials with tooth tissue. With automatic regenerating desiccant dryer, teflon rings and liners	Free	Free	99	702798C	3/88	..
AK 8419.81.00	Electric saki cup warmer	Free	Free	99	702829G	4/88	..
AK 8419.81.00	Maurer air conditioned, maturing and smokehouse installation	Free	Free	99	702830L	3/88	..
WN 8419.81.00	Self-control magnetic water-spraying bean sprouting machines (for producing commercial quantities)	Free	Free	99	721444J	4/88	..
AK 8428.10.00	Passenger lifts for permanent installation in buildings excluding the following componentry: Hydraulic motor/pump units Hydraulic pistons and cylinders Car and counterweight frames	Free	Free	99	702820C	4/88	..
WN 8468.20.00	Gas soldering torches complete with self contained butane cylinder	Free	Free	99	721445G	4/88	..
WN 8512.20.00 (85.09.041)	Grill/bumper mounted speaker and warning light units and grill/bumper mounted warning lights excluding eye level rear/brake/indicator lights	Free	Free	99	721263B	11/87	..
WN 8516.60.01	Microwave combination ovens (consisting of convection oven, grill and microwave)	Free	Free	99	721420A	4/88	..
WN 8517.90.09	Component parts for use in the manufacture of AF repeaters NOTE: All parts must be entered under their own substantive tariff item, but will be admitted under the above concession EXCLUDING: Parts of general use	Free	Free	99	721351E	3/88	..
WN 8533.10.00	Metal film fixed resistors rated dissipation 0-125W	Free	Free	99	721456B	4/88	..
AK 8536.20.00	Marine magnetic circuit breakers	Free	Free	99	702570L	3/88	..
WN 8537.10.00	Electronic audio switching system	Free	Free	99	721364G	3/88	..
WN 8544.51)	Oceanographic/hydrological/geophysical cables and connector accessories for use with equipment classified in tariff item	Free	Free	99	720843L	11/87	..
WN 8544.59)	90.15 (HCDCS)						
WN 87.08	Parts and accessories of motor vehicles falling within heading No. 87.01, 87.02, 87.03, 87.04 or 87.05 EXCLUDING: Axle assemblies, viz: Brake drums, Hubs (stud and spoked), Brake shoes, Camshafts, Brake spiders, Back plate assemblies, Brake shoe pins, Brake shoe springs, Brake shoe rollers, Bushes, Bearing housings, Camshaft brackets, Dust covers, Wheel studs, Wheel nuts, Axle nuts and Axle washers Adaptor plates to fit Isusu and Cummins engines Air dams Arm rests Automatic transmission oil cooler other than amphibious vehicle automatic transmission oil coolers Bonded brake shoes Brake cables Bull bars Bumpers, other than plating rejects or bare base steel bumpers (i.e. not chromed or similarly coated) Clutches complete, whether made up or in kit form Clutch covers (pressure plate) Clutch plates (friction plates, clutch discs) Clutch repair or reconditioning kits which include any of the following:- Clutch plate (clutch disc or friction plate) Clutch cover (pressure plate) Couplings, trailer and truck (other than semi-trailer fifth wheel couplings) Disc brake pad assemblies and disc pad kits Door control systems, air, air-bleed or vacuum operated, viz: single/double folding (jackknife), single/double gliders Driveshafts, rear axle only Exhaust pipes Exhaust systems (comprising piping and mufflers) External luggage racks Glare stops Hubcaps, hub centres, full wheel covers, wheel trims, (other than those with the following dimensions 22½'' (57.15cm) complete with brackets), bends and discs, and wheel trim rimbellishers Interior trim components of hardboard, cardboard or similar materials, leather or plastic sheetings, cut to shape Melt sheet, cut to shape Radiator cores and assemblies, including pressure caps Safety grills (ie dog guards) for fencing off the front	Free	Free	99	721388D	3/88	..

Tariff Industry Assistance (Decision) Notice No. 1988/21-continued

Tariff Item	Description of Goods	Rates of Duty		Part II Ref.	Ref. No.	Effective	
		Normal	Pref.			From	To
	seat from the back						
	Seat belts						
	Steering wheels						
	Sunroofs						
	Internal sunvisors and covers including arm and fixing brackets						
	Upholsterers materials (such as flock, wadding, batting, fluting, linters, padding, foam) cut, moulded or fabricated to shape						
	Upholsterers textiles, fabrics, leather, or plastic sheetings, cut moulded or fabricated to shape						
	Wheel balance weights						
	Wheel spinners for use on steering wheels						
	Wheels of magnesium, aluminium alloys, (Less than 20'' (51cm) in diameter), whether one piece construction or composite						
	Towballs						
WN 9010.30.00	50'' (127cm), 60'' (152.4cm), 72'' (182.88cm) video projector curved high grain screens	Free	Free	99	721455D	4/88	..
AK 9031.80.00	Electronic marine instruments for recording boat speed and distance other than decca logs, seafarer logs, Furno and Morioka models	Free	Free	99	702800J	1/88	..
WN 9303.90.09	Pistols designed to project only signal flares	Free	Free	99	721413J	4/88	..
WN 9503.70.00 (97.03.009)	Candy novelties, being toys filled with confectionary	Free	Free	99	720880E	12/87	..
WN 9506.99.19	Plastic hockey sets comprising of: (1) Plastic sticks (80cm shaft) (2) Plastic ball (3) Plastic puck	Free	Free	99	721426L	4/88	..
WN 9507.90.09	Aluminium fly boxes	Free	Free	99	721194F	2/88	..
AK 9608.50.00	Ball point pen and propelling pencil sets exceeding NZ\$9 FOB	Free	Free	99	702805K	4/88	..

SCHEDULE 2  
Decisions Cancelled

Tariff Item	Description of Goods	Ref. No.
DN 2507.00.00	Alphatex	922571B .. ..
WN 3004.90.19	Triquilar ... tablets	204624F .. ..
WN 3004.90.19	Triquilar ... tablets	204625D .. ..
AK 3215.11.00	Mathews ... ink	680252E .. ..
AK 4011.99.00 4013.90.00	Agricultural ... (12.4-36 11-3E)	701837B .. ..
AK 4803.00.11	Polypropylene ... paper	603358L .. ..
HO Chapter 51	Fabric ... Customs)	682289E .. ..
AK 8430.50.00	Snow groomers	603522B .. ..
WN 8517.90.09	Components ... repeaters	931827F .. ..
WN 8544.51 8544.59	Oceanographic/hydrological/geophysical ... 90.15 (HCDCS)	720843L .. ..
WN 87.08	Parts ... towballs	720991G .. ..
WN 9303.90	Very pistols	505802D .. ..

SCHEDULE 3  
Limited Decisions Approved

Tariff Item	Description of Goods	Rates of Duty		Part II Ref.	Ref. No.	Effective	
		Normal	Pref.			From	To
HO 4805.70.09	450 sheets of UNICEF gift wrap in 18 ctns	Free	Free	99	780897G	6/88	7/88
HO 4820.10.00	120 pieces of UNICEF stationery in 7 ctns	Free	Free	99	780899C	6/88	7/88
HO 4820.10.00	960 UNICEF diaries in 10 ctns	Free	Free	99	780896J	6/88	7/88
HO 4820.90.09	50,000 UNICEF stuffers in 4 ctns	Free	Free	99	780900L	6/88	7/88
WN 6211.33.01	1 (one) only imitation leopard skin bass drum apron	Free	Free	99	721330B	3/88	6/88
HO 6912.00.01	180 UNICEF mugs in 5 ctns	Free	Free	99	780898E	6/88	7/88
WN 8419.89.09 (84.17.009)	One only formaldehyde and resin plant	Free	Free	99	720212B	8/87	10/88
WN 8421.21.00	Ozone sterilization plant (one only)	Free	Free	99	721589E	6/88	7/88
WN 8428.33.00	One only self propelled concrete and granular material placer with articulated boom, for evaluation purposes	Free	Free	99	721585B	3/88	12/88
HO 9503.60.00	220 UNICEF puzzles in 11 ctns	Free	Free	99	780901J	6/88	7/88

SCHEDULE 4  
Applications Declined

Tariff Item	Description of Goods	Ref. No.
WN 4911.99.01	Window sign kits	721571
WN 5112.20.01 5112.20.09	Vitric blue-winter weight wool/polyester cloth	721470
WN 6913.90.09	Statuettes and other ornamental ceramic articles. Namely handmade earthenware pots	721499
WN 7418.20.00	Hand crafted copper based gold, silver, or nickel plated bath and shower fittings, with an FOB value of not less than NZ\$1000	721192
DN 8428.10.00	Runt scissor lift with working height not exceeding 4.5 metres	660551G
DN 8429.40.09	Single drum vibratory with an operating weight not exceeding 250 kg	660556H
AK 8525.20.09	Portable hand held fully synthesised marine radios VHF/FM (marine band and air band)	702838F

Dated at Wellington this 9th day of June 1988.

M.W. TAYLOR, Comptroller of Customs.

Australia-New Zealand Closer Economic Relations Trade Agreement  
Application for the Approval of Goods as Determined  
Imported Materials - Notice 1988/3

NOTICE is hereby given that application has been made for the approval of the goods, described in the Schedule hereto, as determined import materials in accordance with New Zealand legislation relating to the rules governing the origin of goods 'wholly manufactured'.

Any person wishing to lodge an objection to New Zealand determining this application, should do so in writing on or before 30 June 1988. Submissions should include a reference to the application number, tariff item, and description of goods concerned, be addressed to the Comptroller of Customs, Private Bag, Wellington, for attention of the Director, Tariff Division, and be supported by information as to the quality, range, supply etc of the goods or suitable alternative goods produced in New Zealand.

SCHEDULE

Application Number	Tariff Item	Goods
3.1	3920.20.01 00C	Metalised Polypropelene Film
3.2	7904.00.00 00K	Zinc Wire
3.3	3920.73.00 01G)	Cellulose Tri-Acetate
	3920.73.00 09K)	NU9 Film

Dated at Wellington this 9 day of June 1988.

M W TAYLOR  
Comptroller of Customs

